



PRODUCT PRICE LIST

JANUARY 2024

New Products Added October 2024





SPARES WEBSTORE

Purchase Blueseal Spares directly online
spares.blue-seal.co.uk

SPARES - 0121 322 6646
SERVICE - 0121 322 6647



New customers get 10% off first order



BLUE SEAL EVOLUTION SERIES®

COBRA®
YOUR STYLE, YOUR WAY

turbofan®

VEERAY®

Fastfri®

Contact Details

Sales Office: T. 0121-327-5575 F. 0121-327-9711
Spares: T. 0121-322-6640 / 0121-322-6641, F. 0121-327-9201
Service: T. 0121-322-6644, F. 0121-327-6257
Operating Hours: Mon-Thurs 8.45-4.45. Friday 8.45-4.15.

David Chesshire, National Accounts Manager 07764-663174
Philip Basson, Sales Manager 07764-663175
Donald Harvey, Sales Manager 07764-663176

Test Kitchen & Technical Support

Our fully equipped on-site test kitchen offers prospective customers the opportunity to experience the Blue Seal product range first hand in a commercial cooking environment. Product demonstrations are available on request and are conducted by experienced and knowledgeable personnel.

Our experienced and highly skilled technical support staff and a network of over 200 field service engineers provide excellent support to customers throughout the UK.

Distribution & Delivery Options

Our central distribution hub is based at our Headquarters in Birmingham, close to the country's major motorway network, ideally placed for next day deliveries to most parts of the UK. Most models and spares are available ex-stock.

Units (Applicable UK Mainland Deliveries ONLY)

Delivery in four days – free of charge

Next day up to 5pm – £55.00

Next day before 12 noon – £70.00

Next day timed – £90.00

You are strongly advised not to book any installation engineers until you have received delivery and have inspected the goods. Blue Seal will not be held liable for any cost incurred due to late delivery or damage.

Spares

UK mainland £10.00 per consignment (FOC for orders over £50.00)

Ireland, Channel Islands and Isle of Man £20.00 per consignment

Northern Ireland £20.00 per consignment

To guarantee next day delivery – orders must be received by 3.00pm. Next day deliveries to the Scottish Highlands cannot be guaranteed.

Please note any damages or discrepancies must be reported within 72 hours of delivery. For damage claims we require photos of the packaging and the damage to the item. Any claims made after this time or without photos may not be honoured.

When returning damaged items please return them in the original packaging.

Product Information

CD product range catalogues, Cad library and high quality product images are available to specifiers, dealers and end users on request or on our website at www.blue-seal.co.uk.

Spares

We understand the importance of an accurate spares identification, ordering and fast turnaround facility and that's why we've created a dedicated spares section on our website.

You'll find expandable technical drawings of every unit in our range, plus complimentary lists of the relevant spares complete with full description and part numbers.

www.blue-seal.co.uk



Over 300 catering





HEAVY DUTY EQUIPMENT



NEW PRODUCTS



MISCELLANEOUS



MEDIUM DUTY EQUIPMENT



CONVECTION OVENS



PIZZA & BAKERY EQUIPMENT



COMBINATION STEAMERS



WARE WASHING

equipment products for every kind of catering location

BLUE SEAL EVOLUTION

■ New Products	4 - 5
■ Miscellaneous	6 - 7
■ Heavy Duty Modular Equipment	8
■ Gas Cooktops	9 - 11
■ Electric Cooktops	12 - 15
■ Induction Cooktops	16 - 24
■ Electric Sealed Hobs	25 - 27
■ Gas Oven Ranges	28 - 33
■ Gas Target Tops & Oven Ranges	34 - 35
■ Electric Oven Ranges	36
■ Gas Tilting Bratt Pans	37
■ Electric Tilting Bratt Pans	38
■ Gas Griddles	39 - 42
■ Electric Griddles	43 - 46
■ Gas Griddle Ovens	47 - 48
■ Gas Griddle Toaster	48
■ Electric Griddle Ovens	49
■ Gas Chargrills	50 - 51
■ Electric Chargrills	52 - 53
■ Gas & Electric Salamanders	54 - 55
■ Gas Fryers	56 - 57
■ Electric Fryers	58 - 59
■ Fryer Filters	60
■ Pasta Cookers	61
■ In-Fill Tables	62 - 63
Optional Extras	63 - 64

COBRA®

YOUR STYLE. YOUR WAY

■ Medium Duty Modular Equipment	65 - 73
---------------------------------	---------

turbofan®

■ High Speed Convection Ovens	74 - 80
■ Bake-Off Ovens, Provers & Holding Cabinets	81 - 83
■ Ventless Hoods	83

BLUE SEAL®

■ Combination Steamers	84 - 86
■ Pizza Ovens & Mixers	87 - 88
■ Ware Washing Equipment	89 - 90

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
-------	-------------	------------	--------------	------------------


900mm GAS BBQ

OPEN CABINET BASE



CB9

900mm BBQ, Mounted
On Open Cabinet Base



29.4

£3,170.00

CB9




450mm

SINGLE PAN GAS PASTA COOKER



W 450mm x D 800mm x H 915mm

- High performance single pan pasta cooker
- Patented infra-red burner system
- Easy clean 316 grade stainless steel open pan
- 40L water capacity
- Integrated water fill and starch skimming water faucet
- Six stainless steel pasta baskets supplied
- Hinged basket drain stand
- Safety cut-out thermostat for empty pan/water boil out
- Stainless steel exterior
- Easy clean
- Easy service
- Fully modular



13

£4,915.00

CP4



240516 Noodle basket kit

£350.00

600mm

SALAMANDER BENCH



To suit QSET60/QSE60 rise and fall salamanders.

B60S-L Leg stand

£1,995.00

B60S-CB Cabinet base

£2,120.00





H8D-UC

H8D-UC

HOLDING CABINET



- W 610mm x D 680mm x H 810mm
- 8 x 1/1 GN tray capacity
 - 74mm tray spacing
 - 1.2kW heating power
 - Electronic touch sensitive control panel

1.2

£4,950.00



H8D-FS-UC

H8D-FS-UC

HOLDING CABINET



- W 735mm x D 810mm x H 810mm
- 8 full size 460mm x 660mm / 18" x 26" sheet pan capacity
 - 74mm tray spacing
 - 1.9kW heating power
 - Electronic touch sensitive control panel

1.9

£5,075.00



H10D-FS

H10D-FS

HOLDING CABINET



- W 735mm x D 810mm x H 1015mm
- 10 full size 460mm x 660mm / 18" x 26" sheet pan capacity
 - 74mm tray spacing
 - 1.9kW heating power
 - Electronic touch sensitive control panel

1.9

£5,340.00



H10D

H10D

HOLDING CABINET



- W 610mm x D 680mm x H 1015mm
- 10 1/1 GN pan capacity
 - 74mm tray spacing
 - 1.2kW heating power
 - Electronic touch sensitive control panel

1.2

£5,100.00



EHT10-L

EHT10-L

TOUCH SCREEN ELECTRIC HUMIDIFIED HOLDING CABINET



- W 610mm x D 680mm x H 1015mm
- 10 1/1 GN pan capacity
 - 2.3kW heating power
 - Electronic touch sensitive control panel

2.3

£6,705.00

OPTIONAL EXTRAS

SKEHT10	Stainless steel stand with castors (2 with swivel lock) to suit EHT10-L model	£700.00
237472	W610mm x D 727mm x H 609mm	
234347	Double stacking kit to suit E33/EHT10-L models	£230.00
	Filter head kit	£330.00
	This kit supplies the cartridge mounting head assembly plus all associated plumbing/fittings for installation to P8/P12/P10/P85 provers. Also includes double check/pressure reducing valve and 2 metres of tubing for connection to supply	
234562	Filter Cartridge P124BN CUNO	£260.00
	Filter cartridge itself for connection to above installation kit	




MISCELLANEOUS



FF18

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
Fastfri FF18		GAS FRYER 400mm		

400mm wide single pan fryer
Stainless steel finish
18 litre oil capacity
Mechanical thermostat
Manual pilot ignition
30mm drain valve
90MJ multi-jet target burner
25kg / hr production rate



25 £1,955.00


Splash Guards
237307 Left Hand £100.00
237308 Right Hand £100.00



G750-6

G750-6	GAS 6 BURNER RANGE STATIC OVEN	
--------	---------------------------------------	--

G750-6



42.7 £3,015.00

Mobile castor kit P/No 238007 (x4 castors)
UKSPSR6 Splash back and over shelf

£145.00
£690.00



QSET60/QSE60

QSET60 QSE60	RAPID HEAT RISE & FALL GRILL	
-----------------	---	--

QSET60	600mm wide x 450mm deep x 500mm high	4	£3,880.00
QSET60 Plate detector as standard.			
QSE60	600mm wide x 450mm deep x 500mm high	4	£3,605.00
9003	Wall brackets		£195.00

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
-------	-------------	------------	--------------	------------------




E83

E83	FOOD WARMER	
-----	-------------	--

- W 595mm x D 356mm x H 515mm
- Temperature display
 - Stay-cool door handles
 - Easy-clean removable glass doors
 - Anti-pilfer door locking clip
 - Solid glass back option (no extra cost)
 - Plugs into 10A power supply
 - Capacity 50 pies
 - Rack sizes 4 racks, 493 x 295mm
 - Power Supply 220-240V 800W 3.4A
 - Shipping Data 19.5kg, 0.16m3 packed

1 £1,005.00




E84

E84	FOOD WARMER	
-----	-------------	--

- W 795mm x D 356mm x H 515mm
- Thermostat control
 - Temperature display
 - Stay-cool door handles
 - Easy-clean removable glass doors
 - Anti-pilfer door locking clip
 - Solid glass back option (no extra cost)
 - Plugs into 10A power supply
 - Capacity 80 – 100 pies
 - Rack sizes 4 racks, 693 x 295mm
 - Power Supply E84 220-240V 1100W 4.6A
 - Shipping Data 25kg, 0.21m3 packed

1.5 £1,100.00



GAS COOKTOPS



G512D-B

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
300mm COOKTOPS		BENCH MODEL		
G512D-B			14	£1,625.00
G512C-B			6	£1,950.00



G514D-B

600mm		BENCH MODEL		
G514D-B			28	£3,025.00
G514C-B			20	£3,360.00
G514B-B			12	£3,665.00



G514D-CB

600mm		CABINET BASE		
G514D-CB			28	£3,400.00
G514C-CB			20	£3,705.00
G514B-CB			12	£4,025.00

OPTIONAL	228791	Gastronorm racking kit 1/1 GN / 4 position	£260.00
----------	--------	--	---------



G514D-LS

600mm		LEG STAND		
G514D-LS			28	£3,220.00
G514C-LS			20	£3,560.00
G514B-LS			12	£3,880.00

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 11.

GAS COOKTOPS

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
-------	-------------	------------	--------------	------------------



G516D-B

900mm COOKTOPS

BENCH MODEL



G516D-B				42	£3,630.00
G516C-B				34	£3,950.00
G516B-B				26	£4,250.00
G516A-B				18	£4,590.00

900mm

CABINET BASE



G516D-CB

G516D-CB				42	£4,420.00
G516C-CB				34	£4,745.00
G516B-CB				26	£5,055.00
G516A-CB				18	£5,370.00

OPTIONAL

228791 Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base £260.00
Accommodates 1 or 2 Racking Kits

900mm

LEG STAND



G516C-LS

G516D-LS				42	£3,870.00
G516C-LS				34	£4,165.00
G516B-LS				26	£4,495.00
G516A-LS				18	£4,795.00

900mm

REFRIGERATED BASE, 2 x 1/1 GN DRAWERS








G516D-RB

G516D-RB				42	£8,400.00
G516C-RB				34	£8,710.00
G516B-RB				26	£9,025.00
G516A-RB				18	£9,360.00

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 11.






GAS COOKTOPS

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
1200mm COOKTOPS		BENCH MODEL		
G518D-B			56	£4,420.00
G518C-B			48	£4,745.00
G518B-B			40	£5,055.00
G518A-B			32	£5,370.00

G518B













G518C-CB

1200mm	CABINET BASE (RACKING KIT NOT INCLUDED)			
G518D-CB			56	£5,205.00
G518C-CB			48	£5,525.00
G518B-CB			40	£5,855.00
G518A-CB			32	£6,155.00
OPTIONAL	228791	Gastronorm racking kit fits 1/1 GN or 2/1 GN / 4 position / 1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits		£260.00



G518-LS

1200mm	LEG STAND			
G518D-LS			56	£4,795.00
G518C-LS			48	£5,155.00
G518B-LS			40	£5,455.00
G518A-LS			32	£5,775.00

1200mm	REFRIG. BASE, 2x1/1 GN DRAWERS / 1x1/1 GN DOOR			
G518D-RB			56	£9,575.00
G518C-RB			48	£9,905.00
G518B-RB			40	£10,215.00
G518A-RB			32	£10,535.00

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 11.

Model	Description	Price (exc. VAT)
-------	-------------	------------------

300mm

OPTIONAL GRIDDLE PLATE SURFACE

PG312R3*	300mm x 12mm Griddle plate – ribbed full	£1,100.00
----------	--	-----------

600mm

OPTIONAL GRIDDLE PLATE SURFACE

PG612R3*	600mm x 12mm Griddle plate – ribbed 300mm RH	£1,275.00
PG612R6*	600mm x 12mm Griddle plate – ribbed full	£1,695.00

900mm

OPTIONAL GRIDDLE PLATE SURFACE

PG912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,405.00
PG912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£1,800.00
PG912R9*	900mm x 12mm Griddle plate – ribbed full	£2,800.00

900mm

OPTIONAL GRIDDLE PLATE SURFACE FOR 1200mm WIDE HOBS

PG912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,405.00
PG912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£1,800.00
PG912R9*	900mm x 12mm Griddle plate – ribbed full	£2,800.00

OPTIONAL EXTRAS GAS COOKTOPS

228807	Mobile castor kit (set of 2 lockable)	£140.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£250.00
230013	Bench shield, fits LH or RH of open burners	£125.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

*Options must be specified at the placement of order.






ELECTRIC COOKTOPS

	Model	Hob Options	Dimensions	Price (exc. VAT)
	300mm COOKTOPS		BENCH MODEL	
	E512D-B			£1,710.00
	Electrical requirements: 4.8kW, 230-240Vac, 50/60Hz, 1P+N+E, 20A			
	E512C-B			£2,030.00
Electrical requirements: 3.4kW, 230-240Vac, 50/60Hz, 1P+N+E, 14.2A				
E512C -B				
	600mm COOKTOPS		BENCH MODEL	
	E514D-B			£3,630.00
	Electrical requirements: 9.6kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A			
	E514C-B			£3,950.00
Electrical requirements: 8.2kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A				
	E514B-B			£4,275.00
	Electrical requirements: 6.8kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A			
E514C-B				
	600mm	CABINET BASE (RACKING KIT NOT INCLUDED)		
	E514D-CB			£3,870.00
	Electrical requirements: 9.6kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A			
	E514C-CB			£4,185.00
Electrical requirements: 8.2kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A				
	E514B-CB			£4,495.00
	Electrical requirements: 6.8kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A			
E514D-CB				
OPTIONAL		228791	Gastronorm racking kit 1/1 GN / 4 position	£260.00

Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 15.






ELECTRIC COOKTOPS

	Model	Hob Options	Dimensions	Price (exc. VAT)
	600mm COOKTOPS		LEG STAND	
	E514D-LS			£3,805.00
	Electrical requirements: 9.6kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A			
	E514C-LS			£4,120.00
	900mm COOKTOPS		BENCH MODEL	
	E516D-B			£5,135.00
	Electrical requirements: 14.4kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			
	E516C-B			£5,455.00
	900mm		CABINET BASE (RACKING KIT NOT INCLUDED)	
	E516B-B			£5,765.00
	Electrical requirements: 11.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			
	E516A-B			£6,085.00
	900mm		CABINET BASE (RACKING KIT NOT INCLUDED)	
	E516D-CB			£5,600.00
	Electrical requirements: 14.4kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			
	E516C-CB			£5,935.00
	900mm		CABINET BASE (RACKING KIT NOT INCLUDED)	
	E516B-CB			£6,245.00
	Electrical requirements: 11.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			
	E516A-CB			£6,560.00
E516D-CB	OPTIONAL	228791	Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base Accommodates 1 or 2 racking kits	£260.00






Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 15.

ELECTRIC COOKTOPS

Model	Hob Options	Dimensions	Price (exc. VAT)
900mm COOKTOPS		LEG STAND	
E516D-LS Electrical requirements: 14.4kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			£5,455.00
E516C-LS Electrical requirements: 13kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			£5,765.00
E516B-LS Electrical requirements: 11.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			£6,085.00
E516A-LS Electrical requirements: 10.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 15A			£6,400.00

E516B-LS

900mm	REFRIGERATED BASE, 2 x 1/1 GN DRAWERS		
E516D-RB Electrical requirements: 14.4kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			£7,835.00
E516C-RB Electrical requirements: 13kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			£8,135.00
E516B-RB Electrical requirements: 11.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A			£8,470.00
E516A-RB Electrical requirements: 10.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 15A			£8,765.00

Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 15.

Model	Description	Price (exc. VAT)
300mm	OPTIONAL GRIDDLE PLATE SURFACE	
PE312R3*	300mm x 12mm Griddle plate – ribbed full	£1,165.00

600mm	OPTIONAL GRIDDLE PLATE SURFACE	
PE612R3*	600mm x 12mm Griddle plate – ribbed 300mm RH	£1,330.00
PE612R6*	600mm x 12mm Griddle plate – ribbed full	£1,945.00

900mm	OPTIONAL GRIDDLE PLATE SURFACE	
PE912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,775.00
PE912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£2,040.00
PE912R9*	900mm x 12mm Griddle plate – ribbed full	£2,955.00

OPTIONAL EXTRAS ELECTRIC COOKTOPS

228807	Mobile castor kit (2 lockable)	£140.00
013600	Solid cast element	£285.00

Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.

ELECTRIC INDUCTION COOKTOPS



- High performance 450mm and 900mm Induction Cooktops and Oven Ranges
- 6mm thick ceramic glass cooking surface
- Fully modular with adjustable feet for match suite finish
- 270mm diameter induction zones or full area
- Infinitely variable power controls for each induction zone
- Automatic pan detection switches cooking zone off when a pan is removed
- Heating ON indicator lights (green) including pan detection indication
- Fully sealed cooking surface
- Removable full stainless steel air intake filters (induction cooling)
- Front service access



IN511F-B
















IN512R5-LS





IN514F-LS

ELECTRIC INDUCTION COOKTOPS

ELECTRIC INDUCTION COOKTOPS OVERVIEW

INDUCTION CODES	INDUCTION ZONE CONFIGURATIONS			
 F - Full area induction		450mm - 1 zone	450mm - 2 zones	900mm - 4 zones
 R3 - 3.5kW round induction	F - Full area zone			
 R5 - 5kW round induction	R3 - 3.5kW round			
	R5 - 5kW round			
	R3F/R5F - 2 round 2 full area zones			



450mm INDUCTION COOKTOPS

Model




Hob Options

Dimensions

Price (exc. VAT)



IN511F-B

Electrical requirements:
5.0kW, 400-415V, 50/60Hz,
3P+E, 7A



£7,380.00

IN511F-B



450mm INDUCTION COOKTOPS




Model

Description

Price (exc. VAT)

IN511F-CB

Electrical requirements:
5.0kW, 400-415V, 50/60Hz,
3P+E, 7A









£8,045.00











IN511F-CB

Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
228791	Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base	£260.00 (per kit)











ELECTRIC INDUCTION COOKTOPS

	Model	Hob Options	Dimensions	Price (exc. VAT)
 	450mm INDUCTION COOKTOPS		SINGLE FULL AREA ZONE - LEG STAND	
	IN511F-LS Electrical requirements: 5.0kW, 400-415V, 50/60Hz, 3P+E, 7A	 	 	£7,700.00

IN511F-LS











 	450mm INDUCTION COOKTOPS		SINGLE ROUND ZONE - BENCH MODEL	
	IN511R3-B Electrical requirements: 3.5kW, 230-240V, 50/60Hz, 1P+N+E, 15A		 	£6,010.00
 	450mm INDUCTION COOKTOPS		SINGLE ROUND ZONE - BENCH MODEL	
	IN511R5-B Electrical requirements: 5.0kW, 400-415V, 50/60Hz, 3P+E, 7A		 	£6,045.00

IN511R3-B

 	450mm INDUCTION COOKTOPS		SINGLE ROUND ZONE - CABINET BASE (RACKING KIT NOT INCLUDED)	
	IN511R3-CB Electrical requirements: 3.5kW, 230-240V, 50/60Hz, 1P+N+E, 15A		 	£6,675.00
 	450mm INDUCTION COOKTOPS		SINGLE ROUND ZONE - CABINET BASE (RACKING KIT NOT INCLUDED)	
	IN511R5-CB Electrical requirements: 5.0kW, 400-415V, 50/60Hz, 3P+E, 7A		 	£6,675.00







IN511R3-CB

Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
228791	Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base	£260.00 (per kit)






	Model	Hob Options	Dimensions	Price (exc. VAT)
 	450mm INDUCTION COOKTOPS		SINGLE ROUND ZONE - LEG STAND	
	IN511R3-LS Electrical requirements: 3.5kW, 230-240V, 50/60Hz, 1P+N+E, 15A		 	£6,330.00
 	450mm INDUCTION COOKTOPS		SINGLE ROUND ZONE - LEG STAND	
	IN511R5-LS Electrical requirements: 5.0kW, 400-415V, 50/60Hz, 3P+E, 7A		 	£6,360.00

IN511R3-LS

ELECTRIC INDUCTION COOKTOPS






	Model	Hob Options	Dimensions	Price (exc. VAT)						
<div><div>NEW PRODUCT</div><div></div></div>	450mm INDUCTION COOKTOPS		2 FULL AREA ZONES - BENCH MODEL							
	IN512F-B	<div></div> <div>Electrical requirements: 10kW, 400-415V, 50/60Hz, 3P+E, 14A</div>	<div></div> <div></div>	£8,575.00						
IN512F-B										
<div><div>NEW PRODUCT</div><div></div></div>	450mm INDUCTION COOKTOPS		2 FULL AREA ZONES - CABINET BASE (RACKING KIT NOT INCLUDED)							
	IN512F-CB	<div></div> <div>Electrical requirements: 10kW, 400-415V, 50/60Hz, 3P+E, 14A</div>	<div></div> <div></div>	£9,240.00						
IN512F-CB										
<div>OPTIONAL CABINET BASE GASTRONORM RACKING KIT</div> <table><tr><th>Model</th><th>Description</th><th>Price (exc. VAT)</th></tr><tr><td>228791</td><td>Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base</td><td>£260.00 (per kit)</td></tr></table>					Model	Description	Price (exc. VAT)	228791	Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base	£260.00 (per kit)
Model	Description	Price (exc. VAT)								
228791	Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base	£260.00 (per kit)								
	Model	Hob Options	Dimensions	Price (exc. VAT)						
<div><div>NEW PRODUCT</div><div></div></div>	450mm INDUCTION COOKTOPS		2 FULL AREA ZONES - LEG STAND							
	IN512F-LS	<div></div> <div>Electrical requirements: 10kW, 400-415V, 50/60Hz, 3P+E, 14A</div>	<div></div> <div></div>	£8,890.00						
IN512F-LS										
<div><div>NEW PRODUCT</div><div></div></div>	450mm INDUCTION COOKTOPS		2 ROUND ZONES - BENCH MODEL							
	IN512R3-B	<div></div> <div>Electrical requirements: 7kW, 400-415V, 50/60Hz, 3P+E, 10A</div>	<div></div> <div></div>	£7,660.00						
IN512R5-B	<div></div> <div>Electrical requirements: 10kW, 400-415V, 50/60Hz, 3P+E, 14A</div>	£7,490.00								
IN512R3-B										

ELECTRIC INDUCTION COOKTOPS





	Model	Hob Options	Dimensions	Price (exc. VAT)
 	450mm INDUCTION COOKTOPS		2 ROUND ZONES - CABINET BASE (RACKING KIT NOT INCLUDED)	
	IN512R3-CB Electrical requirements: 7.0kW, 400-415V, 50/60Hz, 3P+E, 10A			£8,330.00
	IN512R5-CB Electrical requirements: 10kW, 400-415V, 50/60Hz, 3P+E, 14A			£8,155.00

IN512R3-CB





Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
228791	Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base	£260.00 (per kit)

	Model	Hob Options	Dimensions	Price (exc. VAT)
 	450mm INDUCTION COOKTOPS		SINGLE ROUND ZONE - LEG STAND	
	IN512R3-LS Electrical requirements: 7.0kW, 400-415V, 50/60Hz, 3P+E, 10A			£7,975.00
	IN512R5-LS Electrical requirements: 10kW, 400-415V, 50/60Hz, 3P+E, 14A			£7,805.00

IN512R3-LS

	Model	Hob Options	Dimensions	Price (exc. VAT)
 	900mm INDUCTION COOKTOPS		4 FULL AREA ZONES - BENCH MODEL	
	IN514F-B Electrical requirements: 20kW, 400-415V, 50/60Hz, 3P+E, 28A			£16,055.00



















IN514F-B

	Model	Hob Options	Dimensions	Price (exc. VAT)
 	900mm INDUCTION COOKTOPS		4 FULL AREA ZONES - CABINET BASE (RACKING KIT NOT INCLUDED)	
	IN514F-CB Electrical requirements: 20kW, 400-415V, 50/60Hz, 3P+E, 28A			£16,970.00

IN514F-CB

ELECTRIC INDUCTION COOKTOPS







Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
237393	Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits	£260.00 (per kit)







Model	Hob Options	Dimensions	Price (exc. VAT)
900mm INDUCTION COOKTOPS		4 FULL AREA ZONES - LEG STAND	
 IN514F-LS	 IN514F-LS Electrical requirements: 20kW, 400-415V, 50/60Hz, 3P+E, 28A		£16,475.00
900mm INDUCTION COOKTOPS		4 ROUND ZONES - BENCH MODEL	
 IN514R3-B	 IN514R3-B Electrical requirements: 14kW, 400-415V, 50/60Hz, 3P+E, 20A		£14,405.00
	 IN514R5-B Electrical requirements: 20kW, 400-415V, 50/60Hz, 3P+E, 28A		£14,160.00
900mm INDUCTION COOKTOPS		4 ROUND ZONES - CABINET BASE (RACKING KIT NOT INCLUDED)	
 IN514R3-CB	 IN514R3-CB Electrical requirements: 14kW, 400-415V, 50/60Hz, 3P+E, 20A		£15,315.00
	 IN514R5-CB Electrical requirements: 20kW, 400-415V, 50/60Hz, 3P+E, 28A		£15,075.00
900mm INDUCTION COOKTOPS		4 ROUND ZONES - LEG STAND	
 IN514R3-LS	 IN514R3-LS Electrical requirements: 14kW, 400-415V, 50/60Hz, 3P+E, 20A		£14,830.00
	 IN514R5-LS Electrical requirements: 20kW, 400-415V, 50/60Hz, 3P+E, 28A		£14,500.00

Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
237393	Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits	£260.00 (per kit)







ELECTRIC INDUCTION COOKTOPS

MIXED ZONE INDUCTION HOBS - SPECIAL ORDER ONLY

	Model	Hob Options	Dimensions	Price (exc. VAT)		
  IN514R3F-B	900mm INDUCTION COOKTOPS		2 ROUND/2 FULL AREA ZONES - BENCH MODEL			
	IN514R3F-B					£15,390.00
	IN514R5F-B					£15,250.00
	Note: Full area induction on LH side and round induction on RH side available to order.					

 	900mm INDUCTION COOKTOPS		2 ROUND/2 FULL AREA ZONES - CABINET BASE (RACKING KIT NOT INCLUDED)		
	IN514R3F-CB				£16,305.00
	IN514R5F-CB				£16,160.00
	Note: Full area induction on LH side and round induction on RH side available to order.				

Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
237393	Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits	£260.00 (per kit)

	Model	Hob Options	Dimensions	Price (exc. VAT)
 	900mm INDUCTION COOKTOPS		2 ROUND/2 FULL AREA ZONES - LEG STAND	
	IN514R3F-LS			 £15,810.00
	IN514R5F-LS			£15,670.00
	Note: Full area induction on LH side and round induction on RH side available to order.			

Model	Description	Price (exc. VAT)
OPTIONAL EXTRAS - ELECTRIC INDUCTION COOKTOPS		
228807	Mobile castor kit (set of 2 lockable castors)	£140.00

ELECTRIC INDUCTION RANGES



IN54F

Model	Hob Options	Dimensions	Price (exc. VAT)
900mm INDUCTION RANGE		CONVECTION OVEN - 4 FULL AREA ZONES - 2/1 GN	

IN54F Electrical requirements: 26.1kW, 400-415V, 50/60Hz, 3P+N+E, 36.3A			£20,060.00
--	--	--	------------



IN54R3

900mm INDUCTION RANGE		CONVECTION OVEN - 4 ROUND ZONES - 2/1 GN	
-----------------------	--	--	--

IN54R3 Electrical requirements: 20.1kW, 400-415V, 50/60Hz, 3P+N+E, 28.5A			£18,650.00
IN54R5 Electrical requirements: 26.1kW, 400-415V, 50/60Hz, 3P+N+E, 36.3A			£18,985.00

Model	Description	Price (exc. VAT)
-------	-------------	------------------

OPTIONAL EXTRAS - ELECTRIC OVEN RANGES

227896	Oven rack to suit 900mm/1200mm 2/1 GN oven range	£90.00
228807	Mobile castor kit (set of 2 lockable castors)	£140.00

Note: Options must be specified at the time of order

ELECTRIC INDUCTION COOKTOPS

ELECTRIC INDUCTION WOKS



IN511W3-B

450mm INDUCTION WOKS



SINGLE WORK ZONE - BENCH MODEL

IN511W3-B

Electrical requirements:
3.5kW, 220-240V, 50/60Hz,
1P+N+E, 16A

IN511W5-B

Electrical requirements:
5kW, 400-415V, 50/60Hz,
3P+E, 24A



£6,235.00

£6,725 .00



IN511W3-CB

450mm INDUCTION WOKS



SINGLE WORK ZONE - CABINET BASE (RACKING KIT NOT INCLUDED)

IN511W3-CB

Electrical requirements:
3.5kW, 220-240V, 50/60Hz,
1P+N+E, 16A

IN511W5-CB

Electrical requirements:
5kW, 400-415V, 50/60Hz,
3P+E, 24A



£6,785.00

£7,275 .00

Model

Description

Price (exc. VAT)

OPTIONAL CABINET BASE GASTRONORM RACKING KIT

228791

Gastronorm racking kit 1/1 GN/4 position/450mm/550
Cabinet Base

£260.00
(per kit)



IN511W3-LS

450mm INDUCTION WOKS



SINGLE WORK ZONE - LEG STAND

IN511W3-LS

Electrical requirements:
3.5kW, 220-240V, 50/60Hz,
1P+N+E, 16A

IN511W5-LS

Electrical requirements:
5kW, 400-415V, 50/60Hz,
3P+E, 24A



£6,555.00

£7,045 .00

Model

Description

Price (exc. VAT)





OPTIONAL EXTRAS - ELECTRIC INDUCTION WOKS





228807





Mobile castor kit (set of 2 lockable castors)

£140.00





NEW ELECTRIC SEALED HOBS

	Model	Hob Options	Dimensions	Price (exc. VAT)
  <p>E512S-B</p>	300mm SEALED HOB		COOKTOP SEALED HOB - BENCH MODEL ⚡	£2,145.00
	E512S-B Electrical requirements: 5.2kW, 400-415V, 50/60Hz, 1P+N+E, 22A			

  <p>E514S-B</p>	600mm SEALED HOB		COOKTOP SEALED HOB - BENCH MODEL ⚡	£3,445.00
	E514S-B Electrical requirements: 10.4kW, 400-415Vac, 50/60Hz, 2P+N+E, 22A			

  <p>E514S-CB</p>	600mm SEALED HOB		COOKTOP SEALED HOB - CABINET BASE (RACKING KIT NOT INCLUDED) ⚡	£4,185.00
	E514S-CB Electrical requirements: 10.4kW, 400-415V, 50/60Hz, 2P+N+E, 22A			







Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
237393	Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits	£260.00 (per kit)







	Model	Hob Options	Dimensions	Price (exc. VAT)
  <p>E514S-LS</p>	600mm SEALED HOB		COOKTOP SEALED HOB - LEG STAND ⚡	£3,800.00
	E514S-LS Electrical requirements: 10.4kW, 400-415V, 50/60Hz, 2P+N+E, 22A			

NEW ELECTRIC SEALED HOBS

	Model	Hob Options	Dimensions	Price (exc. VAT)
  <p>E516S-B</p>	900mm SEALED HOB		COOKTOP SEALED HOB - BENCH MODEL	
	E516S-B	 <p>Electrical requirements: 15.6kW, 400-415V, 50/60Hz, 3P+N+E, 22A</p>	 	£4,710.00
  <p>E516S-CB</p>	900mm SEALED HOB		COOKTOP SEALED HOB - CABINET BASE (RACKING KIT NOT INCLUDED)	
	E516S-CB	 <p>Electrical requirements: 15.6kW, 400-415V, 50/60Hz, 3P+N+E, 22A</p>	 	£5,590.00
OPTIONAL CABINET BASE GASTRONORM RACKING KIT				
237393		Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits		£260.00 (per kit)
	Model	Hob Options	Dimensions	Price (exc. VAT)
  <p>E516S-LS</p>	900mm SEALED HOB		COOKTOP SEALED HOB - LEG STAND	
	E516S-LS	 <p>Electrical requirements: 15.6kW, 400-415V, 50/60Hz, 3P+N+E, 22A</p>	 	£5,130.00
  <p>E516S-RB</p>	900mm SEALED HOB		COOKTOP SEALED HOB - REFRIGERATED BASE, 2 X 1/1 GN DRAWERS	
	E516S-RB	 <p>Electrical requirements: 15.6kW, 400-415V, 50/60Hz, 3P+N+E, 22A</p> <p>RB Electrical requirements: 0.5kW, 220-240V, 50Hz, 1.8A, 1P+N+E 10A Cordset fitted</p>	 	£TBA

NEW ELECTRIC SEALED HOB OVEN RANGE

	Model	Hob/Oven Options	Dimensions	Price (exc. VAT)
  E506S	900mm SEALED HOB		SEALED HOBS STATIC OVEN - 2/1 GN	
	E506S	Electrical requirements: 22.1kW, 400-415V, 50/60Hz, 3P+N+E	   	£7,660.00

  E56S	900mm SEALED HOB		SEALED HOBS CONVECTION OVEN - 2/1 GN	
	E56S	Electrical requirements: 22.2kW, 400-415V, 50/60Hz, 3P+N+E	   	£8,185.00

Model	Description	Price (exc. VAT)
OPTIONAL EXTRAS - ELECTRIC OVEN RANGES		
227896	Oven rack to suit E506D series	£90.00
228807	Mobile castor kit (set of 2 lockable castors)	£140.00

BLUE SEAL EVOLUTION SERIES®

Whatever the scale of operation, Blue Seal Evolution Series Oven Ranges have a gas or electric option to suit. Gas options come equipped with our 7kW open cooktop burners, while the electric versions offer a choice of heavy-duty 2.4kW radiant elements, or 2kW solid plates.

Within the oven itself, cast iron sole plates ensure even heat distribution. Heavy-duty motors and circulation fans in the convection ovens reduce cooking times and enable food to be cooked at Lower temperatures.

Refrigerated Units - Chill where you cook. The inclusion of refrigeration units into the cooking line means raw materials can be safely stored nearby.

Ease of cleaning - The 3mm splashguard is a fully welded hob surround providing extra durability and ease of cleaning

Accurate Temperature Control - Heavy-duty control knobs with strengthened shafts are designed to last. Non-fade temperature markings provide accurate heat settings for more consistent results.

Target Tops - Delivering power where you need it. Heat is delivered by a 12.5kW dual ring, cast iron burner, with single control.



It's all about power, performance
and choice.

GAS OVEN RANGES

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
-------	-------------	------------	--------------	------------------



G504D

600mm GAS RANGE

STATIC OVEN - 1/1 GN



G504D			37.7	£3,725.00
G504C			27.8	£4,035.00
G504B			17.8	£4,380.00



G505D

750mm GAS RANGE

STATIC OVEN - 1/1



G505D			37	£4,080.00
G505C			29	£4,405.00



G54C

750mm GAS RANGE

CONVECTION OVEN - 1/1



G54D			37	£6,425.00
G54C			29	£6,735.00

Electrical requirements:
0.13kW, 230-240Vac,
50/60Hz, 1P+N+E, 0.6A
3 PIN, 13A Cordset fitted



GE505D

750mm GAS RANGE

ELECTRIC STATIC OVEN - 1/1 GN



GE505D			28	£6,025.00
GE505C			20	£6,350.00

Electrical requirements:
5.5kW, 230-240Vac,
50/60Hz, 1P+N+E, 23A standard
or 5.5kW, 400-415Vac, 50/60Hz,
3P+N+E, 8A

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 22.

GAS OVEN RANGES

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
-------	-------------	------------	--------------	------------------



GE54D

750mm GAS RANGE

GE54D





GE54C



Electrical requirements:
5.6kW, 230-240Vac,
50/60Hz, 1P+N+E, 23.3A
standard or 5.6kW, 400-415Vac,
50/60Hz, 3P+N+E, 8A

ELECTRIC CONVECTION OVEN - 1/1 GN



28

£7,190.00

20

£7,535.00












Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.
Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 22.

GAS OVEN RANGES

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
1200mm GAS RANGE		STATIC OVEN - 2/1 GN		
G508D			65	£6,600.00
G508C			57	£6,915.00
G508B			49	£7,220.00
G508A			41	£7,555.00










G508D



1200mm GAS RANGE		CONVECTION OVEN - 2/1		  	
G58D				65	£9,400.00
G58C				57	£9,700.00
G58B				49	£10,030.00
G58A				41	£10,345.00
Electrical requirements:: 0.13kW, 230-240Vac, 50/60Hz, 1P+N+E, 0.6A 3 PIN. 13A Cordset fitted					










G58D



1200mm GAS RANGE		ELECTRIC STATIC OVEN - 2/1		  	
GE508D				56	£7,690.00
GE508C				48	£8,010.00
GE508B				40	£8,340.00
GE508A				24	£8,650.00
Electrical requirements: Standard Supply 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A					

GE508D



1200mm GAS RANGE		ELECTRIC CONVECTION OVEN - 2/1 GN					
GE58D				56	£10,380.00		
GE58C				48	£10,705.00		
GE58B				40	£11,025.00		
GE58A				24	£11,355.00		
Electrical requirements: Standard Supply 6.6kW, 230-240Vac, 50/60Hz, 1P+N+E, 27.7A standard or 6.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A							






GE58D



Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 22.

GAS DOUBLE OVEN RANGES

Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
1200MM GAS RANGE		DOUBLE STATIC OVEN - 2 x 1/1 GN		
G528D			69.2	£8,330.00
G528C			61.2	£8,630.00
G528B			53.2	£8,960.00
G528A			45.2	£9,265.00

G528D

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.
Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options below.

GAS OVEN RANGES

Model	Description	Price (exc. VAT)
300mm	OPTIONAL GRIDDLE PLATE SURFACE	
PG312R3*	300mm x 12mm Griddle plate – ribbed full	£1,100.00
600mm	OPTIONAL GRIDDLE PLATE SURFACES	
PG612R3*	600mm x 12mm Griddle plate – ribbed 300mm RH	£1,275.00
PG612R6*	600mm x 12mm Griddle plate – ribbed full	£1,695.00
900mm	OPTIONAL GRIDDLE PLATE SURFACES	
PG912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,405.00
PG912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£1,800.00
PG912R9*	900mm x 12mm Griddle plate – ribbed full	£2,800.00
900mm	OPTIONAL GRIDDLE PLATE SURFACES FOR 1200mm WIDE HOBS	
PG912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,405.00
PG912R6*	900mm x 12mm Griddle plate – ribbed 600mm RH	£1,800.00
PG912R9*	900mm x 12mm Griddle plate – ribbed full	£2,800.00

OPTIONAL EXTRAS GAS OVEN RANGES

227896	Oven rack for 900mm ovens	£90.00
228106	Oven rack for 600mm ovens	£85.00
228807	Mobile castor kit (set of 2 lockable)	£140.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£250.00
230013	Bench shield, fits LH or RH of open burners	£125.00
UKSP4	Splashback, overshelf for 4 burner ranges	£690.00
UKSP6	Splashback, overshelf and grill shelf for 6 burner ranges	£690.00
UKSP8	Splashback, overshelf for 8 burner range	£690.00

Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.

GAS TARGET TOPS

Model	Dimensions	Gas Power kW	Price (exc. VAT)
-------	------------	--------------	------------------




900mm TARGET TOP

BENCH MODEL



G57-B



12.5

£4,420.00

G57-B




900mm TARGET TOP

CABINET BASE (RACKING KIT NOT INCLUDED)



G57-CB



12.5

£5,410.00

G57-CB

OPTIONAL

228791 Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base Accommodates 1 or 2 Racking Kits £260.00




900mm TARGET TOP

LEG STAND



G57-LS



12.5

£4,795.00

G57-LS




900mm TARGET TOP

REFRIGERATED BASE, 2 x 1/1 GN DRAWERS



G57-RB



12.5




















£9,585.00

G57-RB

(RB) ELECTRICAL REQUIREMENT

0.5kW, 220-240Vac, 50Hz, 1P+N+E, 1.8A 3 PIN, 13A Cordset fitted

GAS TARGET TOP OVEN RANGES

	Model	Dimensions	Gas Power kW	Price (exc. VAT)
	900mm GAS TARGET TOP		STATIC OVEN RANGE – 2/1 GN  	
	G570		21.5	£6,155.00
	900mm GAS TARGET TOP		CONVECTION OVEN RANGE – 2/1 GN   	
	G576		21.5	£8,085.00
Electrical requirements: 0.13kW, 230-240Vac, 50/60Hz, 1P+N+E, 0.6A 3 PIN, 13A Cordset fitted				
	900mm GAS TARGET TOP		ELECTRIC STATIC OVEN RANGE – 2/1 GN   	
	GE570		12.5	£6,425.00
Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A				
	900mm GAS TARGET TOP		ELECTRIC CONVECTION OVEN RANGE – 2/1 GN   	
	GE576		12.5	£8,275.00
Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A				







OPTIONAL EXTRAS

GAS TARGET TOPS / OVEN RANGES







227896	Oven rack to suit all 6 burner oven ranges	£90.00
014997	Casting Hook	£75.00
228807	Mobile castor kit (set of 2 lockable)	£140.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£250.00

*Options must be specified at the placement of order.

ELECTRIC OVEN RANGES

Model	Hob Options	Dimensions	Price (exc. VAT)
900mm ELECTRIC RANGE		STATIC OVEN - 2/1 GN	
			£6,180.00
E506D Electrical requirements: 20.9kW, 400-415Vac, 50/60Hz, 3P+N+E			
			£6,510.00
E506C Electrical requirements: 19.5kW, 400-415Vac, 50/60Hz, 3P+N+E			
			£6,825.00
E506B Electrical requirements: 18.1kW, 400-415Vac, 50/60Hz, 3P+N+E			
			£7,135.00
E506A Electrical requirements: 16.7kW, 400-415Vac, 50/60Hz, 3P+N+E			

E506D

900mm ELECTRIC RANGE		CONVECTION OVEN - 2/1 GN	
			£7,715.00
E56D Electrical requirements: 21.0kW, 400-415Vac, 50/60Hz, 3P+N+E			
			£8,055.00
E56C Electrical requirements: 19.6kW, 400-415Vac, 50/60Hz, 3P+N+E			
			£8,375.00
E56B Electrical requirements: 18.2kW, 400-415Vac, 50/60Hz, 3P+N+E			
			£8,680.00
E56A Electrical requirements: 16.8kW, 400-415Vac, 50/60Hz, 3P+N+E			

E56D

900mm	OPTIONAL GRIDDLE PLATE SURFACES	
PE912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,775.00
PE912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£2,040.00
PE912R9*	900mm x 12mm Griddle plate – ribbed full	£2,955.00

OPTIONAL EXTRAS ELECTRIC OVEN RANGES

227896	Oven rack to suit E506D series	£90.00
228807	Mobile castor kit (2 lockable)	£140.00
013600	Solid cast element	£285.00





Note: The standard plate is not included when ordering an optional griddle plate surface.

*Options must be specified at the placement of order.





Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

GAS TILTING BRATT PANS

	Model	Dimensions	Gas Power kW	Price (exc. VAT)
	900mm		GAS TILTING 80 LITRE BRATT PANS	
				
	G580-8	80 Litre stainless steel pan Manually operated tilting mechanism	20	£10,995.00
	Electrical requirements: 220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted			
	G580-8E	80 Litre stainless steel pan Electric power tilting mechanism	20	£11,830.00
	Electrical requirements: 220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted			

G580-8

	1200mm		GAS TILTING 120 LITRE BRATT PANS	
				
	G580-12	120 Litre stainless steel pan Manually operated tilting mechanism	25	£13,115.00
	Electrical requirements: 220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted			
	G580-12E	120 Litre stainless steel pan Electric power tilting mechanism G580-12	25	£13,915.00
	Electrical requirements: 220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted			


G508-12

OPTIONAL EXTRAS | BLUE SEAL GAS COOKING EQUIPMENT


Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£250.00
------------	---	---------

*Options must be specified at the placement of order.


ELECTRIC TILTING BRATT PANS

	Model	Dimensions	Price (exc. VAT)
	900mm ELECTRIC TILTING 80 LITRE BRATT PANS		
	E580-8	80 Litre stainless steel pan Manually operated tilting mechanism	£10,995.00
	Electrical requirements:	12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A	
	E580-8E	80 Litre stainless steel pan Electric power tilting mechanismE580-8E	£11,830.00
	Electrical requirements:	12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A	

E580-8E

	1200mm ELECTRIC TILTING 120 LITRE BRATT PANS		
	E580-12	120 Litre stainless steel pan Manually operated tilting mechanism	£13,115.00
	Electrical requirements:	17kW, 400-415Vac, 50/60Hz, 3P+N+E, 23A	
	E580-12E	120 Litre stainless steel pan Electric power tilting mechanism	£13,915.00
	Electrical requirements:	17kW, 400-415Vac, 50/60Hz, 3P+N+E, 23A	

E580-12E

	EB45D BAIN-MARIE		
	W 450mm x D 812mm x H 915mm Incl. heater 1224mm Heating Elements1 x 1kW surface mount element Cold water connection 184mm from right hand side, 555mm from floor R1/2 (BSP) male 550kPa 80psi maximum water pressure Nett weight 53kg nett	3kW 13amp	£4,215.00

EB45D

GAS GRIDDLES





GP513-LS

Model	Dimensions	Gas Power kW	Price (exc. VAT)	
GP513	GAS GRIDDLE 450mm			
450mm gas griddle		Dimensions: mm (w x d x h)		
11.5kW thermostatic burner	GP513-B	450 x 812 x 485	11.1	£3,895.00
Top weld sealed plates				
Mirror chromed plate option	GP513-LS	450 x 812 x 1085	11.1	£4,275.00
20mm thick griddle plate	,			
Heavy-duty thermostatic griddle	GP513-CB	450 x 812 x 1085	11.1	£4,475.00
Full pilot and flame failure with piezo ignition				
2 models of the base unit				
Easy clean, installation and service				



GP514-B



600mm GAS GRIDDLE	BENCH MODEL		
GP514-B	 	14.5	£4,420.00



STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH620



GP514-CB

600mm GAS GRIDDLE	CABINET BASE (RACKING KIT NOT INCLUDED)		
GP514-CB	 	14.5	£4,995.00





OPTIONAL 228791 Gastronorm racking kit 1/1 GN / 4 position £260.00

STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH620



GP514-LS

600mm GAS GRIDDLE	LEG STAND		
GP514-LS	 	14.5	£4,795.00



STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH620

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 29.
Note: The standard plate is not included when ordering an optional griddle plate surface.

GAS GRIDDLES

OPTIONAL EXTRAS | 600mm GRIDDLE PLATE SURFACES – CHROMED/RIBBED

PGH620C*	600mm x 20mm Heavy-duty griddle plate – chromed	£2,160.00
PGH620R3*	600mm x 20mm Heavy-duty griddle plate – ribbed 300RH	£3,315.00
PGH620R3C*	600mm x 20mm Heavy-duty griddle plate – ribbed 300RH chromed	£2,540.00
PGH620R6*	600mm x 20mm Heavy-duty griddle plate – ribbed full	£2,460.00
PGH620R6C	600mm x 20mm Heavy-duty griddle plate – ribbed full channel	£2,570.00

*Options must be specified at the placement of order.

PGH420C	450mm x 20mm Heavy-duty griddle plate - chromed	£2,085.00
PGH420R5	450mm x 20mm Heavy-duty griddle plate - ribbed full	£2,805.00



900mm GAS GRIDDLE

BENCH MODEL



GP516-B			23	£5,205.00
---------	---	--	----	-----------

GP516-B

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920



900mm GAS GRIDDLE

CABINET BASE (RACKING KIT NOT INCLUDED)



GP516-CB			23	£6,025.00
----------	---	--	----	-----------

GP516-CB

OPTIONAL

228791 Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base Accommodates 1 or 2 Racking Kits

£260.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920



900mm GAS GRIDDLE

LEG STAND



GP516-LS			23	£5,610.00
----------	---	--	----	-----------

GP516-LS

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 30.

GAS GRIDDLES




GP516-RB

Model	Dimensions	Gas Power kW	Price (exc. VAT)
900mm GAS GRIDDLE		REFRIGERATED BASE, 2 x 1/1 GN DRAWERS	

GP516-RB 23 £10,405.00

(RB) Electrical requirements:
0.5kW, 220-240Vac,
50Hz, 1P+N+E, 1.8A,
3 pin 13A plug cordset fitted



STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH920

OPTIONAL EXTRAS 900mm GRIDDLE PLATE SURFACES – CHROMED/RIBBED

PGH920C*	900mm x 20mm Heavy-duty griddle plate – chromed	£3,020.00
PGH920R3*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH	£2,985.00
PGH920R3C*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH chromed	£3,095.00
PGH920R5*	900mm x 20mm Heavy-duty griddle plate – ribbed 450RH	£3,140.00
PGH920R9*	900mm x 20mm Heavy-duty griddle plate – ribbed full	£3,110.00
PGH920R5C*	900mm x 20mm Heavy-duty griddle plate – 450RH chromed	£3,185.00

Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.

1200mm GAS GRIDDLE	BENCH MODEL
--------------------	-------------

GP518-B 31 £7,190.00




GP518-B

STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH1220

1200mm GAS GRIDDLE	CABINET BASE (RACKING KIT NOT INCLUDED)
--------------------	---

GP518-CB 31 £8,000.00



OPTIONAL	228791	Gastronorm racking kit 1/1 GN / 4 position / 1200mm Cabinet Base Accommodates 1 or 2 Racking Kits	£260.00
----------	--------	---	---------

GP518-CB

STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH1220



Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 31.
Note: The standard plate is not included when ordering an optional griddle plate surface.



GAS GRIDDLES

Model	Dimensions	Gas Power kW	Price (exc. VAT)
-------	------------	--------------	------------------



GP518-LS










1200mm GAS GRIDDLE	LEG STAND			
GP518-LS			31	£7,415.00
STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PGH1220		

1200mm GAS GRIDDLE	REFRIGERATED BASE, 2 x 1/1 GN DRAWERS / 1 x 1/1 GN DOOR			
GP518-RB			31	£12,000.00
Electrical requirements: 220-240Vac, 50Hz, 1P+N+E, 1.8A, 3 pin 13A plug cordset fitted				
STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PGH1220		

OPTIONAL EXTRAS		1200mm GRIDDLE PLATE SURFACES – CHROMED/RIBBED
PGH1220C*	1200mm x 20mm Heavy-duty griddle plate – chromed	£3,900.00
PGH1220R4*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH	£3,730.00
PGH1220R4C*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH chromed	£3,730.00
PGH1220R6*	1200mm x 20mm Heavy-duty griddle plate – ribbed 600RH	£4,420.00
PGH1220R12*	1200mm x 20mm Heavy-duty griddle plate – ribbed full	£3,700.00

Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.

ELECTRIC GRIDDLES

	Model	Dimensions	Price (exc. VAT)
	600mm ELECTRIC GRIDDLE BENCH MODEL		
	EP514-B	 	£4,795.00
	Electrical requirements: 7.2kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A		
EP514-B	STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PEH620
	600mm ELECTRIC GRIDDLE CABINET BASE (RACKING KIT NOT INCLUDED)		
	EP514-CB	 	£5,205.00
	Electrical requirements: 7.2kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A		
EP514-CB	OPTIONAL	228791 Gastronorm racking kit 1/1 GN / 4 position	£260.00
	STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PEH620
	600mm ELECTRIC GRIDDLE LEG STAND		
	EP514-LS	 	£4,995.00
	Electrical requirements: 7.2kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A		
EP514-LS	STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PEH620













OPTIONAL | 600mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PEH620C*	600mm x 20mm Heavy-duty griddle plate – chromed	£2,530.00
PEH620R3C*	600mm x 20mm Heavy-duty griddle plate – ribbed 300RH chromed	£2,580.00
PEH620R6*	600mm x 20mm Heavy-duty griddle plate – ribbed full	£2,160.00
PEH620R6C*	600mm x 20mm Heavy-duty griddle plate – ribbed full chromed	£2,305.00

Note: The standard plate is not included when ordering an optional griddle plate surface.
 *Options must be specified at the placement of order.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

ELECTRIC GRIDDLES

	Model	Dimensions	Price (exc. VAT)
	900mm ELECTRIC GRIDDLE BENCH MODEL		
	EP516-B	 	£5,590.00
	Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A		
EP516-B	STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PEH920		
	900mm ELECTRIC GRIDDLE CABINET BASE (RACKING KIT NOT INCLUDED)		
	EP516-CB	 	£6,180.00
	Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A		
EP516-CB	OPTIONAL 228791 Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base Accommodates 1 or 2 Racking Kits		£260.00
	STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PEH1220		
	900mm ELECTRIC GRIDDLE LEG STAND		
	EP516-LS	 	£6,025.00
	Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 25A		
EP516-LS	STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PEH920		
	900mm ELECTRIC GRIDDLE REFRIGERATED BASE, 2 x 1/1 GN DRAWERS		
	EP516-RB	 	£9,005.00
	Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 25A 3 pin 13A plug, cordset 1.8		
EP516-RB	STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PEH920		

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 34.

ELECTRIC GRIDDLES

Model	Dimensions	Price (exc. VAT)
OPTIONAL 900mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED		
PEH920C*	900mm x 20mm Heavy-duty griddle plate – chromed	£2,835.00
PEH920R3*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH	£2,900.00
PEH920R3C*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH chromed	£3,060.00
PEH920R5*	900mm x 20mm Heavy-duty griddle plate – ribbed 450RH	£2,955.00
PEH920R9*	900mm x 20mm Heavy-duty griddle plate – ribbed full	£2,995.00

Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.



1200mm ELECTRIC GRIDDLE

BENCH MODEL



EP518-B

Electrical requirements:
16.2kW, 400-415Vac, 50/60Hz,
3P+N+E, 25A



£6,805.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH1220



1200mm ELECTRIC GRIDDLE

CABINET BASE (RACKING KIT NOT INCLUDED)



EP518-CB

Electrical requirements:
16.2kW, 400-415Vac, 50/60Hz,
3P+N+E, 25A



£7,600.00

OPTIONAL

228791 Gastronorm racking kit 1/1 GN / 4 position / 1200mm Cabinet Base Accommodates 1 or 2 Racking Kits

£260.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH1220



EP518-LS


1200mm ELECTRIC GRIDDLE

LEG STAND



EP518-LS

Electrical requirements:
16.2kW, 400-415Vac, 50/60Hz,
3P+N+E, 25A




£7,190.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH1220

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 35.

ELECTRIC GRIDDLES


Model	Dimensions	Price (exc. VAT)
1200mm ELECTRIC GRIDDLE		REFRIGERATED BASE, 2 x 1/1 GN DRAWERS / 1 x 1/1 GN DOOR
EP518-RB		£10,810.00
Electrical requirements: 16.2kW, 400-415Vac, 50/60Hz, 3P+N+E		
STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PEH1220

OPTIONAL	1200mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED	
PEH1220C*	1200mm x 20mm Heavy-duty griddle plate – chromed	£3,500.00
PEH1220R4C*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH chromed	£3,520.00
PEH1220R12*	1200mm x 20mm Heavy-duty griddle plate – ribbed full	£3,040.00


Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.


Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

GAS GRIDDLE OVENS




GPE506

Model	Dimensions	Gas Power kW	Price (exc. VAT)
900mm GAS GRIDDLE		ELECTRIC STATIC OVEN RANGE - 2/1 GN	
GPE506		23	£7,975.00
Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A			
STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PGH920	



GPE56

900mm GAS GRIDDLE		ELECTRIC CONVECTION OVEN RANGE - 2/1 GN	
GPE56		23	£8,750.00
Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27.7A standard or 6.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A			
STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PGH920	







OPTIONAL | 900mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PGH920C*	900mm x 20mm Heavy-duty griddle plate – chromed	£3,020.00
PGH920R3*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH	£2,985.00
PGH920R3C*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH chromed	£3,095.00
PGH920R5*	900mm x 20mm Heavy-duty griddle plate – ribbed 450RH	£3,140.00
PGH920R9*	900mm x 20mm Heavy-duty griddle plate – ribbed full	£3,110.00
PGH920R5C*	900mm x 20mm Heavy-duty griddle plate – 450RH chromed	£3,185.00

Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

GAS GRIDDLE OVENS

	Model	Dimensions	Gas Power kW	Price (exc. VAT)
	1200mm GAS GRIDDLE		ELECTRIC STATIC OVEN RANGE – 2/1 GN	
	GPE508	 	31	£9,595.00
	Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A			
GPE508	STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH1220			
	1200mm GAS GRIDDLE		ELECTRIC CONVECTION OVEN RANGE – 2/1 GN	
	GPE58	 	31	£10,405.00
	Electrical requirements: 6.6kW, 230-240Vac, 50/60Hz, 1P+N+E, 27.7A standard or 6.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A			
GPE58	STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH1220			

OPTIONAL 1200mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PGH1220C*	1200mm x 20mm Heavy-duty griddle plate – chromed	£3,900.00
PGH1220R4*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH	£3,730.00
PGH1220R4C*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH chromed	£3,730.00
PGH1220R6*	1200mm x 20mm Heavy-duty griddle plate – ribbed 600RH	£4,420.00
PGH1220R12*	1200mm x 20mm Heavy-duty griddle plate – ribbed full	£3,700.00




OPTIONAL EXTRAS GAS GRIDDLE / GRIDDLE OVENS

228566	Griddle scraper tool C/W blades	£70.00
228567	Smooth plate scraper blades (pack of 10 blades)	£75.00
228568	Ribbed plate scraper blade (individual blade)	£40.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£250.00


Note: The standard plate is not included when ordering an optional griddle plate surface.
 *Options must be specified at the placement of order.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.


GAS GRIDDLE TOASTER


	Model	Dimensions	Gas Power kW	Price (exc. VAT)
	600mm GRIDDLE TOASTER			
	G55T	 	12	£4,200.00
G55T				

ELECTRIC GRIDDLE OVENS




EP506

Model	Dimensions	Price (exc. VAT)
900mm ELECTRIC GRIDDLE		ELECTRIC STATIC OVEN RANGE – 2/1 GN ⚡
EP506 Electrical requirements: 18.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 26A		£7,975.00
STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PEH920



EP56

900mm ELECTRIC GRIDDLE		ELECTRIC CONVECTION OVEN RANGE – 2/1 GN ⚡
EP56 Electrical requirements: 18.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 27A		£8,750.00
STANDARD PLATE SUPPLIED		Smooth machined finish mild steel plate PEH920

OPTIONAL	900mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED	
PEH920C*	900mm x 20mm Heavy-duty griddle plate – chromed	£2,835.00
PEH920R3*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH	£2,900.00
PEH920R3C*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH chromed	£3,060.00
PEH920R5*	900mm x 20mm Heavy-duty griddle plate – ribbed 450RH	£2,955.00
PEH920R9*	900mm x 20mm Heavy-duty griddle plate – ribbed full	£2,995.00

OPTIONAL EXTRAS	ELECTRIC GRIDDLE / GRIDDLE OVENS	
228566	Griddle scraper tool C/W blades	£70.00
228567	Smooth plate scraper blades (pack of 5 blades)	£75.00
228807	Mobile castor kit (set of 2 lockable)	£140.00






Note: The standard plate is not included when ordering an optional griddle plate surface.
*Options must be specified at the placement of order.


Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

GAS CHARGRILLS






	Model	Chargrill	Dimensions	Gas Power kW	Price (exc. VAT)
	300mm GAS CHARGRILL		  	9.8	£2,360.00
	G592-B				
			BENCH MODEL		
	G593 LS		  	14.2	£4,275.00
	G593-LS				
			Dimensions: mm (w x d x h)		
	600mm GAS CHARGRILL		  	18.6	£4,680.00
	G594-LS				
			LEG STAND		
	900mm GAS CHARGRILL		  	29.3	£5,020.00
	G596-LS				
			LEG STAND		
			Dimensions: mm (w x d x h)		
			  	29.3	£4,620.00
	G596-B				

GAS CHARGRILLS






Model	Chargrill	Dimensions	Gas Power kW	Price (exc. VAT)
		<div>1200mm GAS CHARGRILL</div> <div>LEG STAND</div> <div></div>		
G598-LS		<div>Dimensions: mm (w x d x h)</div> <div></div> <div></div>	39.1	£5,835.00
G598-B		1200 x 812 x 585	39.1	£5,445.00

Model	Description	Price (exc. VAT)
<div></div> <div>Example with drop on plate fitted.</div>		
OPTIONAL EXTRAS GAS CHARGRILLS		
228787	Grate Scraper Tool	£225.00
227002	Drop on griddle plate 300mm	£150.00
227003	Drop on griddle plate 450mm	£250.00
228807	Mobile castor kit (set of 4 castors, 2 lockable)	£140.00
Flex3/4/51	Flexi hose 3/4 (flexible quick coupling hose & tether chain)	£250.00
230707	Heavy duty 12mm thick steel griddle plate 300mm	£450.00
230710	Heavy duty 12mm thick steel griddle plate 450mm	£560.00

ELECTRIC CHARGRILLS

	Model	Hob Options	Dimensions	Price (exc. VAT)
  <p>E594D-B</p>	600mm ELECTRIC CHARGRILL		BENCH MODEL	
	E594D-B		  	£4,680.00






Electrical requirements:
8.4kW, 400-415V, 50/60Hz,
3P+E, 15A

  <p>E594D-CB</p>	600mm ELECTRIC CHARGRILL		CABINET BASE (RACKING KIT NOT INCLUDED)	
	E594D-CB		  	£5,290.00

Electrical requirements:
8.4kW, 400-415V, 50/60Hz,
3P+E, 15A

OPTIONAL CABINET BASE GASTRONORM RACKING KIT


Model	Description	Price (exc. VAT)
237393	Gastronorm racking kit 1/1 GN/4-position: 600mm/900mm/1200mm Cabinet Base Accommodates 1 or 2 Racking Kits	£260.00 (per kit)

	Model	Hob Options	Dimensions	Price (exc. VAT)
  <p>E594D-LS</p>	600mm ELECTRIC CHARGRILL		LEG STAND	
	E594D-LS		  	£5,010.00

Electrical requirements:
8.4kW, 400-415V, 50/60Hz,
3P+E, 15A

ELECTRIC CHARGRILLS

NEW
PRODUCT



E596D-B

Model

Hob Options

Dimensions




Price (exc. VAT)

900mm ELECTRIC CHARGRILL

BENCH MODEL


E596D-B

Electrical requirements:
13.4kW, 400-415V,
50/60Hz, 3P+N+E, 22.5A



£7,595.00

NEW
PRODUCT



E596D-CB

Model

Description




Price (exc. VAT)

900mm ELECTRIC CHARGRILL

CABINET BASE
(RACKING KIT NOT INCLUDED)

E596D-CB


Electrical requirements:
13.4kW, 400-415V,
50/60Hz, 3P+N+E, 22.5A



£8,330.00

Model	Description	Price (exc. VAT)
OPTIONAL CABINET BASE GASTRONORM RACKING KIT		
237393	Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits	£260.00 (per kit)

NEW
PRODUCT



E596D-LS

Model

Description




Price (exc. VAT)

900mm ELECTRIC CHARGRILL

LEG STAND


E596D-LS

Electrical requirements:
13.4kW, 400-415V,
50/60Hz, 3P+N+E, 22.5A



£7,985.00

NEW
PRODUCT



E596D-RB

Model

Description




Price (exc. VAT)

900mm ELECTRIC CHARGRILL

REFRIGERATED BASE

E596D-RB

Electrical requirements:
13.4kW, 400-415V,
50/60Hz, 3P+N+E, 22.5A



£14,645.00

FRYERS, PASTA COOKERS, SALAMANDERS

BLUE SEAL EVOLUTION SERIES®

Blue Seal has long been recognised for the quality and performance of its Fryers. The Evolution Series takes this a stage further with a sleeker, more streamlined Fryer range - available in 450 or 600mm single or twin pan versions. Gas units feature Blue Seal's unique Vee Ray technology, incorporating patented infrared burners for industry leading frying output and recovery.

All Fryers are available with either mechanical or digital controls. Digital control models offer precise temperature control, three product timers, as well as time and temperature digital display. Twin pan models have independent digital controls for each pan and six product timers.

Blue Seal Evolution Series Gas and Electric Salamanders are versatile, easy to use and well equipped with performance features. They can be used for melting, grilling, gratinating and toasting.

Gas models feature energy efficient high-speed infrared burners for fast results. Electric models feature powerful 3kW twin coil elements for optimum cooking performance.

Both gas and electric options will accept a Gastronorm GN 1/1 tray. An optional branding plate is ideal for cooking fish or steak.




The Blue Seal Evolution Series Pasta Cooker is built for speed. Fully modular, and featuring a unique single pan design, it comes well equipped for the continuous production of perfect pasta.

From variable high boil to standby simmer, our patented infrared burner system maintains constant water temperature and enables faster turnaround of product through outstanding recovery times from Low heat settings.

The standard provision of four baskets allows four different pastas to be cooked at the same time.






GAS AND ELECTRIC SALAMANDERS

Model	Dimensions	Gas Power kW	Price (exc. VAT)
900mm GAS SALAMANDER 			
G91B Four position racking (flat or inclined) includes wall mounting bracket and branding plate	 	8.8	£2,610.00
OPTIONAL EXTRAS GAS SALAMANDER			
013048	100mm high feet for bench mounting (set of 4)		£105.00
013418B	Branding plate – 620 x 320mm		£250.00
BS91	Floor stand		£960.00
B90S-L	Bench stand		£1,995.00

G91B



900mm ELECTRIC SALAMANDER 			
E91B Four position racking (flat or inclined) Includes wall mounting bracket and branding plate	 		£2,610.00
Electrical requirements: 6kW, 230-240Vac, 50/60Hz, 1P+N+E, 25A			
OPTIONAL EXTRAS ELECTRIC SALAMANDER			
013048	100mm high feet for bench mounting (set of 4)		£105.00
013418B	Branding plate – 620 x 320mm		£250.00
BS91	Floor stand		£960.00
B90S-L	Bench stand		£1,995.00

E91B



QSET60 RAPID HEAT RISE & FALL GRILL 			
QSET60	600mm wide x 450mm deep x 500mm high	4	£3,880.00
QSET60 Plate detector as standard.			
QSE60	600mm wide x 450mm deep x 500mm high	4	£3,605.00
9003	Wall brackets		£195.00

QSET60/QSE60



600mm SALAMANDER BENCH 			
To suit QSET60/QSE60 rise and fall salamanders.			
B60S-L	Leg stand		£1,995.00
B60S-CB	Cabinet base		£2,120.00



Model	Dimensions	Gas Power kW	Price (exc. VAT)
-------	------------	--------------	------------------



GT18


400mm

SINGLE PAN GAS FRYER 400mm

NEW PRODUCT



GT18
400mm wide single pan fryer
Stainless steel exterior
18 litre oil capacity
V- tank with cool zone
Manual pilot ignition
30mm drain valve
90MJ multi- jet target burner
Fully modular



25

£2,890.00




GT45

450mm

VEE RAY SINGLE PAN GAS FRYERS





GT45
Single pan
20 Litre capacity
Mechanical controls
Supplied with two standard baskets



25

£4,395.00

GT45E
Single pan
20 Litre capacity
Digital display electronic controls
Supplied with two standard baskets



25

£4,995.00

Electrical requirements:
230-240Vac, 50/60Hz, 1P+N+E, 0.5A
3 Pin 13A cordset fitted




GT46E

450mm

VEE RAY TWIN PAN GAS FRYERS




GT46
Twin pan
13 Litre capacity each pan
Mechanical controls
Supplied with two standard baskets



25

£4,525.00

GT46E
Twin pan
13 Litre capacity each pan
Digital display electronic controls
Supplied with two standard baskets



25

£5,960.00

Electrical requirements:
230-240Vac, 50/60Hz, 1P+N+E, 0.5A
3 Pin 13A cordset fitted

GAS FRYERS

Model	Dimensions	Gas Power kW	Price (exc. VAT)
-------	------------	--------------	------------------




GT60E

600mm

VEE RAY SINGLE PAN GAS FRYERS




GT60
Single pan
31 Litre capacity
Mechanical controls
Supplied with two large baskets



25

£6,070.00

GT60E
Single pan
31 Litre capacity
Digital display electronic controls
Supplied with two large baskets



25

£6,875.00


Electrical requirements:
230-240Vac, 50/60Hz, 1P+N+E, 0.5A
3 Pin 13A cordset fitted



CS45E

CS45E

EVOLUTION CS45 CHIP SCUTTLE WITH ELECTRIC CERAMIC HEATER



3kW
13amp

£2,230.00



18019



23220

OPTIONAL EXTRAS GAS FRYERS

018019	· Fryer baskets standard to suit GT45, GT46	£110.00
023220	· Fryer baskets large to suit GT60	£170.00
228898	· Fryer splashguards LH (all gas fryers)	£105.00
228899	· Fryer splashguards RH (all gas fryers)	£105.00
228127	· Fish plate GT45	£80.00
228565	· Fish plate GT46	£80.00
228128	· Fish plate GT60	£85.00
228761	· Fryer lift off lid GT45	£80.00
228762	· Fryer lift off lid GT60	£80.00
018176	· Fryer drain stick (all fryers)	£60.00
024705	· Fryer drain adaptor kit (allows use of 24710 drain extension) (all fryers)	£150.00
024710	· Fryer drain extension kit (to use GT45, GT46)	£210.00
228807	· Mobile castor kit (set of 2 lockable)	£140.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£250.00

Note: Options must be specified at the placement of order.

ELECTRIC FRYERS

Model	Dimensions	Price (exc. VAT)
-------	------------	------------------



E43

450mm	SINGLE PAN ELECTRIC FRYERS	
E43 Single pan 27 Litre capacity Mechanical controls Supplied with two baskets Electrical requirements: 17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A		£4,395.00
E43E Single pan 27 Litre capacity Digital display electronic controls Supplied with two baskets Electrical requirements: 17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A		£5,435.00



E44E

450mm	TWIN PAN ELECTRIC FRYERS	
E44 Twin pan 12 Litre capacity each pan Mechanical controls Supplied with two baskets Electrical requirements: 17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A		£4,525.00
E44E Twin pan 12 Litre capacity each pan Digital display electronic controls Supplied with two baskets Electrical requirements: 17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A		£5,545.00



018019

OPTIONAL EXTRAS	ELECTRIC FRYERS	
018019	· Fryer baskets standard to suit E43, E44	£110.00
228898	· Fryer splashguards LH (all electric fryers)	£105.00
228899	· Fryer splashguards RH (all electric fryers)	£105.00
228761	· Fryer lift off lid E43, E44 series	£80.00
018176	· Fryer drain stick (all fryers)	£60.00
228807	· Mobile castor kit (set of 2 lockable)	£140.00

Note: Options must be specified at the placement of order.

ELECTRIC FRYERS

Model	Dimensions	Price (exc. VAT)
-------	------------	------------------

600mm

SINGLE PAN ELECTRIC FRYERS




E60

Single pan
35 Litre capacity
Mechanical controls
Supplied with 3 standard baskets

Electrical requirements:

22kW, 400-415Vac, 50/60Hz,
3P+N+E, 30.5A




£4,090.00

E60E

Single pan
35 Litre capacity
Digital display electronic controls
Supplied with 3 standard baskets

Electrical requirements:

22kW, 400-415Vac, 50/60Hz,
3P+N+E, 30.5A



£4,720.00

E60



600mm

TWIN PAN ELECTRIC FRYERS




E66

Twin pan
17.5 Litre capacity
Mechanical controls
Supplied with 2 large baskets

Electrical requirements:

22kW, 400-415Vac, 50/60Hz,
3P+N+E, 30.5A




£4,880.00

E66E

Twin pan
17.5 Litre capacity
Digital display electronic controls
Supplied with 2 large baskets

Electrical requirements:

22kW, 400-415Vac, 50/60Hz,
3P+N+E, 30.5A



£6,075.00

E66E



018019

OPTIONAL EXTRAS | ELECTRIC FRYERS




018019	· Fryer baskets standard to suit 450mm fryer models	£110.00
228900	· Fryer splashguards LH (all electric fryers)	£90.00
228901	· Fryer splashguards RH (all electric fryers)	£90.00
228761	· Fryer lift off lid to suit 450mm fryer models	£80.00
018176	· Fryer drain stick (all fryers)	£60.00
024705	· Fryer drain adaptor kit (allows use of 024710 drain extension) (all fryers)	£150.00
024710	· Fryer drain extension kit to suit 450mm fryer models	£210.00
228807	· Mobile castor kit (set of 2 lockable castors)	£140.00
23220	· Fryer basket standard to suit 600mm fryer models	£170.00
228762	· Fryer lift off lid to suit 600mm fryer models	£80.00
FLEX 3/4/51	· Flexhose 3/4 (flexible quick coupling hose and tether chain)	£250.00

Note: Options must be specified at the placement of order.

FRYER FILTERS

Model	Dimensions	Price (exc. VAT)
-------	------------	------------------



FILTAMAX	FRYER FILTERS	
EF30 20 Litre Reusable Filter Bag. Filtamax Filter fits under the following: GT45, GT45E, GT46, GT46E Electrical requirements: 0.77kW, 220-240Vac, 50Hz, 1P+N+E, 6.4A, 3 PIN, 10A Cordset fitted		£3,335.00
EF35 30 Litre Reusable Filter Bag. Filtamax Filter cannot be stored under fryers. E35 for use with E43, E43E, E44, E44E Electrical requirements: 0.77kW, 220-240Vac, 50Hz, 1P+N+E, 6.4A, 3 PIN, Cord-set fitted		£3,520.00
EF40 32 Litre Reusable Filter Bag. Filtamax Filter fits under fryer model, GT60, GT60E Electrical requirements: 0.77kW, 220-240Vac, 50Hz, 1P+N+E, 6.4A, 3 PIN, Cord-set fitted		£4,155.00

OPTIONAL EXTRAS | FILTAMAX FRYER FILTERS

022815	Filter Pad Kit for Filtamax Pad Consumables Pack of 25	£235.00
020417	Flexible Filter Return Hose Arm	£895.00
SA1159	Filter extension arm fixed EF30, EF35 (for electric fryers)	£575.00

SINGLE PAN PASTA COOKERS



- High performance single pan pasta cooker
- Patented infra-red burner system
- Easy clean 316 grade stainless steel open pan
- 40 Litre water capacity
- Integrated water fill and starch skimming water faucet
- Six stainless steel pasta baskets supplied standard
- Incorporated basket drain stand
- Safety cut out thermostat for empty pan/water boil out
- Stainless steel exterior
- Easy service
- Fully modular

Model	Dimensions	Gas Power kW	Price (exc. VAT)
-------	------------	--------------	------------------

450mm



GAS PASTA COOKER



G47



G47
Single Tank
Pasta Cooker



13.5

£4,975.00

Unit comes with six portion baskets as standard.

450mm

ELECTRIC PASTA COOKERS





E47



E47-7
Single phase

E47
3 phase



7.0

£4,975.00

10.5

£4,975.00

Unit comes with six portion baskets as standard.

OPTIONAL EXTRAS PASTA COOKER BASKETS

229836
229837

Pasta Basket W 165mm x D 165mm x H 180mm
Pasta Basket W 320mm x D 165mm x H 180mm

£175.00
£230.00

Note: Pasta Cooker Basket Combinations:

• Six Square (standard supply) • Two square / one rectangular • Two large rectangular

238674
238819

L Hand W 165mm x 125mm
R Hand W 165mm x 125mm

£150.00
£150.00



229836



229837

IN-FILL TABLES

	Model	Dimensions	Price (exc. VAT)
 BS TABLE B30-C	300mm	PROFILED IN-FILL TABLE	
	Stainless steel Profiled In - Fill Table complete with stub back suitable for all Blue Seal Evolution Series products.	915mm h x 812mm d x 300mm w	£1,125.00
 BS TABLE B30-L	300mm	PROFILED IN-FILL TABLE	
	Stainless steel Profiled In - Fill Table complete with stub back suitable for all Blue Seal Evolution Series products.	915mm h x 812mm d x 300mm w	£1,020.00
 BS TABLE B45-L	450mm	PROFILED IN-FILL TABLE	
	Stainless steel Profiled In - Fill Table complete with stub back suitable for all Blue Seal Evolution Series products.	915mm h x 812mm d x 450mm w	£1,275.00
 BS TABLE B60-L	600mm	PROFILED IN-FILL TABLE	
	Stainless steel Profiled In - Fill Table complete with stub back suitable for all Blue Seal Evolution Series products.	915mm h x 812mm d x 600mm w	£1,405.00
 BS TABLE B90-L	900mm	PROFILED IN-FILL TABLE	
	Stainless steel Profiled In - Fill Table complete with stub back suitable for all Blue Seal Evolution Series products.	915mm h x 812mm d x 900mm w	£1,625.00
 BS TABLE B90-RB	900mm	PROFILED IN-FILL TABLE/REFRIGERATED BASE	
	Stainless steel Profiled In - Fill Table complete with stub back suitable for all Blue Seal Evolution Series products.	915mm h x 812mm d x 900mm w Refrigerated base. 2 draw GN-sized.	£3,800.00
 BS TABLE B90S-L	900mm	PROFILED IN-FILL TABLE/SALAMANDER GRILL BRACKET	
	Stainless steel Profiled In - Fill Table complete with stub back suitable for all Blue Seal Evolution Series products.	915mm h x 812mm d x 900mm w Fitted with Salamander grill bracket.	£1,995.00



Model	Dimensions	Price (exc. VAT)
600mm	SALAMANDER BENCH	
To suit QSET60/QSE60 rise and fall salamanders.		
B60S-L Leg stand		£1,995.00
B60S-CB Cabinet base		£2,120.00

OPTIONAL EXTRAS FOR BLUE SEAL GAS AND ELECTRIC EQUIPMENT

Product	Model	Description	Price (exc. VAT)
OPTIONAL EXTRAS BLUE SEAL GAS AND ELECTRIC EQUIPMENT			
COOKTOP / RANGES	230013	Bench shield, fits LH or RH of open burners	£125.00
CABINET BASES	228791	Gastronorm racking kit / cabinets standard w/o racking / 900mm / 1200mm cabinet bases £240 accommodates 1 or 2 racking kits fits 1/1 GN or 2/1 GN6	£260.00
RANGE OVENS	228106	Oven rack to suit G504, G505, G524	£85.00
	227896	Oven rack to suit G506, G508	£90.00
TARGET TOPS	014997	Casting hook	£75.00
GRIDDLES / GRIDDLE OVENS	228566	Griddle scraper tool c/w blades	£70.00
	228567	Smooth plate scraper blades (Pack of 10)	£75.00
	228568	Ribbed plate scraper blade (individual blade)	£40.00
CHARGRILLS	228787	Grate scraper tool	£225.00
	227002	Chargrill griddle plate 300mm	£150.00
	227003	Chargrill griddle plate 450mm	£250.00
SALAMANDERS	013418	Salamander branding kit / one double-sided ribbed aluminium branding plate / fits both rack system models	£250.00
	013048	100mm high feet for bench mounting (4 per salamander)	£105.00
FRYERS	018019	Fryer baskets standard to suit GT45, GT46 gas series, E43, E44	£110.00
	023220	Fryer baskets large to suit GT60, GT60-HPO	£170.00
	228898	Fryer splashguards LH (all fryers)	£105.00
	228899	Fryer splashguards RH (all fryers)	£105.00
	228127	Fish plate GT45	£80.00
	228565	Fish plate GT46	£80.00
	228128	Fish plate GT60, GT60-HPO--	£80.00
	228761	Fryer lift off lid GT45, E43, E44	£80.00
	228762	Fryer lift off lid GT60, GT60-HPO	£80.00
	018176	Fryer drain stick (all fryers)	£60.00
	024705	Fryer drain adaptor kit (allows use of 24710 drain extension) (all fryers)	£150.00
	024710	Fryer drain extension kit to use GT45, GT46, E43, E44 series with 40 litre filtamax machine	£210.00
FRYER FILTER	022815	Filter pad kit for Filtamax (upgrades Filtamax to carbon pad system)	£235.00
	020417	Filter flexible hose return arm	£895.00
	SA1559	Filter extension arm fixed EF30, EF35	£575.00
	SA1556	Filter extension arm fixed EF40	£575.00

JOINING CAPS | NOT AVAILABLE

- Cooktops Open – Griddle Toaster
- Cooktops Open – Cooktop Electric
- Cooktops Open – Cooktop Electric Griddle
- Cooktop Griddle – Cooktop Electric
- Target Top – Griddle Toaster
- Fryer Gas – Fryer Electric
- Fryer Gas – Bratt Pan
- Fryer Electric – Fryer Gas
- Fryer Electric – Bratt Pan
- Bratt Pan – Fryer Gas
- Bratt Pan – Fryer Electric
- Bratt Pan – Griddle Toaster
- Griddle Toaster – Cooktop Open
- Griddle Toaster – Target Top
- Griddle Toaster – Bratt Pan
- Griddle Toaster – Cooktop Electric
- Cooktop Electric – Cooktop Open
- Cooktop Electric – Cooktop Griddle
- Cooktop Electric – Griddle Toaster
- Cooktop Electric – Cooktop Open

Note: Options must be specified at the placement of order.

JOINING CAPS FOR BLUE SEAL GAS AND ELECTRIC EQUIPMENT

Part No.	Type	Application / By Products	Notes	Price (exc. VAT)
JOINING CAPS		FOR BLUE SEAL GAS AND ELECTRIC EQUIPMENT		
228579	C-C	Cooktops Open – Cooktops Open Cooktops Open – Chargrill Cooktops Open – Cooktop Griddle	Kit – Capping piece + 2 x levelling tabs Required if joined with griddle section	£60.00
228587	GP-CO	Griddles – Cooktops Open		£60.00
228595	TT-C	Target Top – Cooktops Open Target Tops - Chargrill Target Tops - Cooktop Griddles		£60.00
228889		TT-TT Target Tops - Target Tops		£105.00
228890	TT-GP	Target Tops - Griddle		£105.00
228589	BP-BP	Bratt Pan – Bratt Pan		£60.00
228604	BP-C	Bratt Pan – Cooktop Open Bratt Pan - Chargrill Bratt Pan – Cooktops Electric Bratt Pan – Cooktop Griddle		£65.00
228891	BP-TT	Bratt Pan – Target Top		£105.00
228892	BP-GP	Bratt Pan – Griddle		£105.00
228893	G-G	Chargrill – Chargrill Chargrill – Cooktop Griddle Chargrill – Griddle Chargrill – Griddle Toaster Griddle Toaster – Griddle Toaster Griddle – Griddle Cooktop Griddle – Cooktop Griddle Electric Cooktop Griddle - Electric Cooktop Griddle	Type G-G Caps griddle raised sides of grills	£60.00
228894*	FG-GL	Fryer Gas – Cooktop Griddle Fryer Gas – Chargrill Caps over grill sides Fryer Gas – Griddle Fryer Gas – Griddle Toaster	FITS LH SIDE OF FRYER	£80.00
228895*	FG-GR	Fryer Gas – Cooktop Griddle Fryer Gas – Chargrill Caps over grill sides Fryer Gas – Griddle Fryer Gas – Griddle Toaster	FITS RH SIDE OF FRYER	£80.00
228896*	FE-GL	Fryer Electric – Cooktop Griddle Fryer Electric – Chargrill Fryer Electric – Griddle Fryer Electric – Griddle Toaster	FITS LH SIDE OF FRYER Caps over grill sides	£125.00
228897*	FE-GR	Fryer Electric – Cooktop Griddle Fryer Electric – Chargrill Fryer Electric – Griddle Fryer Electric – Griddle Toaster	FITS RH SIDE OF FRYER Caps over grill sides	£90.00
228600	FG-FG	Fryer Gas – Fryer Gas	Caps across 2 Tanks	£60.00
228601	FE-FE	Fryer Electric – Fryer Electric	Caps across 2 Tanks	£105.00
247924	FE-FE	E44-E44 only	Caps across 2 Tanks	£140.00

NOTE: PRODUCT GROUPS NOTED IN APPLICATION BY PRODUCT (PAIRS) CAN BE LOCATED WITH THE EXCEPTION OF JOINING CAPS MARKED * ARE DEDICATED LEFT OR RIGHT HAND SIDE FIT.

COBRA®

YOUR STYLE, YOUR WAY









Powerful, the Cobra Series is the solution for those who demand reliability and capability. Cobra is suited to a large range of eateries – anywhere that needs solid raw power, specific cooking equipment that offers cuisine flexibility when cooking a diverse menu.






COBRA® - MEDIUM DUTY MODULAR COOKING EQUIPMENT

Model	Hob Options	Dimensions	Gas kW / BTU	Price (exc. VAT)
-------	-------------	------------	--------------	------------------







GAS COOKTOPS

600mm GAS COOKTOPS		4 BURNER BENCH MODEL		
 <p>C6D-B</p>	C6D-B 4 Open burners, bench model	    	20	£2,050.00
			75,790	
	C6C-B 2 Open burners, LH side, 300mm Griddle plate, RH side, bench model		15	£2,350.00
			56,840	
	C6B-B 600mm Griddle plate, bench model		10	£2,655.00
			37,890	

Note: Flame failure standard on open burners.

600mm GAS COOKTOPS		4 BURNER OPEN CABINET BASE		
 <p>C6D</p>	C6D 4 Open burners, open cabinet base under	   	20	£2,070.00
			75,790	
	C6C 2 Open burners, LH side, 300mm Griddle plate, RH side, open cabinet base under		15	£2,680.00
			56,840	
	C6B 600mm Griddle plate, open cabinet base under		10	£2,985.00
			37,890	

Note: Flame failure standard on open burners.

900mm GAS COOKTOPS		6 BURNER BENCH MODEL		
 <p>C9D-B</p>	C9D-B 6 Open burners, bench model	    	30	£2,375.00
			113,680	
	C9C-B 4 Open burners, LH side, 300mm Griddle plate, RH side, bench model		25	£2,680.00
			94,730	
	C9B-B 2 Open burners, LH side, 600mm Griddle plate, bench model		20	£2,985.00
			75,790	
	C9A-B 900mm Griddle plate, bench model		15	£3,285.00
			56,840	

Note: Flame failure standard on open burners.

Model	Hob Options	Dimensions	Gas kW / BTU	Price (exc. VAT)
-------	-------------	------------	--------------	------------------

GAS COOKTOPS

900mm GAS COOKTOPS

6 BURNER OPEN CABINET BASE



C9B

C9D
6 Open burners,
open cabinet base under



30 £2,590.00

113,680

C9C
4 Open burners, LH side,
300mm griddle plate,
RH side, open cabinet
base under



25 £2,915.00

94,730

C9B
2 Open burners, LH side,
600mm griddle plate,
RH side, open cabinet
base under



20 £3,230.00


75,790

C9A
900mm Griddle plate,
open cabinet base under



15 £3,560.00

56,840



Note: Flame failure standard on open burners.

GAS RANGES

600mm GAS RANGES

GAS STATIC OVEN RANGE



CR6D

CR6D
4 Open burners,
static oven under



26.5 £2,700.00

100,415

CR6C
2 Open burners,
300mm griddle plate,
static oven under



88 £3,005.00


81,470

CR6B
600mm Griddle plate,
static oven under



64 £3,315.00

65,525








Note: Flame failure standard on open burners.

COBRA® - MEDIUM DUTY MODULAR COOKING EQUIPMENT

Model	Hob Options	Dimensions	Gas kW / BTU	Price (exc. VAT)
-------	-------------	------------	--------------	------------------

GAS RANGES







900mm GAS RANGES		GAS STATIC OVEN RANGE - 2/1 GN		
 CR9C	CR9D 6 Open burners, 2/1 GN, static oven under		37.5 142,100	£2,965.00
	CR9C 4 Open burners 300mm griddle plate, 2/1 GN, static oven under		32.5 123,150	£3,585.00
	CR9B 2 Open burners 600mm griddle plate, 2/1 GN, static oven under		27.5 104,200	£3,885.00
	CR9A 900mm Griddle plate, 2/1 GN, static oven under		22.5 85,260	£4,195.00

Note: Flame failure standard on open burners.

OPTIONAL EXTRAS – GAS RANGES

233954	Oven rack to suit 600mm oven range	£60.00
230556	Oven rack to suit 900mm oven range	£70.00
UKCSP4	Plate shelf and splashback to suit 600mm oven range	£690.00
UKCSP6	Splashback, overshelf and grill shelf to suit 900mm oven range	£690.00





GAS BARBECUES

600mm GAS BARBECUE		BENCH MODEL		
 CB6-B	CB6-B 600mm BBQ, bench model		18 68,200	£2,375.00
				
600mm GAS BARBECUE		OPEN CABINET BASE		
 CB6	CB6 600mm BBQ, mounted on open cabinet base		18 68,200	£2,590.00
				




GAS RANGES, BARBECUES, SALAMANDER & GRIDDLE TOASTERS

Model	Hob Options	Dimensions	Gas kW / BTU	Price (exc. VAT)
-------	-------------	------------	--------------	------------------

GAS BARBECUES




900mm GAS BARBECUE		BENCH MODEL		
 	CB9-B 900mm BBQ, bench model	 	27	£2,900.00
			102,310	

CB9-B

900mm GAS BARBECUE		OPEN CABINET BASE		
	CB9 900mm BBQ, mounted on open cabinet base	 	27	£3,170.00
			102,310	

CB9

GAS SALAMANDER




900mm GAS SALAMANDER				
	CS9 Four position racking (flat or inclined)	 	8.8	£2,085.00
			33,350	

CS9

OPTIONAL EXTRAS – SALAMANDER

013048	100m high feet for bench mounting (set of 4)	£105.00
013418B	Branding plate - 620 x 320mm	£250.00

GAS GRIDDLE TOASTERS

600mm GAS GRIDDLE TOASTER				
	CT6 600mm Griddle, toaster compartment	 	11	£2,805.00
			41,700	

CT6

COBRA® - MEDIUM DUTY MODULAR COOKING EQUIPMENT

Model	Hob Options	Dimensions	Gas kW / BTU	Price (exc. VAT)
-------	-------------	------------	--------------	------------------

GAS FRYER


400mm GAS FRYER

SINGLE PAN



CF2

18 Litre oil capacity,
mechanical thermostat
25kg / hr production rate
supplied with baskets & lid



25

£2,175.00

85,250

CF2




OPTIONAL EXTRAS – GAS FRYER

237427	Fish plate	£60.00
237306	Joining cap	£60.00
237307	Splashguard LH 400FG-XL – general splashguard to fit side of fryer	£105.00
237308	Splashguard RH 400FG-XR – general splashguard to fit side of fryer	£105.00
237310	Splashguard LH 400FG-GL – splashguard to join fryer to cooktop griddles / barbecue / griddle toaster	£105.00
237311	Splashguard RH 400FG-GR – splashguard to join fryer to cooktop griddles / barbecue / griddle toaster	£105.00

GAS GRIDDLE TOASTERS, FRYER & COOKERS

Model	Hob Options	Dimensions	Gas kW / BTU	Price (exc. VAT)
-------	-------------	------------	--------------	------------------




GAS PASTA COOKER

450mm PASTA COOKER	SINGLE PAN			
 <p>CP4 40 Litre water capacity, mechanical thermostat patented infra-red burner system, 6 stainless steel pasta baskets included</p>			<p>12</p> <p>45,450</p>	<p>£4,915.00</p>

OPTIONAL EXTRAS – GAS PASTA COOKER

238674	Pasta basket LH – 165mm x 165mm x 180mm	£150.00
238819	Pasta basket RH – 165mm x 165mm x 180mm	£150.00
240516	Conversion kit for gas noodle kit includes basket support tray and 5 noodle baskets	£350.00

GAS NOODLE COOKER

450mm NOODLE COOKER	SINGLE PAN			
 <p>CN4 40 Litre water capacity, mechanical thermostat patented infra-red burner system, 5 stainless steel noodle baskets included</p>			<p>12</p> <p>45,450</p>	<p>£4,915.00</p>







OPTIONAL EXTRAS – GAS NOODLE COOKER

240507	Noodle basket	£65.00
--------	---------------	--------

COBRA® - MEDIUM DUTY MODULAR COOKING EQUIPMENT


Model	Dimensions	Price (exc. VAT)
-------	------------	------------------

INFILL BENCHES

300mm INFILL BENCH		LEG STAND	
	C300 300mm Infill bench with leg stand		£800.00
C300			
450mm INFILL BENCH		LEG STAND	
	C450 450mm Infill bench with leg stand		£925.00
C450			
600mm INFILL BENCH		LEG STAND	
	C600 600mm Infill bench with leg stand		£1,065.00
C600			


INFILL BENCHES

Model	Dimensions	Price (exc. VAT)
-------	------------	------------------




900mm INFILL BENCH

C900
900mm Infill bench
with leg stand




£1,195.00

C900



900mm INFILL BENCH

C900S
900mm Infill bench with salamander
support on leg stand



£1,720.00

C900S

Price List January 2024

73



20MSERIES

20DSERIES



Reduced footprints, better rack spacing and a bi-directional fan system.*

POWERFUL PERFORMANCE, SMALLER FOOTPRINT,

*E22 & E31D4 use single direction fans

turbofan[®]

TODAY'S INNOVATIVE, EASY TO USE TURBOFAN RANGE HAS BEEN DESIGNED AND MANUFACTURED TO THE HIGHEST SPECIFICATION AND CONTINUES TO PROVIDE A CLASS LEADING SOLUTION FOR EVERY KIND OF CATERING LOCATION. THESE EASY TO USE OVENS HAVE BEEN DESIGNED WITH A CLEAR UNDERSTANDING OF OUR CUSTOMERS NEEDS AND THE CHANGING DEMANDS OF THE CATERING INDUSTRY. DELIVERING OUTSTANDING COOKING, BAKING AND ROASTING PERFORMANCE, USING IMPROVED BI-DIRECTIONAL FAN SYSTEMS THAT ACHIEVE BETTER THAN EVER RESULTS

FEATURES...

- SPACE SAVING EFFICIENCY
- BI-DIRECTIONAL FAN SYSTEM
- DUAL BI-DIRECTIONAL FAN SYSTEM
- MORE OVENS, MORE APPLICATIONS
- PORTABLE COOKING
- FIELD REVERSIBLE SIDE HINGED DOORS
- SAFE TOUCH VENTED OVEN DOORS
- TOUCH SCREE MODULE
- DIGITAL CONTROL MODELS
- MARKET LEADING TRAY SPACING
- HALOGEN OVEN LAMPS
- MOISTURE INJECTION
- GRILL MODE
- SAFE TOUCH VENTED OVEN DOORS
- VITREOUS ENAMELLED OVEN CHAMBER

WWW.BLUE-SEAL.CO.UK

30D SERIES



The ultimate in commercial convection ovens - ideal for baking, roasting and holding.

P SERIES



Our upgraded range of easy to use Provers/ Holding Cabinets, are smart in design and even smarter in engineering, The eight or twelve tray units come with an auto-fill humidity generator and holding cabinet function mode as standard.

T SERIES



H SERIES



INNOVATIVE FEATURES... IN A CLASS OF ITS OWN.

20SERIES



E22T tray 460x330mm **£75.00**

E22M3

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3
610mm x 608mm x 552mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 2.1kW, 9A
10A cordset supplied

3 x 460mm x 330mm half size sheet pan capacity 2.1
3 x 2/3 GN pan capacity
70mm Tray spacing
Compact 610mm width
3 Oven wire racks supplied
Single direction low-velocity fan
Double Stacking Kit DSK2223C

£2,085.00

£985.00



SK23 STAND £985.00
Stainless steel stand with castors
W 610mm x D 530mm x H 880mm



E22T tray 460x330mm **£75.00**

E23M3

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3
610mm x 642mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.0kW, 12A
13A cordset fitted

3 x 460mm x 330mm half size sheet pan capacity 3.0
3 x 2/3 GN pan capacity
85mm Tray spacing
Compact 610mm width
3 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK2223C

£2,360.00

£985.00



SK23 STAND £985.00
Stainless steel stand with castors
W 610mm x D 530mm x H 880mm



E22T tray 460x330mm **£75.00**

E23D3

DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 3
610mm x 642mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.0kW, 12A
13A cordset fitted

3 x 460mm x 330mm half size sheet pan capacity 3.0
3 x 2/3 GN pan capacity
85mm Tray spacing
Compact 610mm width
3 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK2223C
Steam injection

£2,480.00

£985.00



SK23 STAND £985.00
Stainless steel stand with castors
W 610mm x D 530mm x H 880mm



E311GAST tray 1/1GN 20mm deep **£75.00**
E27FT tray 400x600mm **£75.00**
E32UST tray 460x660mm **£75.00**

E27M2

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 2
810mm x 762mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.0kW, 12A
13A cordset supplied

2 x 460mm x 660mm full size sheet pan capacity 3.0
2 x 600mm x 400mm tray capacity
85mm Tray spacing
Compact 810mm width
2 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK272831C

£2,700.00

£985.00



SK2731N STAND £985.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 810mm x D 650mm x H 880mm



SK2731U STAND £985.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 810mm x D 650mm x H 880mm

Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)
-----------------------------------	---------	----	------------------

E27D2
DIGITAL ELECTRIC CONVECTION OVEN


Rack capacity: 2
810mm x 762mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.0kW, 12A
13A cordset supplied

2 x 460mm x 660mm full size sheet pan capacity 3.0
2 x 600mm x 400mm tray capacity
115mm Tray spacing
Compact 810mm width
2 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK272831C
Steam injection

£2,865.00
£985.00

E311GAST tray 1/1GN 20mm deep **£75.00**
E27FT tray 400x600mm **£75.00**
E32UST tray 460x660mm **£75.00**



SK2731N STAND £985.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 810mm x D 650mm x H 880mm



SK2731U STAND £985.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 810mm x D 650mm x H 880mm


E27M3
MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3
810mm x 762mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 4.7kW, 19.6A
No cordset supplied

3 x 460mm x 660mm full size sheet pan capacity 4.7
3 x 600mm x 400mm tray capacity
85mm Tray spacing
Compact 810mm width
3 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK272831C

£3,045.00
£985.00

E311GAST tray 1/1GN 20mm deep **£75.00**
E27FT tray 400x600mm **£75.00**
E32UST tray 460x660mm **£75.00**



SK2731N STAND £985.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 810mm x D 650mm x H 880mm



SK2731U STAND £985.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 810mm x D 650mm x H 880mm


E27D3
DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 3
810mm x 762mm x 607mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 4.7kW, 19.6A
No cordset supplied

3 x 460mm x 660mm full size sheet pan capacity 4.7
3 x 600mm x 400mm tray capacity
85mm Tray spacing
Compact 810mm width
3 Oven wire racks supplied
Bi-directional reversing fan system
Double Stacking Kit DSK272831C
Steam injection

£3,200.00
£985.00

E311GAST tray 1/1GN 20mm deep **£75.00**
E27FT tray 400x600mm **£75.00**
E32UST tray 460x660mm **£75.00**



SK2731N STAND £935.008
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 810mm x D 650mm x H 880mm



SK2731U STAND £985.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 810mm x D 650mm x H 880mm


E28M4
MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 4
810mm x 762mm x 662mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 5.8kW, 25A
No cordset supplied

4 x 460mm x 660mm full size sheet pan capacity 5.8
4 x 600mm x 400mm tray capacity
80mm Tray spacing
Compact 810mm width
4 Oven wire racks supplied
Twin Bi-directional reversing fans
Double Stacking Kit DSK272831C

£4,120.00
£985.00

E311GAST tray 1/1GN 20mm deep **£75.00**
E27FT tray 400x600mm **£75.00**
E32UST tray 460x660mm **£75.00**



SK2731N STAND £985.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 810mm x D 650mm x H 880mm



SK2731U STAND £985.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 810mm x D 650mm x H 880mm



E311GAST tray 1/1GN 20mm deep £75.00
E27FT tray 400x600mm £75.00
E32UST tray 460x660mm £75.00

Dimensions / Power
(w x d x h)

Options

kw

Price (exc. VAT)

E28D4

DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 4
810mm x 762mm x 662mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 5.8kW, 25A
No cordset supplied

4 x 460mm x 660mm full size sheet pan capacity 5.6
4 x 600mm x 400mm tray capacity
80mm Tray spacing
Compact 810mm width
4 Oven wire racks supplied
Twin Bi-directional reversing fans
Double Stacking Kit DSK272831C
Steam injection

£4,475.00

£985.00



SK2731N STAND £985.00
Stainless steel stand with castors
Suits 600mm x 400mm trays and 1/1 GN pans
W 810mm x D 650mm x H 880mm



SK2731U STAND £985.00
Stainless steel stand with castors
Suits 660mm x 460mm pans
W 810mm x D 650mm x H 880mm



E931M

ELECTRIC CONVECTION OVEN & 4 ELEMENT COOKTOP

675mm x 626mm x 800mm
Cooktop
Single phase
2 x 2kW front and 2 x 1.5kW
rear hot plate elements.

7

£4,795.00

Convection Oven
Rack capacity: 4
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.1kW, 12.9A
13A cordset supplied

4 x 1/1 GN tray capacity
80mm Tray spacing
Digital display time and temperature controls
4 Oven wire racks supplied
Single directional low-velocity fan
* Two separate electrical supplies

3.0

30SERIES



E311GAST tray 1/1GN 20mm deep £75.00

E30M3

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3
810mm x 616mm x 625mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 2.3kW, 9.5A
13A cordset supplied

3 x 1/1 GN tray capacity
100mm Tray spacing
Analogue time and temperature controls
3 Oven wire racks supplied
Single directional low-velocity fan
Double Stacking Kit DSK272831C

2.3

£2,245.00

£985.00



SK2731N STAND £985.00
Stainless steel stand with castors
1/1 GN pans
W 810mm x D 650mm x H 880mm



E311GAST tray 1/1GN 20mm deep £75.00

E31D4

DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 4
810mm x 616mm x 625mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 3.1kW, 12.9A
13A cordset supplied

4 x 1/1 GN tray capacity
80mm Tray spacing
Digital display time and temperature controls
Grill mode
4 Oven wire racks supplied
Single directional low-velocity fan
Double Stacking Kit DSK272831C

3.1

£3,120.00

£985.00



SK2731N STAND £985.00
Stainless steel stand with castors
1/1 GN pans
W 810mm x D 650mm x H 880mm

E311GAST tray 1/1GN 20mm deep	£75.00
Oven rack p/no. 236057	£65.00
240550 Heat Shield	£270.00



E311GAST tray 1/1GN 20mm deep	£75.00
Oven rack p/no. 236057	£65.00
240550 Heat Shield	£270.00



E32UST tray 460x660mm	£75.00
240466 Heat Shield	£285.00



E32UST tray 460x660mm	£75.00
240466 Heat Shield	£285.00



E32UST tray 460x660mm **£75.00**
240549 Heat Shield **£300.00**

Dimensions / Power
(w x d x h)

Options

kW

Price (exc. VAT)

G32D4

DIGITAL GAS CONVECTION OVEN



Rack capacity: 4
735mm x 810mm x 910mm

Electrical requirements:

230-240V, 50/60Hz,
1 Phase+N+E, 0.5A
10A cordset fitted

Gas requirements:

35 MJ/hr burner rating. Natural,
Propane/Butane models
Unit supplied complete with gas
type conversion kit
Gas connection 1/2" NPT male
10kW equivalent gas power

4 x 460mm x 660mm full size sheet pan capacity 1 phase
4 x 600mm x 400mm tray capacity
110mm Tray spacing
Compact 735mm width
4 Oven wire racks supplied
Bi-directional fan motor
Double Stacking Kit DSKG32C
Steam injection
Optional core temp. probe

£6,755.00

£1,235.00

£300.00



SK32 STAND **£985.00**
Stainless steel stand with castors
W 735mm x D 825mm x H 880mm



E35GBT tray 460x760mm **£75.00**

E35D6

FULL SIZE DIGITAL / ELECTRIC CONVECTION OVEN



W 910mm x D 1022mm x H 871mm including 76mm feet

12.5

£9,955.00

- 6 406mm x 736mm / 16" x 29" tray capacity
- 6 457mm x 762mm / 18" x 30" tray capacity
- 105mm tray spacing
- 12kW heating power
- Electronic controls with Digital Time and Temperature display
- Optional M236060 Core Temperature Probe Kit
- Stand SK35
- Stacking Kit DSK35

£300.00

£1,340.00

£1,180.00

PROVER / HOLDING CABINETS

PSERIES PROVER/HOLDING CABINETS

STANDARD FEATURES

P8M / P10M / P12M

- Dual function prover and holding cabinet
- Designed for individual use or system installed with Turbofan 32D convection ovens
- Low velocity circulation fan system
- Humidity level control
- Compact 735mm width
- Full double skin construction
- Auto water fill system with optional integrated water filter kit

P8M

- 8 Full size sheet pan capacity
- 8 EN 600 x 400 tray capacity

P12M

- 12 Full size sheet pan capacity
- 12 EN 600 x 400 tray capacity

- Continuous door seal
- Side hinged door
- Off / Prove / Hold mode selection
- Mechanical thermostat 20-85°C
- Dual halogen cabinet interior lamps
- Cabinet temperature display thermometer
- 4 dia. 76mm castors with 2 front castors dual wheel and swivel lock, 2 rigid rear castors
- 100% recyclable packaging

- 16 Half size sheet pan capacity
- 76mm Tray spacing

- 24 Half size sheet pan capacity
- 74mm Tray spacing

OPTIONAL EXTRAS

234347 Filter Head Kit

£330.00

This kit supplies the cartridge mounting head assembly plus all associated plumbing/fittings for installation to P12 provers. Also includes double check/pressure reducing valve and 2 metres of tubing for connection to supply.

234562 Filter Cartridge P124BN CUNO

£260.00

Filter cartridge itself, for connection to above installation kit.



P8M

AUTO ELECTRIC PROVER & HOLDING CABINET



Rack capacity: 8
735mm x 810mm x 914mm
Electrical requirements:
230-240V, 50/60Hz,
1 Phase+N+E, 1.5kW, 6.3A
10A cordset fitted

Dual function prover and holding cabinet
Designed for individual use or
system installed with Turbofan 32D
convection ovens
8 Full size sheet pan capacity
16 Half size sheet pan capacity
8 EN 600 x 400 tray capacity P/No. 235445
76mm Tray spacing
Compact 735mm width

1.5

£5,180.00

£555.00

P/No. 234841 Stacking Kit to E32D4

£185.00



Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)
P10M	AUTO ELECTRIC PROVER & HOLDING CABINET		
Rack capacity: 10 610mm x 680mm x 1015mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 1.5kW, 6.3A 10A cordset supplied	Dual function prover and holding cabinet Designed for individual use or system installed with Turbofan E33D convection oven 10 1/1 GN pan capacity 74mm Tray spacing Compact 610mm width	1.5	£4,565.00
	P/No. 236617 Stacking Kit to E33D5		£185.00



P12M	AUTO ELECTRIC PROVER & HOLDING CABINET		
Rack capacity: 12 735mm x 810mm x 1129mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 1.9kW, 8.5A 10A cordset supplied	Dual function prover and holding cabinet Designed for individual use or system installed with Turbofan 32D convection ovens 12 Full size sheet pan capacity 24 Half size sheet pan capacity 12 EN 600 x 400 tray capacity 74mm Tray spacing Compact 735mm width	1.9	£5,695.00
	P/No. 234841 Stacking Kit to E/G32D4		£185.00



P85M8	PROVER/HOLDING CABINET		
W 910mm x D 880mm x H 914mm including dia. 76mm castors • 8 457mm x 762mm / 18" x 30" tray capacity • 76mm tray spacing • 1.5kW heating power • Optional M236060 Core Temperature Probe Kit • Stacking kit 239704 P85M8 with E35D6		1.5	£5,180.00
			£300.00
			£185.00

P85M8



P85M12	PROVER/HOLDING CABINET		
W 910mm x D 810mm x H 1129mm including dia. 76mm castors • 12 457mm x 762mm / 18" x 30" tray capacity • 74mm tray spacing • 1.9kW heating power • Optional M236060 Core Temperature Probe Kit • Stacking kit 239704 P85M12 with E35D6		1.9	£5,695.00
			£300.00
			£185.00




P85M12

	MODEL	DETAILS	Gas Power kW	Price (exc. VAT)
	H8D-UC	HOLDING CABINET		
		W 610mm x D 680mm x H 810mm • 8 x 1/1 GN tray capacity • 74mm tray spacing • 1.2kW heating power • Electronic digital control panel	1.2	£4,950.00
H8D-UC				
	H8D-FS-UC	HOLDING CABINET		
		W 735mm x D 810mm x H 810mm • 8 full size 460mm x 660mm / 18" x 26" sheet pan capacity • 74mm tray spacing • 1.9kW heating power • Electronic digital control panel	1.9	£5,075.00
H8D-FS-UC				
	H10D-FS	HOLDING CABINET		
		W 735mm x D 810mm x H 1015mm • 10 full size 460mm x 660mm / 18" x 26" sheet pan capacity • 74mm tray spacing • 1.9kW heating power • Electronic digital control panel	1.9	£5,340.00
H10D-FS				
	H10D	HOLDING CABINET		
		W 610mm x D 1015mm x H 680mm • 10 1/1 GN pan capacity • 74mm tray spacing • 1.2kW heating power • Electronic digital control panel	1.2	£5,100.00
H10D				
	H10T	HOLDING CABINET		
		W 610mm x D 1015mm x H 680mm • 10 1/1 GN pan capacity • 74mm tray spacing • 1.2kW heating power • Electronic touch sensitive control panel	1.2	£5,480.00
H10T				
	EHT10-L	TOUCH SCREEN ELECTRIC HUMIDIFIED HOLDING CABINET		
		W 610mm x D 680mm x H 1015mm • 10 1/1 GN pan capacity • 2.3kW heating power • Electronic touch sensitive control panel	2.3	£6,705.00
EHT10-L				

OPTIONAL EXTRAS

SKEHT10	Stainless steel stand with castors (2 with swivel lock) to suit EHT10-L model W610mm x D 727mm x H 609mm	£700.00
237472	Double stacking kit to suit E33/EHT10-L models	£230.00
234347	Filter head kit This kit supplies the cartridge mounting head assembly plus all associated plumbing/fittings for installation to P8/P12/P10/P85 provers. Also includes double check/pressure reducing valve and 2 metres of tubing for connection to supply	£330.00
234562	Filter Cartridge P124BN CUNO Filter cartridge itself for connection to above installation kit	£260.00

turbofan® VENTLESS HOODS

	Model	Details	Price (exc. VAT)
 VH32	VH32	VENTLESS HOOD FOR E32D4/E32T4 OVENS	
		W 742mm x D 1015mm x H 340mm • 230-240V, 50/60Hz, 1 Phase+N+E, 0.5A • 10A plug cordset fitted	£6,560.00
 VH33	VH33	VENTLESS HOOD FOR E33D5/E33T5 OVENS	
		W 617mm x D 890mm x H 340mm • 230-240V, 50/60Hz, 1 Phase+N+E, 0.5A • 10A plug cordset fitted	£6,385.00
 VH35-30	VH35-30	VENTLESS HOOD FOR E35D6-30/E35T6-30 OVENS	
		W 917mm x D 1145mm x H 340mm • 230-240V, 50/60Hz, 1 Phase+N+E, 1.0A • 10A plug cordset fitted	£7,535.00

STANDARD FEATURES

<ul style="list-style-type: none">• Ventless oven hood - no vent connection or canopy required• 3-stage filtering with condensing heat exchanger; 1st stage grease filter baffle, 2nd stage mesh particle filter, 3rd stage odour reduction charcoal filter• Oven vent condensing heat exchanger reducing heat emissions• Condensate collection to self-contained collection pan No waste drain connection needed or condensate collection to waste drain. No manual emptying of condensate collection pan required	<ul style="list-style-type: none">• Hood control interlock with oven - cannot operate without hood opening• Low speed fan operation - reduced noise• Automatic high speed fan when oven door is open• User replacement charcoal filter• Removable grease baffle and mesh filters• 240V, 10A plug cordset electrical connection• Hood installation kits are required to install VHseries hoods on Turbofan ovens
--	---

turbofan[®]

COMBI

Turbofan Combi Steamers offer the ultimate in convenience, versatility and control, enabling you to deliver a wide range of foods to the highest standards without the need for large appliances.

From bread and pizza, through seafood, meats and vegetables to dessert, Turbofan Combi provides convection, steam or combination convection/steam cooking, with a choice of manual or digital models.

With refined lines and sophisticated design the entirely flat 40 Series lets you make the most of your space, be it behind the scenes or out in front of the crowd. Tuck it away in the bar area or have it pride of place in the open kitchen – either way you'll be happy to see this high performer deliver the goods time and time again.

- Choice of 6 models – 3 digital and 3 manual
- 7kW – 14kW heating power
- 30 – 80 covers per load
- 70mm tray spacing
- 5, 7 or 10 tray capacity
- 600mm x 400mm trays
- Range of accessories and options

MANUAL



EC40M5



EC40M7



EC40M10

DIGITAL








EC40D5




EC40D7







EC40D10

	Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)
	EC40M5		5 TRAY MANUAL ELECTRIC COMBI OVEN		
			W 777mm x D 835mm x H 777mm • 5 x 1/1 GN tray capacity • 5 x 600mm x 400mm tray capacity • 70mm tray spacing • 7.25kW heating power • 30 covers per load • Electromechanical controls • Supplied with water softener	7	£6,790.00
			Stand SK40A 3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN		£985.00 £90.00
	EC40D5		5 TRAY DIGITAL ELECTRIC COMBI OVEN		
			W 777mm x D 835mm x H 777mm • 5 x 1/1 GN tray capacity • 5 x 600mm x 400mm tray capacity • 70mm tray spacing • 7.25kW heating power • 30 covers per load • 2.4" LCD-TFT colour display with rapid selection scroller • Automatic cleaning system • Optional multipoint core temperature probe CP004 • Supplied with water softener	7	£9,045.00
			Stand SK40A 3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN		£410.00 £985.00 £90.00
	EC40M7		7 TRAY MANUAL ELECTRIC COMBI OVEN		
			W 777mm x D 835mm x H 942mm • 7 x 1/1 GN tray capacity • 7 x 600mm x 400mm tray capacity • 70mm tray spacing • 12.5kW heating power • 50 covers per load • 2.4" LCD-TFT colour display with rapid selection scroller • Supplied with water softener	12	£8,390.00
			Stand SK40A 3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN		£985.00 £90.00
	EC40D7		7 TRAY DIGITAL ELECTRIC COMBI OVEN		
			W 777mm x D 835mm x H 942mm • 7 x 1/1 GN tray capacity • 7 x 600mm x 400mm tray capacity • 70mm tray spacing • 12.5kW heating power • 50 covers per load • 2.4" LCD-TFT colour display with rapid selection scroller • Automatic cleaning system • Optional multipoint core temperature probe CP004 • Supplied with water softener	12	£10,810.00
			Stand SK40A 3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN		£410.00 £925.00 £90.00
	EC40M10		10 TRAY MANUAL ELECTRIC COMBI OVEN		
			W 777mm x D 835mm x H 1152mm • 10 x 1/1 GN tray capacity • 10 x 600mm x 400mm tray capacity • 70mm tray spacing • 14.5kW heating power • 80 covers per load • Electromechanical controls • Supplied with water softener	14	£9,415.00
			Stand SK40-10A 3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN		£985.00 £90.00

Dimensions / Power (w x d x h)	Standard Features	Optional Extras	Price (exc. VAT)
	EC40D10	10 TRAY DIGITAL ELECTRIC COMBI OVEN	
	W 777mm x D 835mm x H 1152mm • 10 x 1/1 GN tray capacity • 10 x 600mm x 400mm tray capacity • 70mm tray spacing • 14.5kW heating power • 80 covers per load • 2.4" LCD-TFT colour display with rapid selection scroller • Automatic cleaning system • Optional multipoint core temperature probe CP004 • Supplied with water softener		14 £11,850.00
	Stand SK40-10A 3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN		£410.00 £985.00 £90.00
Model nos			
Opposite hinge door (factory fit only)			£190.00
CDL05 Detergent cartridge 5ltr for auto wash units			£135.00

PIZZA & BAKERY EQUIPMENT

	Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)	
	430-EM	ELECTRIC PIZZA OVEN			
		430-EM electric pizza oven	4.4	£2,520.00	
Dimensions: mm (w x d x h) External: 882 x 827 (978mm including handle) x 343 (390mm including vent) Internal: 630 x 630 x 113 Pizza capacity: 4 x 12 inch pizzas. Net weight: 100kg Single Phase - 1 x 4.4kW electrical supply					
BSPZ01 £985.00 Steel stand with adjustable feet					
	830-EM	ELECTRIC PIZZA OVEN			
		830-EM electric pizza oven	8.8	£3,985.00	
Dimensions: mm (w x d x h) External 882 x 827 (978mm including handle) x 686 (773mm including vent) Internal 630 x 630 x 113 per deck Pizza capacity: 4 x 12 inch pizzas per deck. Net weight: 170kg Single Phase - 2 x 4.4kW electrical supplies					
BSPZ01 £985.00 Steel stand with adjustable feet					
	TLV45Touch	CONVEYOR OVEN			
		TLV45Touch conveyor oven Forced air for even baking	9.8	£11,815.00	
Dimensions: mm (w x d x h) External: 1440 x 950 x 575 Internal: 740 x 490 x 85 Belt width: 45cm Pizza capacity: 30cm pizza 50/hr 45cm pizza 18/hr 60 x 40cm pizza 9/hr Net weight: 190kg Three Phase - 1 x 9.8kW electrical supply					
BSPZ02 £1,030.00 Support light stand with adjustable height BSPZ03 £1,040.00 Low stand for stacking x 3 TLV45 conveyor ovens Dimensions: mm (w x d x h) 810 x 741 x 200					
	BM10	PLANETARY MIXER			
		10 litre mixer	3	£2,425.00	
Dimensions: mm (w x d x h) 400 x 450 x 630 (stand foot print) Capacity 10 litres Net weight: 62kg					

PIZZA & BAKERY EQUIPMENT



BM20

HEAVY DUTY MIXER



Dimensions: mm (w x d x h)
515 (incl. handle) x 518 x 879
Capacity 20 litres
Net weight: 98kg

20 litre mixer

3

£3,375.00



FX201M

SPIRAL DOUGH MIXER single speed with Caster Kit



Dimensions: mm (w x d x h)
427 x 740 x 734 (1119mm with feet. Add 65mm if using casters)
Capacity 30 litres
Net weight: 79kg

30 litre single speed spiral mixer

0.75

£3,065.00



FX202M

SPIRAL DOUGH MIXER two speed with Caster Kit



Dimensions: mm (w x d x h)
427 x 740 x 734 (1119mm with feet. Add 65mm if using casters)
Capacity 30 litres
Net weight: 79kg

30 litre two speed spiral mixer

0.75

£3,955.00

WARE WASHING EQUIPMENT

	Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)
	SG4E2	GLASS WASHER		
	Dimensions: mm (w x d x h) External w460 x d521 x h680 400mm x 400mm rack size Includes rinse aid detergent and drain pumps		2.66w	£2,410.00
	Pedestal stand			£350.00
	SG45E2	GLASS WASHER		
	Dimensions: mm (w x d x h) External w530 x d600 x h755 450mm x 450mm rack size Includes rinse aid detergent and drain pumps		3.78w	£3,360.00
	Pedestal stand			£475.00
	SG5EC2	GLASS WASHER		
	Dimensions: mm (w x d x h) External w600 x d600 x h820 500mm x 500mm rack size Includes rinse aid detergent and drain pumps		3.78w	£3,190.00
	Pedestal stand			£475.00
	SD5EC2	DISH WASHER		
	Dimensions: mm (w x d x h) External w600 x d600 x h820 500mm x 500mm rack size Includes rinse aid detergent and drain pumps		3.78w	£3,190.00
	Pedestal stand			£475.00
	SD5ECBT2	DISH WASHER		
	Dimensions: mm (w x d x h) External w600 x d600 x h820 500mm x 500mm rack size Includes rinse aid detergent and drain pumps		6.45w	£3,855.00
	Pedestal stand			£475.00
	Class 'A' air gap breaktank model			

WARE WASHING EQUIPMENT



Dimensions / Power (w x d x h)	Options	kw	Price (exc. VAT)
SH55E BT	HIGH VOLUME HOOD WASHER		
Dimensions: mm (w x d x h) External 710 x d735 x h1450 Lowered 1860 raised.	SH55E high volume hood washer single phase SH55E high volume hood washer 3 phase 55068 Stainless steel wings	6.75 10	£5,920.00 £5,920.00 £440.00 (each)
Features: Twin wash cycle and integral break tank. Rack output: 30 per hour	* Model Includes rinse aid detergent and drain pumps.		



SH120E BT	HIGH VOLUME HOOD WASHER		
Dimensions: mm (w x d x h) External 710 x 740 x 1450 lowered 1860 raised.	SH120E high volume hood washer (three phase only)	10.1	£7,390.00
Features: Class "A" Air Gap, integral break tank and has three wash programmes. Basket size: 500mm. Washing capacity: up to 1200 plates per hour	55068 Stainless steel wings		£440.00 (each)
* Model Includes rinse aid detergent and drain pumps.			



WATER SOFTENERS			
Brita Aquaquell Purity 600 Complete System With MCU Display			£1,745.00
Manual water softeners	WS08	8	£280.00
	WS12	12	£310.00
	WS16	16	£400.00

The supply of goods by Blue Seal Limited (Blue Seal) to you is made on the following terms and conditions (Contract Terms): Your attention is particularly drawn to the exclusions and limitations of liability at clause 14.

1. GENERAL

- 1.1 Please read these Contract Terms carefully before you submit Your Order (as defined in clause 1.6 below) and when reviewing the details of your order that will be set out in the Order Confirmation (as defined in clause 3.1 below).
- 1.2 These Contract Terms tell you about Blue Seal, how Blue Seal will provide goods to you, how you and Blue Seal may change or end the contract, what to do if there is a problem and other important information. If you think that there is a mistake in these Contract Terms, please contact Blue Seal to discuss.
- 1.3 The seller is Blue Seal Limited (Company No. **03437267**) and Blue Seal's registered address is at Unit 67 Gravelly Industrial Park, Erdington, Birmingham, West Midlands. B24 8TQ. Blue Seal's registered VAT number is 705397036.
- 1.4 You can contact Blue Seal by telephoning Blue Seal's customer service team at 0121 327 5575 or by writing to Blue Seal at sales@blue-seal.co.uk or Unit 67, Gravelly Industrial Park, Gravelly Park, Erdington, Birmingham B24 8TQ.
- 1.5 Details of the goods available for purchase can be found at www.blue-seal.co.uk (**Site**) and within our advertising brochures. The Site includes all web pages under or forming part of the domain name blue-seal.co.uk.
- 1.6 You may order goods sold by Blue Seal by contacting us (in writing, by email or via telephone) confirming the goods you would like to purchase as detailed on our Site or in our advertising brochures (**Your Order**).
- 1.7 By submitting Your Order you confirm that you have read and understood these Contract Terms and you agree to these Contract Terms, in addition to any terms of use and privacy policy that may be applicable to the Site.
- 1.8 These Contract Terms are the only terms and conditions on which Blue Seal will supply goods to you and will apply to the exclusion of all other terms and conditions including any terms and conditions which you purport to apply under any purchase order, confirmation of order or similar document (whether or not such document is referred to in the contract) and any terms and conditions which may otherwise be implied by trade, custom, practice or course of dealing.
- 1.9 Blue Seal amends these Contract Terms from time to time. Whilst Blue Seal will endeavour to contact existing customers to inform them of changes to these Contract Terms prior to any change coming into effect, you are responsible for familiarising yourself with the most up to date Contract Terms prior to placing Your Order. The most up to date Contract Terms can be found on our Site and in our most recent advertising brochures. Every time you order goods from Blue Seal, the Contract Terms in force at the time of your order will apply to the contract between you and Blue Seal.
- 1.10 These Contract Terms are only in the English language.
- 1.11 You confirm that you have authority to bind any business on whose behalf you purchase goods.

2. THE GOODS

- 2.1 Blue Seal will be entitled at any time to:
 - 2.1.1 vary the design, finish or specification of the goods and/or their packaging; and/or
 - 2.1.2 substitute any materials or parts which are used in goods and which are unavailable for any reason with alternative materials or parts, to the extent that:
 - 2.1.3 this does not materially affect their quality or performance; or
 - 2.1.4 this is necessary to comply with health and safety or other legal requirements.
 - 2.1.5 The contract is not a sale by sample.

3. QUOTATIONS AND ORDERS

- 3.1 Further to you submitting Your Order, Blue Seal will review the details of Your Order and if acceptable, send you an order confirmation email (**Order Confirmation**). The Order Confirmation is an acceptance of Your Order.
- 3.2 The Order Confirmation is issued on the basis that the terms governing the contract between the parties for the supply of goods detailed in the Order Confirmation are these Contract Terms.
- 3.3 Blue Seal may refuse to issue an Order Confirmation in response to Your Order, without liability to you if:
 - 3.3.1 a good in that order is not available;
 - 3.3.2 there is an error in the price or the description of the good posted on the Site and/or in our advertising brochures;
 - 3.3.3 the order triggers fraud prevention protocols; or
 - 3.3.4 Blue Seal believes that to do so is otherwise necessary or expedient.
- 3.4 If Blue Seal refuse to issue an Order Confirmation in response to Your Order, then it will endeavour to notify you of that rejection at the time you submit Your Order or within a reasonable time thereafter. If you have already paid for the goods, Blue Seal will refund you the full amount including any delivery costs charged as soon as possible.
- 3.5 Our contract for the supply of goods detailed in the Order Confirmation will come into force when we send to you the Order Confirmation.
- 3.6 If you consider there to be any mistakes, omissions or inaccuracies in the details set out in the Order Confirmation, or if you wish to amend any aspect of the order details, you will be required to contact us as soon as possible so

any amendments to the order details can be agreed between the parties. If the parties are unable to agree the amendments, the contract will terminate and Blue Seal will not proceed with processing the Order. In circumstances where the parties agree amendments, these will be agreed subject to these Contract Terms continuing to apply to the contract to supply the goods (subject to any amendments agreed).

- 3.7 Blue Seal also reserves the right to refuse to fulfil any orders that you may have placed based on information on the Site and/or in our advertising brochures that may contain errors or inaccuracies, including, without limitation, errors, inaccuracies or out-of-date information regarding pricing, shipping, payment terms, or return policies. In these circumstances, Blue Seal will terminate the contract between the parties.
- 3.8 Each order placed for good(s) results in a separate binding contract between you and Blue Seal for the supply of those good(s).
- 3.9 For each order accepted by Blue Seal, Blue Seal will supply the good(s) in that order to you in accordance with these Contract Terms.
- 3.10 You may elect to collect the good(s) you order, or to have them delivered to a nominated delivery address. A fee may apply (see clauses 4 and 7 below).
- 3.11 The Site and/or our advertising brochures may contain typographical errors or other errors or inaccuracies and may not be complete or current. Blue Seal reserves the right to correct any errors, inaccuracies or omissions and to change or update information at any time without notice.
- 3.12 You consent to receive sales invoices electronically for all orders. Electronic invoices will be emailed to the email address provided by you in relation to the each order.
- 3.13 Blue Seal reserve the right to charge a fee of 20% for the cancellation of any order or the return of any goods. The fee will be based on the value of the order or the sale price of the goods as the case may be. The parties agree that the fee, if charged, constitutes a genuine pre-estimate of Blue Seal's loss arising from the cancellation or return of goods. The return of goods will only be permitted in circumstances where the goods are returned in a new and unused condition, and the goods are returned within 14 days of delivery (as described in clause 7).
- 3.14 In addition to the fee payable under clause 3.13, where you cancel or return any "spare part goods", Blue Seal reserve the right to charge you an engineering test fee to cover the costs for testing to ensure they meet the necessary safety standards for resale. If requested, Blue Seal will provide an estimate of the fees likely to be incurred prior to undertaking this testing (such a request to be made at the same time the "spare parts goods" are returned). For the purposes of this clause 3.14, "spare part goods" means any individual parts issued as spares for the purposes of any equipment that we sell.

4. PRICE AND PRICE VARIATION

- 4.1 The maximum prices of the goods will be quoted on the Site and in the price lists accompanying our advertising brochures at the time you submit Your Order.
- 4.2 Blue Seal is entitled to adjust any price to take into account a variation in cost arising from:
 - 4.3 delays in manufacture or installation as a result of any act or omission by the buyer, or other circumstances beyond Blue Seal's control;
 - 4.4 variations in Blue Seal's costs of manufacture including, without limitation, variations in the cost of labour or raw materials;
 - 4.4.1 variations in the cost of the goods to Blue Seal due to variations in the cost of freight and transport, insurance premiums, customs duties or currency exchange rates; and
 - 4.4.2 any error or omission.
- 4.5 In addition, the maximum prices of the goods may be adjusted to reflect discounts we are willing to provide you with. The price payable for the goods under the contract will be confirmed in the Order Confirmation. The Order Confirmation will also confirm the relevant delivery costs payable.
- 4.6 The price of goods set out on the Site and in the price lists accompanying our advertising brochures exclude VAT (where applicable). VAT will be charged on goods at the applicable current rate chargeable in the UK for the time being. If the rate of VAT changes between the date you enter into a contract for goods and the date of delivery, we will adjust the VAT you pay, unless you have already paid for the good in full before the change in VAT takes effect.
 - 4.6.1 The Site and our advertising brochures contain a large number of goods. It is always possible that, despite Blue Seal's reasonable efforts, some of the goods on the Site and/or in our advertising brochures may be incorrectly priced. If Blue Seal discovers an error in the price of the goods you have ordered Blue Seal will contact you to inform you of this error and Blue Seal will give you the option of continuing to purchase the goods at the correct price or cancelling your order. Blue Seal will not process your order until Blue Seal have your instructions. If Blue Seal are unable to contact you using the contact details you have provided as part of the ordering process, Blue Seal will treat the contract as cancelled and notify you in writing. If Blue Seal mistakenly accepts and processes your order where a pricing error is obvious and unmistakable and could reasonably have been recognised by you as a mispricing, Blue Seal may cancel your order and refund you any sums you have paid.

5. TERMS OF PAYMENT

- 5.1 Payment is to be made in full on goods sold by Blue Seal prior to delivery (such date to be confirmed in the Order Confirmation), save where the buyer has been granted a credit account. In these circumstances, subject to the terms on which we have agreed to provide you with a credit account permitting the goods to be charged to your account (to be agreed under separate terms), payment must be made within 30 days from the date of receipt of Blue Seal's invoice or within such other timeframe as agreed with you.
- 5.2 Where the buyer has a credit account with Blue Seal, Blue Seal reserves the right to impose on the buyer a minimum deposit to Blue Seal of 25% of the purchase price for goods.
- 5.3 In the event of default by the buyer under clause 5.1 or 5.2, all debt recovery costs, including legal costs on a solicitor /own client basis and disbursements, and any mercantile agent costs charged to Blue Seal will be part of the indebtedness of the buyer to Blue Seal and will be paid to Blue Seal on request.
- 5.4 Without prejudice to any other remedy, if you fail to make any payment due to Blue Seal under the Contract Terms by the due date for payment, Blue Seal may charge you interest on the overdue amount at the rate set out in the Late Payment of Commercial Debts (Interest) Act 1998 from time to time. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The buyer shall pay the interest together with the overdue amount.
- 5.5 Blue Seal accepts payment by the payment methods stated on the Site and in our advertising brochures.
- 5.6 You authorise Blue Seal to debit the amount that is payable in respect of an accepted order from you in accordance with your nominated payment method.
- 5.7 You must not pay, or attempt to pay, for a good using any fraudulent or unlawful means.
- 5.8 Your nominated payment method may trigger fraud prevention protocols. If this occurs, Blue Seal may contact you to confirm additional details, or cancel the transaction.
- 5.9 To the extent permitted by law, Blue Seal (and its assignees) exclude all liability for any loss or damage suffered or incurred by you (whether directly or indirectly) where a credit card is used fraudulently or in an unauthorised manner.

6. VARIATION OF TERMS OF PAYMENT

- 6.1 If Blue Seal decides that the credit worthiness of the buyer has become unsatisfactory, Blue Seal may on written notice to the buyer:
 - 6.1.1 vary the terms of payment, and may require payment in full and in cash, and/or the provision of security, for any amount unpaid and the buyer will pay in the timeframe stipulated by Blue Seal; and
 - 6.1.2 stop any goods in transit until any requirements under this clause have been complied with.

7. COMPLETION AND DELIVERY

- 7.1 Blue Seal will endeavour to deliver goods within a reasonable time (in the absence of an agreement with you).
- 7.2 Delivery of an order shall be completed when Blue Seal deliver the goods to the address agreed between the parties (even if this is Blue Seal's address) or a carrier organised by the buyer collect them from Blue Seal.
- 7.3 Blue Seal may suspend delivery, supply or completion and/or terminate the contract where the failure to deliver, supply or complete is caused by force majeure, including any act or omission on the part of the buyer, or by any act of God, war lightning, fire, earthquake, storm, flood, explosion, any embargoes, restraint orders or restrictions imposed directly or indirectly by any government or governmental authority, agency or department, unavailability or delay in availability of equipment materials or transport, labour dispute and any other case whether of the kind enumerated or otherwise which is not within the control of Blue Seal.
- 7.4 Unfortunately, Blue Seal does not deliver to addresses outside the UK and Ireland.

8. WITHHOLDING SUPPLY AND DELIVERY BY INSTALMENTS

- 8.1 Blue Seal reserves the right to withhold supply to the buyer if the buyer is in breach of any contract with Blue Seal.
- 8.2 Blue Seal reserves the right to deliver the goods by instalments and each instalment shall be deemed to be sold under a separate contract incorporating these Contract Terms. Failure of Blue Seal to deliver any instalment shall not entitle the buyer to cancel the balance of the contract. Exercise of these rights does not entitle the buyer to terminate any contract with Blue Seal or claim any loss or damage.

9. TITLE AND RISK

- 9.1 The risk in the goods passes to you when the goods are fully loaded for transportation to you at Blue Seal's warehouse.
- 9.2 All payments received from the buyer may be applied by Blue Seal in the manner Blue Seal, in its absolute discretion, determines.
- 9.3 Subject to **clauses 9.4 and 9.5**, legal and beneficial ownership of the goods will not pass to the buyer until Blue Seal has received in full in cleared funds:
 - 9.3.1 all sums due to it in respect of the goods; and
 - 9.3.2 all other sums which are or which become due to Blue Seal from the buyer on any account whatsoever.

- 9.4 The buyer may resell the goods in the ordinary course of its business and, if it does so, legal and beneficial ownership of goods will pass to the buyer immediately prior to the buyer entering into a binding contract for the sale of those goods.
- 9.5 Blue Seal may, by giving written notice to the buyer, pass legal and beneficial ownership of the goods (or any of them) to the buyer at any time before such ownership would otherwise have passed to the buyer.
- 9.6 Until ownership of the goods has passed to the buyer, the buyer will:
 - 9.6.1 store the goods (at no cost to Blue Seal) separately from all other goods of the buyer or any third party in such a way that they remain readily identifiable as the Blue Seal's property;
 - 9.6.2 not destroy, deface or obscure any identifying mark or packaging on or relating to the goods;
 - 9.6.3 not, without Blue Seal's prior written consent, annex any goods to its premises or property;
 - 9.6.4 maintain the goods in a satisfactory condition; and
 - 9.6.5 keep the goods insured for their full price against damage or loss on an "all risks" basis with reputable insurers in the UK market and whenever requested by Blue Seal produce a copy of the policy of insurance in respect of the goods to Blue Seal, do nothing and not omit to do anything which in consequence permits any insurer to refuse to indemnify the buyer in full in accordance with the terms of any insurance policy maintained in respect of the goods in respect of any claim made under any such insurance policy and ensure that any insurance proceeds received by the buyer under the relevant policy are applied to repairing damaged goods or, in the event that they are not so applied, hold such proceeds on trust for Blue Seal.
- 9.7 The buyer may use the goods in the ordinary course of its business before ownership has passed to it.
- 9.8 If the buyer resells any goods, the buyer will hold such part of the proceeds of sale as represents the amount owed by the buyer to Blue Seal on trust for Blue Seal and will account to Blue Seal accordingly.
- 9.9 The buyer's right to possession, use and resale of the goods will terminate immediately if, before ownership of the goods passes to the buyer in accordance with **clauses 9.3, 9.4 or 9.5**:
 - 9.9.1 the buyer becomes insolvent;
 - 9.9.2 the buyer fails to pay any sum due to Blue Seal under any contract on or before the due date or is in breach of any of its obligations under these Contract Terms or any contract;
 - 9.9.3 these Contract Terms expires or terminates for any reason.
- 9.10 Blue Seal will be entitled to recover payment for the goods (including by way of an action for the price) notwithstanding that ownership of any of the goods has not passed from Blue Seal.
- 9.11 The buyer grants, and will procure that the owner of any relevant third party premises grants, Blue Seal, its agents, employees and sub-contractors an irrevocable licence at any time to enter any premises where the goods are or may be stored in order to inspect them, or, where the buyer's right to possession, use and resale has terminated, to recover them.
- 9.12 If the buyer's right to possession, use and resale of the goods terminates in accordance with **clause 9.9**, Blue Seal will be entitled to issue the buyer with a credit note for all or any part of the price of the goods together with VAT thereon.
- 9.13 Blue Seal's rights contained in this **clause 9** will survive expiry or termination of a contract however arising.
- 9.14 The buyer warrants that it does not intend to use the goods predominantly for personal, domestic or household purposes.

10. WARRANTY

- 10.1 Blue Seal warrants that on delivery, and for a period of 90 days from the date of delivery (**Warranty Period**) the goods shall conform with their written technical specification set out on the Site and in our advertising brochures.
- 10.2 If at any time during the Warranty Period, the buyer becomes aware of a breach of clause 10.1 above, the buyer shall:
 - 10.2.1 advise Blue Seal in writing within 7 days after the buyer becomes aware of the breach prior to the expiry of the Warranty Period;
 - 10.2.2 at Blue Seal's option, return the goods to Blue Seal at the buyer's cost or permit Blue Seal to inspect it at the buyer's premises; and
 - 10.2.3 provide Blue Seal with all information and assistance which Blue Seal may reasonably require to investigate the alleged breach.
- 10.3 Subject to clause 14.1, Blue Seal's only liability for breach of clause 10.1 above will be, at Blue Seal's option, to repair or replace the relevant good or to reduce the price of the relevant good by a sum which is equitable in the circumstances.
- 10.4 The buyer's only remedy for breach of the obligation at clause 10.3 will be in damages.
- 10.5 Subject to clause 14.1, Blue Seal will not have any liability for a breach of the warranty at clause 10.1 if:
 - 10.5.1 you do not comply with your obligations at clause 10.1 in respect of the breach;
 - 10.5.2 the relevant defect was caused by damage in transit after delivery;

- 10.5.3 the relevant defect was caused or exacerbated by improper use, handling, alteration, installation, repair, maintenance, storage or failure to comply with instructions provided by Blue Seal or the manufacturer; or
- 10.5.4 you make further use of the relevant good after discovering the relevant breach.

10.6 The warranty at clause 10.1 will apply to any goods which are repaired or replaced under clause 10.3 for the remainder of the original Warranty Period.

10.7 Separate to these Contract Terms, and without prejudice to any provisions set out in these Contract Terms, Blue Seal may provide end user consumer customers with a manufacturer's warranty.

11. INDEMNITY

11.1 The buyer shall indemnify and keep Blue Seal indemnified against any action, claim, demand, loss, damage, cost or expense which:

11.1.1 Blue Seal may suffer or incur, or is liable for arising out of, or in connection with the storage, use, possession, or other act or omission of the buyer in respect of any goods supplied; or

11.1.2 may be brought by a third party arising out of or in connection with any goods supplied by Blue Seal to the buyer.

12. CLAIMS

12.1 Without prejudice to clause 10, the buyer shall advise Blue Seal in writing of any claims:

12.1.1 for loss or damage – within 14 days of receipt of the goods; and

12.1.2 for non-delivery or a shortfall in delivery – within 7 days of agreed or reasonable delivery of the goods.

12.2 Blue Seal will advise the buyer of any rejected claim made pursuant to clause 12.1 in writing electronically, detailing the reason/s for rejection, after which payment in full will be required from the buyer for the value of the rejected claim.

13. DURABILITY

13.1 The durability of goods may be affected by neglect, misuse, spasmodic and/or irregular use and use of water that is outside the quality and/or temperature specifications of the goods.

14. LIABILITY

14.1 Nothing in these Contract Terms limits or excludes our liability for:

14.1.1 death or personal injury caused by Blue Seal's negligence;

14.1.2 fraud or fraudulent misrepresentation;

14.1.3 breach of the terms implied by section 12 of the Sale of Goods Act 1979 (title and quiet possession); or

14.1.4 any liability which cannot be legally limited or excluded.

14.2 Subject to clause 14.1, Blue Seal will under no circumstances whatever be liable to you, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, arising under or in connection with the contract for:

14.2.1 any loss of profits, sales, business, or revenue;

14.2.2 loss or corruption of data, information or software;

14.2.3 loss of business opportunity;

14.2.4 loss of anticipated savings;

14.2.5 loss of goodwill; or

14.2.6 any indirect or consequential loss.

14.3 Subject to clause 14.1, Blue Seal's total liability to you in respect of all losses arising under or in connection with these Contract Terms or any contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed 200% of the price of the relevant goods in respect of which the liability relates.

14.4 Except as expressly stated in these Contract Terms, Blue Seal do not give any representation, warranties or undertakings in relation to the goods. Any representation, condition or warranty which might be implied or incorporated into these Contract Terms by statute, common law or otherwise is excluded to the fullest extent permitted by law. In particular, Blue Seal will not be responsible for ensuring that the goods are suitable for your purposes.

15. RETURN OF DRAWINGS

15.1 All drawings and specifications obtained by the buyer from Blue Seal or its employees or agents remain Blue Seal's property.

15.2 The buyer shall not, without the prior written consent of Blue Seal, utilise or reproduce such drawings or specifications or communicate them to a third party, except for the purpose for which they are supplied.

15.3 Except for Blue Seal's standard descriptive specifications, operating instructions, layout and foundation drawings, all drawings and specifications are to be returned to Blue Seal on completion of the contract or on request.

16. TERMINATION

16.1 If the buyer:

16.1.1 commits a breach of the contract which cannot be remedied; or

16.1.2 commits a breach of a contract which can be remedied but fails to remedy that breach within 14 days of a written notice requiring it to be remedied being given by the Blue Seal,

Blue Seal may terminate the contract immediately by giving written notice to that effect to the buyer.

16.2 Blue Seal may terminate the contract immediately by giving written notice to that effect to the buyer if the buyer becomes insolvent or makes any composition or arrangement with its creditors or steps are taken for the winding up of the buyer, or the buyer has a receiver appointed over any of its property.

16.3 If the manufacture, dispatch or transport of goods is delayed due to any act or omission of the buyer, and that delay continues beyond a reasonable time, Blue Seal may treat the contract as terminated and a proportion of the price that reflects the work already done by Blue Seal together with any expenses and any additional costs attributable to such delay, shall become due and payable.

16.4 Following expiry or termination of the contract:

16.4.1 **clauses 5, 9, 10, 11 14, 15, 16 and 19** will continue in force, together with any other clauses which expressly or impliedly continue to have effect after expiry or termination of the contract; and

16.4.2 all other rights and obligations will immediately cease without prejudice to any rights, obligations, claims (including claims for damages for breach) and liabilities which have accrued prior to the date of expiry or termination.

17. GENERAL

17.1 The contract constitutes the entire agreement between the parties and supersedes any prior agreement or arrangement in respect of its subject matter and:

17.1.1 neither party has entered into the contract in reliance upon, and it will have no remedy in respect of, any misrepresentation, representation or statement (whether made by the other party or any other person and whether made to the first party or any other person) which is not expressly set out in the contract;

17.1.2 the only remedies available for any misrepresentation or breach of any representation or statement which was made prior to entry into the contract and which is expressly set out in the contract will be for breach of contract; and

17.1.3 nothing in this **clause 17.1** will be interpreted or construed as limiting or excluding the liability of any person for fraud or fraudulent misrepresentation.

17.2 A delay in exercising or failure to exercise a right or remedy under or in connection with the contract will not constitute a waiver of, or prevent or restrict future exercise of, that or any other right or remedy, nor will the single or partial exercise of a right or remedy prevent or restrict the further exercise of that or any other right or remedy. A waiver of any right, remedy, breach or default will only be valid if it is in writing in the circumstances and for the purpose for which it was given and will not constitute a waiver of any other right, remedy, breach or default.

17.3 If any term of the contract is found by any court or body or authority of competent jurisdiction to be illegal, unlawful, void or unenforceable, such term will be deemed to be severed from the contract and this will not affect the remainder of the contract which will continue in full force and effect.

17.4 No variation to the contract will be effective unless it is in writing and signed by a duly authorised representative on behalf of each of the parties.

17.5 Nothing in the contract and no action taken by the parties in connection with it or them will create a partnership or joint venture or relationship of employer and employee between the parties or give either party authority to act as the agent of or in the name of or on behalf of the other party or to bind the other party or to hold itself out as being entitled to do so.

17.6 Each party agrees that it is an independent contractor and is entering into the contract as principal and not as agent for or for the benefit of any other person.

18. GOVERNING LAW AND JURISDICTION

18.1 These Contract Terms any dispute or claim arising out of or in connection with their subject matter or formation (including non-contractual disputes or claims) shall be governed by and construed in accordance with the law of England and Wales.

18.2 Blue Seal and the buyer both irrevocably agree that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with these Contract Terms or their subject matter or formation (including non-contractual disputes or claims).

19. INTERPRETATION

19.1 In these Contract Terms the following words will (unless the context otherwise requires) have the following meanings:

19.1.1 "buyer"/ "you"/ "your" means and includes the buyer and any servant, agent, partner, contractor or employee of that party;

19.1.2 "Blue Seal" includes all Blue Seal's employees and agents;

19.1.3 "we"/ "our"/ "us" means Blue Seal;

19.1.4 a reference to the "parties" means Blue Seal and the buyer; and

19.1.5 a reference to "including" means "including without limitation".



POWER • PERFORMANCE • RELIABILITY



PRODUCT PRICE LIST JANUARY 2024

Blue Seal Limited,
Unit 67, Gravelly Business Park, Gravelly, Birmingham B24 8TQ

T: 0121-327-5575 | F: 0121-327-9711 | sales@blue-seal.co.uk | www.blue-seal.co.uk

In line with our policy to continually develop and improve our products, Blue Seal Limited reserves the right to change specifications without notice

