

PRODUCT PRICE LIST **JUNE 2023**

NEW Products Added Prices Held For Existing Products













Contact Details

Sales Office: T. 0121-327-5575 F. 0121-327-9711

Spares: T. 0121-322-6640 / 0121-322-6641, F. 0121-327-9201

Service: T: 0121-322-6644, F. 0121-327-6257

Operating Hours: Mon-Thurs 8.45-4-45. Friday 8.45-4.15.

David Chesshire, National Accounts Manager 07764-663174 Philip Basson, Sales Manager 07764-663175 Donald Harvey, Sales Manager 07764-663176

Test Kitchen & Technical Support

Our fully equipped on-site test kitchen offers prospective customers the opportunity to experience the Blue Seal product range first hand in a commercial cooking environment. Product demonstrations are available on request and are conducted by experienced and knowledgeable personnel.

Our experienced and highly skilled technical support staff and a network of over 200 field service engineers provide excellent support to customers throughout the UK.

Distribution & Delivery Options

Our central distribution hub is based at our Headquarters in Birmingham, close to the country's major motorway network, ideally placed for next day deliveries to most parts of the UK. Most models and spares are available ex-stock.

Units (Applicable UK Mainland Deliveries ONLY)

Delivery in four days – free of charge

Next day up to 5pm - £55.00

Next day before 12 noon - £70.00

Next day timed - £90.00

You are strongly advised not to book any installation engineers until you have received delivery and have inspected the goods. Blue Seal will not be held liable for any cost incurred due to late delivery or damage.

Spares

UK mainland £10.00 per consignment (FOC for orders over £50.00) Ireland, Channel Islands and Isle of Man £20.00 per consignment Northern Ireland £20.00 per consignment

To guarantee next day delivery – orders must be received by 3.00pm. Next day deliveries to the Scottish Highlands cannot be guaranteed.

Product Information

CD product range catalogues, Cad library and high quality product images are available to specifiers, dealers and end users on request or on our website at www.blue-seal.co.uk.

Spares

We understand the importance of an accurate spares identification, ordering and fast turnaround facilty and that's why we've created a dedicated spares section on our website.

You'll find expandable technical drawings of every unit in our range, plus complimentary lists of the relevant spares complete with full description and part numbers.

www.blue-seal.co.uk



www.blue-seal.co.uk Price List June 2023

OBLUE SEAL

















equipment products for every kind of catering location

BLUE SEAL EVOLUTION

■ New Products
■ Miscellaneous 6 - 7
■ Heavy Duty Modular Equipment 8
■ Gas Cooktops
■ Electric Cooktops
■ Induction Cooktops 16 - 23
■ Electric Sealed Hobs
■ Gas Oven Ranges
■ Gas Target Tops & Oven Ranges . 33 - 34
■ Electric Oven Ranges
■ Gas Tilting Bratt Pans
■ Electric Tilting Bratt Pans 37
■ Gas Griddles
■ Electric Griddles
■ Gas Griddle Ovens
■ Gas Griddle Toaster 47
■ Electric Griddle Ovens 48
■ Gas Chargrills
■ Gas & Electric Salamanders 52
■ Gas Fryers53 - 54
■ Electric Fryers
■ Fryer Filters
■ Pasta Cookers
■ In-Fill Tables
Optional Extras

COBRA® YOUR STYLE, YOUR WAY

■ Medium Duty Modular Equipment. 61 - 69

turbofan

■ High Speed Convection Ovens7	0 -	76
■ Bake-Off Ovens, Provers7	7 -	78
& Holding Cabinets		
■ Ventless Hoods		79

OBLUE SEAL

Combination Steamers 80 - 82
Pizza Ovens & Mixers 83
■Ware Washing Equipment84 - 85

Price List June 2023

NEW PRODUCTS

COBRA MEDIUM DUTY MODULAR KITCHEN EQUIPMENT

Hob **Options** **Dimensions**

Gas Power kW

29.4

Price (exc. VAT)

(



900mm GAS BBQ


OPEN CABINET BASE

CB9

Model

900mm BBQ, Mounted On Open Cabinet Base





£3,015.00

CB9



450mm


SINGLE PAN GAS PASTA COOKER



W 450mm x D 800mm x H 915mm

- High performance single pan pasta cooker
- Patented infra-red burner system
- Easy clean 316 grade stainless steel open pan
- 40L water capacity
- · Integrated water fill and starch skimming water faucet
- Six stainless steel pasta baskets supplied
- Hinged basket drain stand
- Safety cut-out thermostat for empty pan/water boil out
- Stainless steel exterior
- Easy clean
- Easy service
- Fully modular

240516 Noodle basket kit



£4,680.00

CP4

£330.00



600mm

SALAMANDER BENCH



To suit QSET60/QSE60 rise and fall salamanders.

B60S-L Leg stand

B60S-CB Cabinet base

£1,900.00

£2,015.00

HOT HOLDING CABINETS

Options

Hob



	1
H8D-UC	HOLDING CABINET

Gas

1.2

Power kW

Price (exc. VAT)

£4.710.00

W 610mm x D 680mm x H 810mm

- 8 x 1/1 GN tray capacity
- 74mm tray spacing

Model

- 1.2kW heating power
- Electronic touch sensitive control panel

Dimensions



H8D-FS-UC **HOLDING CABINET**

W 735mm x D 810mm x H 810mm 1.9 £4,830.00

- 8 full size 460mm x 660mm / 18" x 26" sheet pan capacity
- 74mm tray spacing
- 1.9kW heating power • Electronic touch sensitive control panel



H₁₀D-FS **HOLDING CABINET**

W 735mm x D 810mm x H 1015mm 1.9 £5,085.00

- 10 full size 460mm x 660mm / 18" x 26" sheet pan capacity
- 74mm tray spacing
- 1.9kW heating power
- Electronic touch sensitive control panel

H₁₀D **HOLDING CABINET** 1.2 £4,855.00



- W 610mm x D 680mm x H 1015mm • 10 1/1 GN pan capacity
- 74mm tray spacing
- 1.2kW heating power
- · Electronic touch sensitive control panel

EHT10-L

TOUCH SCREEN ELECTRIC HUMIDIFIED HOLDING CABINET M

W 610mm x D 680mm x H 1015mm

- 10 1/1 GN pan capacity • 2.3kW heating power

234562

· Electronic touch sensitive control panel

2.3 £6,385.00

OPTIONAL EXTRAS

SKEHT10 Stainless steel stand with castors (2 with swivel lock) to suit EHT10-L model £665.00 W610mm x D 727mm x H 609mm 237472 £215.00

Double stacking kit to suit E33/EHT10-L models 234347 Filter head kit £310.00 This kit supplies the cartridge mounting head assembly plus all associated

plumbing/fittings for installation to P8/P12/P10/P85 provers. Also includes double check/pressure reducing valve and 2 metres of tubing for connection

Filter Cartridge P124BN CUNO

£245.00 Filter cartridge itself for connection to above installation kit

EHT10-L

MISCELLANEOUS



FF18

G750-6

Model Hob **Options** **Dimensions**

Gas Power kW Price (exc. VAT)

Fostfri.

GAS FRYER 400mm FF18

400mm wide single pan fryer Stainless steel finish 18 litre oil capacity Mechanical thermostat Manual pilot ignition 30mm drain valve 90MJ multi- jet target burner 25kg / hr production rate

Splash Guards


237307 Left Hand Right Hand 237308

£100.00 £100.00 25 £1,755.00



GAS 6 BURNER RANGE STATIC OVEN G750-6

G750-6





42.7 £2,870.00

Mobile castor kit P/No 238007 (x4 castors) UKSPSR6 Splash back and over shelf

£135.00 £655.00



QSET60/QSE60

RAPID HEAT RISE & FALL GRILL QSET60 QSE₆₀

£3,695.00

QSET60 600mm wide x 450mm deep x 500mm high QSET60 Plate detector as standard.

QSE60 600mm wide x 450mm deep x 500mm high £3,430.00

9003 Wall brackets £185.00

Price List June 2023 www.blue-seal.co.uk

MISCELLANEOUS



Model Hob **Dimensions** Gas Price (exc. VAT) Power kW **Options**

£955.00

£1,045.00

1.5


E83 **FOOD WARMER**

W 595mm x D 356mm x H 515mm

• Temperature display

Stay-cool door handles

- Easy-clean removable glass doors
- Anti-pilfer door locking clip
- Solid glass back option (no extra cost)
- Plugs into 10A power supply
- Capacity 50 pies
- Rack sizes 4 racks, 493 x 295mm
- Power Supply 220-240V 800W 3.4A
- Shipping Data 19.5kg, 0.16m3 packed






FOOD WARMER E84

W 795mm x D 356mm x H 515mm

Thermostat control

- Temperature display
- · Stay-cool door handles
- Easy-clean removable glass doors
- Anti-pilfer door locking clip
- Solid glass back option (no extra cost)
- Plugs into 10A power supply
- Capacity 80 100 pies
- Rack sizes 4 racks, 693 x 295mm
- Power Supply E84 220-240V 1100W 4.6A
- Shipping Data 25kg, 0.21m3 packed



E84

BLUE SEAL EVOLUTION MODULAR HEAVY-DUTY COOKING EQUIPMENT



Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 11.

G514C-LS

G514B-LS

G514D-LS

8

www.blue-seal.co.uk Price List June 2023

£3,390.00


£3,695.00

20


12

Model Hob Dimensions Gas Price (exc. VAT)
Options Power kW





G516D-B






900mm	LEG	STAND			\langle
G516D-LS		.00	69	42	£3,685.00
G516C-LS		00 00 00	B	34	£3,965.00
G516B-LS			1 2 2 8	26	£4,280.00
G516A-LS		H A	8	18	£4,565.00



900mm	REFR	RIGERATED BA	ASE, 2 x 1/1 GN I	DRAWERS	♦ ₩
G516D-RB	000	900	H12	42	£8,000.00
G516C-RB		00 00 00	3	34	£8,295.00
G516B-RB			10.00	26	£8,595.00
G516A-RB			8 1	18	£8,910.00

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 11.



G518B



G518A-B

1200mm	CABINET BASE (RACKING KIT NOT INCLUDED)	\lambda
G518D-CB	1300 812 56	£4,955.00
G518C-CB	<u> </u>	£5,260.00
G518B-CB	\$ 40	£5,575.00
G518A-CB	32	£5,860.00
OPTIONAL	228791 Gastronorm racking kit fits 1/1 GN or 2/1 GN / 4 position / 1200mm Cabinet Base. Accommodates 1 or 2 Racking Kits	£245.00

£5,110.00

32



1200mm	LEG STAN	ND			8
G518D-LS		1200	8)2	56	£4,565.00
G518C-LS		00 00 00 00	Description of the second	48	£4,905.00
G518B-LS			1065	40	£5,195.00
G518A-LS		A A	8 4	32	£5,500.00
		1089			

1200mm	REFRIG.	BASE, 2x1/1 G	N DRAWERS /	1x1/1 GN	DOOR 🖒 🗡
G518D-RB		1200	812	56	£9,115.00
G518C-RB		00 00 00 00	in the second	48	£9,430.00
G518B-RB			1045	40	£9,725.00
G518A-RB		A A	8 H	32	£10,030.00

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 11.

0 www.blue-seal.co.uk Price List June 2023

Model	Description		Price (exc. VAT)
-------	-------------	--	------------------

300mm OPTIONAL GRIDDLE PLATE SURFACE

PG312R3* 300mm x 12mm Griddle plate – ribbed full £1,045.00

600mm OPTIONAL GRIDDLE PLATE SURFACE

 PG612R3*
 600mm x 12mm Griddle plate – ribbed 300mm RH
 £1,210.00

 PG612R6*
 600mm x 12mm Griddle plate – ribbed full
 £1,610.00

 900mm
 OPTIONAL GRIDDLE PLATE SURFACE

 PG912R3*
 900mm x 12mm Griddle plate – ribbed 300mm RH
 £1,335.00

 PG912R5*
 900mm x 12mm Griddle plate – ribbed 450mm RH
 £1,710.00

 PG912R9*
 900mm x 12mm Griddle plate – ribbed full
 £2,665.00

 900mm
 OPTIONAL GRIDDLE PLATE SURFACE FOR 1200mm WIDE HOBS

 PG912R3*
 900mm x 12mm Griddle plate – ribbed 300mm RH
 £1,335.00

 PG912R5*
 900mm x 12mm Griddle plate – ribbed 450mm RH
 £1,710.00

 PG912R9*
 900mm x 12mm Griddle plate – ribbed full
 £2,665.00

OPTIONAL EXTRAS GAS COOKTOPS

228807	Mobile castor kit (set of 2 lockable)	£130.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£235.00
230013	Bench shield, fits LH or RH of open burners	£115.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

^{*}Options must be specified at the placement of order.



50/60Hz, 1P+N+E, 14.2A

E512C -B



BENCH MODEL 600mm COOKTOPS E514D-B 812 **Electrical requirements:** £3,455.00 9.6kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A E514C-B Electrical requirements: £3,760.00 8.2kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A E514B-B **Electrical requirements:** £4,070.00 6.8kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A

E514C-B



E514D-CB Electrical requirements: 9.6kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A	600 812	£3,685.00
E514C-CB Electrical requirements: 8.2kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A		£3,985.00
E514B-CB Electrical requirements: 6.8kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A	H H &	£4,280.00

Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 15.

12 www.blue-seal.co.uk Price List June 2023



Electrical requirements: 6.8kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A

E514D-LS Electrical requirements: 9.6kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A E514C-LS Electrical requirements: 8.2kW, 400-415Vac, 50/60Hz, 2P+N+E, 20A E514B-LS



900mm COOKTOPS **BENCH MODEL** E516D-B **Electrical requirements:** £4,890.00 14.4kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A E516C-B Electrical requirements: £5,195.00 13kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A E516B-B £5,490.00 Electrical requirements: 11.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A E516A-B Electrical requirements: £5,795.00 10.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 15A



E516D-B

E516D-CB Electrical require 14.4kW, 400-415V 50/60Hz, 3P+N+E	ac,	900 1==3	612	£5,330.00
E516C-CB Electrical require 13kW, 400-415Vac 50/60Hz, 3P+N+E	ments:	000000	916	£5,650.00
E516B-CB Electrical require 11.6kW, 400-415V 50/60Hz, 3P+N+E	ac,	A A	8 1	£5,945.00
E516A-CB Electrical require 10.2kW, 400-415V 50/60Hz, 3P+N+E	ac,			£6,245.00
OPTIONAL	228791	norm racking kit 1/1 GN	•	£245.00

Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 15.

£4,215.00

E516D-CB



E516A-LS

Electrical requirements: 10.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 15A

LEG STAND 900mm COOKTOPS E516D-LS Electrical requirements: £5,195.00 14.4kW, 400-415Vac, 0000000 50/60Hz, 3P+N+E, 20A E516C-LS £5,490.00 Electrical requirements: 13kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A E516B-LS **Electrical requirements:** £5.795.00 11.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A

£6.095.00

E516B-LS

REFRIGERATED BASE, 2 x 1/1 GN DRAWERS 900mm E516D-RB Electrical requirements: £7,460.00 14.4kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A 0000000 E516C-RB £7,745.00 Electrical requirements: 13kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A E516B-RB **Electrical requirements:** £8.065.00 11.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 20A E516A-RB £8,345.00 **Electrical requirements:** 10.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 15A

Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 15.

4 www.blue-seal.co.uk Price List June 2023

Model	Description	Price (exc. VAT)

300mm OPTIONAL GRIDDLE PLATE SURFACE					
PE312R3*	300mm x 12mm Griddle plate – ribbed full	£1,105.00			

600mm OPTIONAL GRIDDLE PLATE SURFACE					
PE612R3*	600mm x 12mm Griddle plate – ribbed 300mm RH	£1,265.00			
PE612R6*	600mm x 12mm Griddle plate – ribbed full	£1,850.00			

900mm	OPTIONAL GRIDDLE PLATE SURFACE	
PE912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,690.00
PE912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£1,940.00
PE912R9*	900mm x 12mm Griddle plate – ribbed full	£2,810.00

OPTIONAL EXTRAS ELECTRIC COOKTOPS

228807	Mobile castor kit (2 lockable)	£130.00
013600	Solid cast element	£270.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

^{*}Options must be specified at the placement of order.




- High performance 450mm and 900mm Induction Cooktops and Oven Ranges
- 6mm thick ceramic glass cooking surfaceFully modular with adjustable feet for match suite finish
- 270mm diameter induction zones or full area
- · Infinitely variable power controls for each induction zone
- Automatic pan detection switches cooking zone off when a pan is removed
- Heating ON indicator lights (green) including pan detection indication
- Fully sealed cooking surface
- Removable full stainless steel air intake filters (induction cooling)
- · Front service access



IN511F-B IN512R5-LS IN514F-LS

16 www.blue-seal.co.uk **Price List June 2023**

ELECTRIC INDUCTION COOKTOPS OVERVIEW



INDUCTION ZONE CONFIGURATIONS					
	450mm - 1 zone	450mm - 2 zones	900mm - 4 zones		
F - Full area zone					
R3 – 3.5kW round					
R5 – 5kW round					
R3F/R5F - 2 round 2 full area zones					

Model Hob Dimensions Price (exc. VAT)
Options



450mm INDUCTION COOKTOPS


SINGLE FULL AREA ZONE - BENCH MODEL

7

IN511F-B

Electrical requirements: 5.0kW, 400-415V, 50/60Hz, 3P+E, 7A





£7,025.00

IN511F-B




450mm INDUCTION COOKTOPS

SINGLE FULL AREA ZONE - CABINET BASE (RACKING KIT NOT INCLUDED)



IN511F-CB

Electrical requirements: 5.0kW, 400-415V, 50/60Hz, 3P+E, 7A



£7,660.00

Model Description Price (exc. VAT)

OPTIONAL CABINET BASE GASTRONORM RACKING KIT

228791


Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base

£245.00 (per kit)

Price List June 2023



18 www.blue-seal.co.uk Price List June 2023



Price List June 2023

Hob Model **Dimensions** Price (exc. VAT) **Options 2 ROUND ZONES - CABINET BASE** 450mm INDUCTION COOKTOPS NEW (RACKING KIT NOT INCLUDED) IN512R3-CB £7,930.00 **Electrical requirements:** 7.0kW, 400-415V, 50/60Hz, 3P+E, 10A IN512R5-CB £7.765.00 **Electrical requirements:** 10kW, 400-415V, 50/60Hz, 3P+E, 14A IN512R3-CB Model Description Price (exc. VAT) OPTIONAL CABINET BASE GASTRONORM RACKING KIT 228791 Gastronorm racking kit 1/1 GN/4 position/450mm/550mm Cabinet Base £245.00 (per kit)

Hob




Model

Electrical requirements: 7.0kW, 400-415V, 50/60Hz, 3P+E, 10A IN512R5-LS





Dimensions



£7,595.00

Price (exc. VAT)





£7,430.00



IN512R3-LS

900mm INDUCTION COOKTOPS IN514F-B

4 FULL AREA ZONES - BENCH MODEL


4 FULL AREA ZONES - CABINET BASE



Electrical requirements: 20kW. 400-415V. 50/60Hz. 3P+E, 28A







IN514F-B





IN514F-CB

900mm INDUCTION COOKTOPS

IN514F-CB **Electrical requirements:** 20kW, 400-415V, 50/60Hz, 3P+E, 28A







£16,160.00

www.blue-seal.co.uk

Description Model Price (exc. VAT) OPTIONAL CABINET BASE GASTRONORM RACKING KIT 237393 Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm £245.00 Cabinet Base. Accommodates 1 or 2 Racking Kits (per kit) Model Hob **Dimensions** Price (exc. VAT) Options 900mm INDUCTION COOKTOPS NEW 4 FULL AREA ZONES - LEG STAND IN514F-LS £15,690.00 **Electrical requirements:** 20kW, 400-415V, 50/60Hz, 0 0 0 0 3P+E, 28A IN514F-LS 900mm INDUCTION COOKTOPS NEW **4 ROUND ZONES - BENCH MODEL** IN514R3-B £13.715.00 **Electrical requirements:** 14kW, 400-415V, 50/60Hz, 0,0,0,0 3P+E, 20A IN514R5-B £13,485.00 **Electrical requirements:** IN514R3-B 20kW, 400-415V, 50/60Hz, 3P+E, 28A **4 ROUND ZONES - CABINET BASE** 900mm INDUCTION COOKTOPS (RACKING KIT NOT INCLUDED) IN514R3-CB £14,585.00 Electrical requirements: 14kW. 400-415V. 50/60Hz. 0 0 0 0 3P+E, 20A IN514R5-CB £14,355.00 **Electrical requirements:** 20kW, 400-415V, 50/60Hz, 3P+E, 28A IN514R3-CB 900mm INDUCTION COOKTOPS **4 ROUND ZONES - LEG STAND** NEW IN514R3-LS £14,120.00 **Electrical requirements:** 14kW, 400-415V, 50/60Hz, 0,0,0,0 3P+E, 20A IN514R5-LS £13.805.00 **Electrical requirements:** 20kW, 400-415V, 50/60Hz, 3P+E, 28A **IN514R3-LS** Model Description Price (exc. VAT) OPTIONAL CABINET BASE GASTRONORM RACKING KIT

Price List June 2023 21

Gastronorm racking kit 1/1 GN/4 position/600mm/700mm/900mm/1200mm


Cabinet Base. Accommodates 1 or 2 Racking Kits

£245.00

(per kit)

237393

MIXED ZONE INDUCTION HOBS - SPECIAL ORDER ONLY



OPTIONAL EXTRAS - ELECTRIC INDUCTION COOKTOPS

228807 Mobile castor kit (set of 2 lockable castors) £130.00

www.blue-seal.co.uk **Price List June 2023**

NEW ELECTRIC SEALED HOBS



Price List June 2023 23




50Hz, 1.8A, 1P+N+E

10A Cordset fitted

E516S-RB

NEW ELECTRIC SEALED HOB OVEN RANGE



Model	Description	Price (exc. VAT)
OPTIONAL	EXTRAS - ELECTRIC OVEN RANGES	
227896	Oven rack to suit E506D series	£85.00

NEW MODELS COMING SOON INDUCTION CONVECTION RANGES

Mobile castor kit (set of 2 lockable castors)



228807



£130.00


IN54F IN54R

Price List June 2023 25

BLUE SEAL EVOLUTION SERIES®

Whatever the scale of operation, Blue Seal Evolution Series Oven Ranges have a gas or electric option to suit. Gas options come equipped with our 7kW open cooktop burners, while the electric versions offer a choice of heavy-duty 2.4kW radiant elements, or 2kW solid plates.

Within the oven itself, cast iron sole plates ensure even heat distribution. Heavy-duty motors and circulation fans in the convection ovens reduce cooking times and enable food to be cooked at Lower temperatures.



Refrigerated Units - Chill where you cook. The inclusion of refrigeration units into the cooking line means raw materials can be safely stored nearby.

Ease of cleaning - The 3mm splashguard is a fully welded hob surround providing extra durability and ease of cleaning

Accurate Temperature Control - Heavy-duty control knobs with strengthened shafts are designed to last. Non-fade temperature markings provide accurate heat settings for more consistent results.

Target Tops - Delivering power where you need it. Heat is delivered by a 12.5kW dual ring, cast iron burner, with single control.










It's all about power, performance and choice.

Model Hob **Dimensions** Gas Price (exc. VAT) Power kW **Options** 600mm GAS RANGE STATIC OVEN - 1/1 GN G504D 37.7 £3,545.00 G504C 27.8 £3,840.00 G504B 17.8 £4,170.00 G504D







750mm (GAS RAN	GE CONVI	ECTION OVEN	- 1/1	\$ * \$
G54D		750	812	37	£6,115.00
G54C		00 00	p p	29	£6,410.00
Electrical requ 0.13kW, 230-2 50/60Hz, 1P+N 3 PIN, 13A Con	40Vac, N+E, 0.6A	A A	8	*	



750mm (GAS RANGI	ELECTE	RIC STATIC OVE	N - 1/1 GN	♦ ⋈ 🗏
GE505D		750	812	28	£5,735.00
GE505C		00 00	B	20	£6,045.00
,		Н Л ф	(a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		

GE505D

G505D

G54C

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 22.

Price List June 2023 27

Model

50/60Hz, 3P+N+E, 8A

Hob **Options** **Dimensions**

Gas Power kW Price (exc. VAT)



750mm GAS RANGE | ELECTRIC CONVECTION OVEN - 1/1 GN 🔕 🗡 🗐 GE54D 28 £6,845.00 GE54C £7,175.00 **Electrical requirements:** 5.6kW, 230-240Vac, 50/60Hz, 1P+N+E, 23.3A standard or 5.6kW, 400-415Vac,



Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied. Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 22.



Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 22.

3P+N+E, 10A

GE56D

Price List June 2023 29

Model Hob Dimensions Gas Price (exc. VAT) **Options** Power kW



STATIC OVEN - 2/1 GN 1200mm GAS RANGE



G508D G508C

G508B

G508A





£6,585.00 49 £6,875.00

65

41

65

57

49

£7,195.00

£6,285.00



1200mm GAS RANGE

CONVECTION OVEN - 2/1





G58D G58C

G58B

G58A





£8,950.00 £9.235.00

£9,550.00 £9,850.00

Electrical requirements:: 0.13kW, 230-240Vac, 50/60Hz, 1P+N+E, 0.6A 3 PIN, 13A Cordset fitted

G58D

G508D

1200mm GAS RANGE







ELECTRIC STATIC OVEN - 2/1




£7.625.00

GE508D GE508C

GE508B

GE508A





56 48 40

24

24

£7,940.00 £8.235.00

Electrical requirements:

Standard Supply 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A

1200mm GAS RANGE


ELECTRIC CONVECTION OVEN - 2/1 GN





GE58D GE58C GE58B GE58A





56 £9,885.00 48 £10.195.00 40 £10,500.00

£10,810.00

Electrical requirements:

Standard Supply 6.6kW, 230-240Vac, 50/60Hz, 1P+N+E, 27.7A standard or 6.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 22.

GAS DOUBLE OVEN RANGES

	Model	Hob Options	Dimensions		Gas Power kW	Price (exc. VAT)
	1200mm GA	S RAN	GE DOUBLE STAT	IC OVEN - 2 x	1/1 GN	
00000	G528D		1200	842	69.2	£7,930.00
- (b, 60 b	G528C		0 000 0 0 000 0	B	61.2	£8,215.00
	G528B		G D G D	P 2500	53.2	£8,530.00
	G528A	Ď.	H H	8 H	45.2	£8,820.00
G528D						

Note: Flame failure standard on open burners. Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options below.

GAS OVEN RANGES

Model	Description	Price (exc. VAT
300mm	OPTIONAL GRIDDLE PLATE SURFACE	
PG312R3*	300mm x 12mm Griddle plate – ribbed full	£1,045.00
600mm	OPTIONAL GRIDDLE PLATE SURFACES	
PG612R3*	600mm x 12mm Griddle plate – ribbed 300mm RH	£1,210.00
PG612R6*	600mm x 12mm Griddle plate – ribbed full	£1,610.00
900mm	OPTIONAL GRIDDLE PLATE SURFACES	
PG912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,335.00
1 0012110		
PG912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£1,710.00
	·	£1,710.00 £2,665.00
PG912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£2,665.00
PG912R5* PG912R9*	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full	£2,665.00
PG912R5* PG912R9*	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12	£2,665.00
PG912R5* PG912R9* 900mm PG912R3*	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH	£2,665.00 00mm WIDE HO
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9*	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH	£2,665.00 00mm WIDE HOI £1,335.00 £1,710.00
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9*	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH 900mm x 12mm Griddle plate – ribbed full	£2,665.00 00mm WIDE HOI £1,335.00 £1,710.00
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9*	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH 900mm x 12mm Griddle plate – ribbed full EXTRAS GAS OVEN RANGES	£2,665.00 00mm WIDE HO £1,335.00 £1,710.00 £2,665.00
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9* OPTIONAL	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH 900mm x 12mm Griddle plate – ribbed full EXTRAS GAS OVEN RANGES Oven rack for 900mm ovens	£2,665.00 00mm WIDE HO £1,335.00 £1,710.00 £2,665.00
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9* OPTIONAL 227896 228106	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH 900mm x 12mm Griddle plate – ribbed full EXTRAS GAS OVEN RANGES Oven rack for 900mm ovens Oven rack for 600mm ovens	£2,665.00 00mm WIDE HO £1,335.00 £1,710.00 £2,665.00 £85.00 £80.00
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9* OPTIONAL 227896 228106 228807	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH 900mm x 12mm Griddle plate – ribbed full EXTRAS GAS OVEN RANGES Oven rack for 900mm ovens Oven rack for 600mm ovens Mobile castor kit (set of 2 lockable)	£2,665.00 00mm WIDE HO £1,335.00 £1,710.00 £2,665.00 £85.00 £80.00 £130.00
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9* OPTIONAL 227896 228106 228807 Flex3/4/51	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH 900mm x 12mm Griddle plate – ribbed full EXTRAS GAS OVEN RANGES Oven rack for 900mm ovens Oven rack for 600mm ovens Mobile castor kit (set of 2 lockable) Flexihose 3/4 (flexible quick coupling hose & tether chain)	£2,665.00 00mm WIDE HO £1,335.00 £1,710.00 £2,665.00 £85.00 £80.00 £130.00 £235.00
PG912R5* PG912R9* 900mm PG912R3* PG912R6* PG912R9* OPTIONAL 227896 228106 228807 Flex3/4/51 230013	900mm x 12mm Griddle plate – ribbed 450mm RH 900mm x 12mm Griddle plate – ribbed full OPTIONAL GRIDDLE PLATE SURFACES FOR 12 900mm x 12mm Griddle plate – ribbed 300mm RH 900mm x 12mm Griddle plate – ribbed 600mm RH 900mm x 12mm Griddle plate – ribbed full EXTRAS GAS OVEN RANGES Oven rack for 900mm ovens Oven rack for 600mm ovens Mobile castor kit (set of 2 lockable) Flexihose 3/4 (flexible quick coupling hose & tether chain) Bench shield, fits LH or RH of open burners	£2,665.00 00mm WIDE HO £1,335.00 £1,710.00 £2,665.00 £85.00 £80.00 £130.00 £235.00 £115.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

Price List June 2023


^{*}Options must be specified at the placement of order.

Model Dimensions Gas Price (exc. VAT)
Power kW



900mm TARGET TOP | BENCH MODEL

G57-B



12.5 £4,205.00


G57-B



900mm TARGET TOP CABINET BASE (RACKING KIT NOT INCLUDED)



G57-CB



12.5 **£5,150.00**

OPTIONAL


228791 Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base £245.00 Accommodates 1 or 2 Racking Kits



900mm TARGET TOP LEG STAND



G57-LS



12.5 £4,565.00

900mm TARGET TOP REFR

REFRIGERATED BASE, 2 x 1/1 GN DRAWERS



G57-RB



12.5 £9,125.00

(RB) ELECTRICAL REQUIREMENT

0.5kW, 220-240Vac, 50Hz, 1P+N+E, 1.8A 3 PIN, 13A Cordset fitted

G57-RB

G57-LS


Model **Dimensions** Gas Price (exc. VAT) Power kW



STATIC OVEN RANGE - 2/1 GN 900mm GAS TARGET TOP



G570



£5,860.00

G570




900mm GAS TARGET TOP **CONVECTION OVEN RANGE** - 2/1 GN



G576

Electrical requirements: 0.13kW, 230-240Vac, 50/60Hz, 1P+N+E, 0.6A 3 PIN, 13A Cordset fitted





£7,700.00

G576



900mm GAS TARGET TOP


ELECTRIC STATIC OVEN RANGE - 2/1 GN



GE570

Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A





12.5

£6,115.00

GE570

GE576



900mm GAS TARGET TOP

ELECTRIC CONVECTION OVEN RANGE - 2/1 GN





GE576

Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A





12.5 £7,880.00

OPTIONAL EXTRAS

GAS TARGET TOPS / OVEN RANGES

227896	Oven rack to suit all 6 burner oven ranges	£85.00
014997	Casting Hook	£70.00
228807	Mobile castor kit (set of 2 lockable)	£130.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£235.00

^{*}Options must be specified at the placement of order.

Price List June 2023 33



900mm ELECTRIC RANGE | STATIC OVEN - 2/1 GN



E506D

Electrical requirements: 20.9kW, 400-415Vac, 50/60Hz, 3P+N+E

E506C


Electrical requirements: 19.5kW, 400-415Vac, 50/60Hz, 3P+N+E

E506B

Electrical requirements: 18.1kW, 400-415Vac, 50/60Hz, 3P+N+E

E506A

Electrical requirements: 16.7kW, 400-415Vac, 50/60Hz, 3P+N+E



£6,200.00

£5,885.00

£6.500.00

£6,795.00

E506D



900mm ELECTRIC RANGE

CONVECTION OVEN - 2/1 GN



E56D

Electrical requirements:

21.0kW, 400-415Vac, 50/60Hz, 3P+N+E

E56C

Electrical requirements:

19.6kW, 400-415Vac, 50/60Hz, 3P+N+E

E56B

Electrical requirements:


18.2kW, 400-415Vac, 50/60Hz, 3P+N+E

E56A

Electrical requirements: 16.8kW, 400-415Vac,

50/60Hz, 3P+N+E





£7,975.00

£8,265.00

E56D

900mm	OPTIONAL GRIDDLE PLATE SURFACES		
PE912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	3	

PE912R3*	900mm x 12mm Griddle plate – ribbed 300mm RH	£1,690.00
PE912R5*	900mm x 12mm Griddle plate – ribbed 450mm RH	£1,940.00
PE912R9*	900mm x 12mm Griddle plate – ribbed full	£2,810.00

OPTIONAL EXTRAS ELECTRIC OVEN RANGES

227896	Oven rack to suit E506D series	£85.00
228807	Mobile castor kit (2 lockable)	£130.00
013600	Solid cast element	£270.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

Note: Standard machined finish smooth griddle plate supplied.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options obove.

^{*}Options must be specified at the placement of order.

Model **Dimensions** Gas Price (exc. VAT) Power kW



GAS TILTING 80 LITRE BRATT PANS 900_{mm}



£10,470.00

G580-8

80 Litre stainless steel pan Manually operated tilting mechanism

Electrical requirements:


220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted

G580-8E

80 Litre stainless steel pan Electric power tilting mechanism

Electrical requirements:

220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted



20

£11,265.00

G580-8



GAS TILTING 120 LITRE BRATT PANS 1200_{mm}



£12,490.00

£13,250.00

G580-12

120 Litre stainless steel pan Manually operated tilting mechanism

Electrical requirements:


220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted

G580-12E

120 Litre stainless steel pan Electric power tilting mechanism G580-12

Electrical requirements:

220-240Vac, 50/60Hz, 1P+N+E, 1A 3 Pin 13A cordset fitted



25

25

G508-12

OPTIONAL EXTRAS BLUE SEAL GAS COOKING EQUIPMENT

Flex3/4/51

Flexihose 3/4 (flexible quick coupling hose & tether chain)

£235.00

35 **Price List June 2023**

^{*}Options must be specified at the placement of order.

Model Dimensions Price (exc. VAT)



900mm | ELECTRIC TILTING 80 LITRE BRATT PANS

A

E580-8

80 Litre stainless steel pan Manually operated tilting mechanism

Electrical requirements:


12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A

E580-8E

80 Litre stainless steel pan Electric power tilting mechanismE580-8E

Electrical requirements:

12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A



£11,265.00

£10,470.00

E580-8E



1200mm | ELECTRIC TILTING 120 LITRE BRATT PANS



E580-12

120 Litre stainless steel pan Manually operated tilting mechanism

Electrical requirements:

17kW, 400-415Vac, 50/60Hz, 3P+N+E, 23A

E580-12E

120 Litre stainless steel pan Electric power tilting mechanism

Electrical requirements:

17kW, 400-415Vac, 50/60Hz, 3P+N+E, 23A



£12,490.00

£13,250.00

E580-12E



EB45D BAIN-MARIE

W 450mm x D 812mm x H 915mm Incl. heater 1224mm
Heating Elements1 x 1kW surface mount element
Cold water connection 184mm from right hand side, 555mm from floor
R1/2 (BSP) male
550kPa 80psi maximum water pressure
Nett weight 53kg nett

3kW 13amp £4,010.00

Model	Dimensions	Gas Power kW	Price (exc. VAT)



GP513

GAS GRIDDLE 450mm					0
		Dimensions: mm (w x d x	h)		_
urner	GP513-B	450 x 812 x 485	11.1	£3,705.00	
ption te	GP513-LS	450 x 812 x 1085	11.1	£4,070.00	
ic griddle ure with	GP513-CB	450 x 812 x 1085	11.1	£4,260.00	
nit					



GP514-B BENCH MODEL 14.5 £4,205.00

GP514-B

GP514-CB

GP514-LS

STANDARD PLATE SUPPLIED

GP514-CB

Smooth machined finish mild steel plate PGH620

£4,755.00

£245.00



600mm GAS GRIDDLE | CABINET BASE (RACKING KIT NOT INCLUDED)

OPTIONAL 228791 Gastronorm racking kit 1/1 GN / 4 position

STANDARD PLATE SUPPLIED Smooth

Smooth machined finish mild steel plate PGH620





STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH620

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 29. Note: The standard plate is not included when ordering an optional griddle plate surface.

OPTIONAL EXTRAS | 600mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PGH620R3* 600mm x 20mm Heavy-duty griddle plate – ribbed 300RH £: PGH620R3C* 600mm x 20mm Heavy-duty griddle plate – ribbed 300RH chromed PGH620R6* 600mm x 20mm Heavy-duty griddle plate – ribbed full £:	2,055.00 3,155.00 2,415.00 2,340.00 2,445.00
--	--

*Options must be specified at the placement of order.

PGH420C £1,985.00 PGH420R5 £2,670.00

Model	Dimensions	Gas	Price (exc. VAT)
		Power kW	




900mm GAS GRIDDLE

BENCH MODEL

£4,955.00

GP516-B



GP516-B

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920

23




900mm GAS GRIDDLE

CABINET BASE (RACKING KIT NOT INCLUDED)



GP516-CB



OPTIONAL

GP516-LS

228791 Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base Accommodates 1 or 2 Racking Kits

£245.00

£5,735.00

STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PGH920



900mm GAS GRIDDLE **LEG STAND**



£5,340.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 30.



Model

Dimensions

Gas Power kW Price (exc. VAT)



REFRIGERATED BASE, 2 x 1/1 GN DRAWERS 900mm GAS GRIDDLE



£9.905.00

GP516-RB

(RB) Electrical requirements: 0.5kW, 220-240Vac, 50Hz, 1P+N+E, 1.8A, 3 pin 13A plug cordset fitted



23

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920

OPTIONAL EXTRAS

900mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PGH920C*	900mm x 20mm Heavy-duty griddle plate – chromed	£2,875.00
PGH920R3*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH	£2,840.00
PGH920R3C*	900mm x 20mm Heavy-duty griddle plate - ribbed 300RH chromed	£2,945.00
PGH920R5*	900mm x 20mm Heavy-duty griddle plate – ribbed 450RH	£2,990.00
PGH920R9*	900mm x 20mm Heavy-duty griddle plate – ribbed full	£2,960.00
PGH920R5C*	900mm x 20mm Heavy-duty griddle plate – 450RH chromed	£3,030.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

*Options must be specified at the placement of order.

1200mm GAS GRIDDLE **BENCH MODEL**



GP518-B



£6,845.00

GP518-B

STANDARD PLATE SUPPLIED

1200mm GAS GRIDDLE


Smooth machined finish mild steel plate PGH1220

CABINET BASE (RACKING KIT NOT INCLUDED)



GP518-CB

OPTIONAL



31

£7,615.00

GP518-CB

228791 Gastronorm racking kit 1/1 GN / 4 position / 1200mm Cabinet Base Accommodates 1 or 2 Racking Kits

£245.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH1220

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 31. Note: The standard plate is not included when ordering an optional griddle plate surface.

Model **Dimensions** Gas Price (exc. VAT) Power kW



1200mm GAS GRIDDLE **LEG STAND** 812 GP518-LS 31 £7,060.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH1220




REFRIGERATED BASE, 2 x 1/1 GN DRAWERS / 1 x 1/1 GN DOOR



GP518-RB

Electrical requirements: 220-240Vac,

50Hz, 1P+N+E, 1.8A, 3 pin 13A plug cordset fitted



£11,425.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH1220

OPTIONAL EXTRAS | 1200mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PGH1220C*	1200mm x 20mm Heavy-duty griddle plate – chromed	£3,710.00
PGH1220R4*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH	£3,550.00
PGH1220R4C*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH chromed	£3,550.00
PGH1220R6*	1200mm x 20mm Heavy-duty griddle plate – ribbed 600RH	£4,205.00
PGH1220R12*	1200mm x 20mm Heavy-duty griddle plate – ribbed full	£3,520.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

*Options must be specified at the placement of order.




600mm ELECTRIC GRIDDLE **BENCH MODEL**



£4,565.00

EP514-B

Electrical requirements: 7.2kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A



EP514-B

EP514-CB

EP514-LS

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH620




600mm ELECTRIC GRIDDLE

CABINET BASE (RACKING KIT NOT INCLUDED)



EP514-CB

Electrical requirements: 7.2kW, 230-240Vac, 50/60Hz, 1P+N+E, 30A



£4,955.00

OPTIONAL

228791 Gastronorm racking kit 1/1 GN / 4 position

£245.00

STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PEH620



600mm ELECTRIC GRIDDLE


LEG STAND



EP514-LS

Electrical requirements: 7.2kW, 230-240Vac, 50/60Hz,

1P+N+E, 30A



STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH620

OPTIONAL 600mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PEH620C* 600mm x 20mm Heavy-duty griddle plate - chromed £2,405.00 PEH620R3C* 600mm x 20mm Heavy-duty griddle plate - ribbed 300RH chromed £2,455.00 PEH620R6* 600mm x 20mm Heavy-duty griddle plate - ribbed full £2,055.00 PEH620R6C* 600mm x 20mm Heavy-duty griddle plate - ribbed full chromed £2.195.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

*Options must be specified at the placement of order.


Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.



900mm ELECTRIC GRIDDLE **BENCH MODEL**

EP516-B

Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A



£5,320.00

EP516-B

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH920




900mm ELECTRIC GRIDDLE

CABINET BASE (RACKING KIT NOT INCLUDED)



EP516-CB

Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 17A



£5,885.00

OPTIONAL

228791 Gastronorm racking kit 1/1 GN / 4 position / 900mm Cabinet Base Accommodates 1 or 2 Racking Kits

£245.00

EP516-CB

STANDARD PLATE SUPPLIED Smooth machined finish mild steel plate PEH1220




900mm ELECTRIC GRIDDLE

LEG STAND



EP516-LS

Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 25A



£5,735.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH920



900mm ELECTRIC GRIDDLE


REFRIGERATED BASE, 2 x 1/1 GN DRAWERS



EP516-RB

Electrical requirements: 12kW, 400-415Vac, 50/60Hz, 3P+N+E, 25A

3 pin 13A plug, cordset 1.8



£8,575.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH920

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 34.

OPTIONAL 900mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PEH920C* 900mm x 20mm Heavy-duty griddle plate - chromed £2,700.00 PEH920R3* £2,760.00 900mm x 20mm Heavy-duty griddle plate - ribbed 300RH PEH920R3C* 900mm x 20mm Heavy-duty griddle plate - ribbed 300RH chromed £2,910.00 PEH920R5* 900mm x 20mm Heavy-duty griddle plate - ribbed 450RH £2,810.00 PEH920R9* 900mm x 20mm Heavy-duty griddle plate - ribbed full £2,850.00


Note: The standard plate is not included when ordering an optional griddle plate surface.


1200mm ELECTRIC GRIDDLE **BENCH MODEL**



EP518-B

Electrical requirements: 16.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 25A





£6,480.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH1220

1200mm ELECTRIC GRIDDLE


CABINET BASE (RACKING KIT NOT INCLUDED)



EP518-CB

Electrical requirements:

16.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 25A



£7.235.00

OPTIONAL

228791 Gastronorm racking kit 1/1 GN / 4 position / 1200mm Cabinet Base Accommodates 1 or 2 Racking Kits

£245.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH1220




1200mm ELECTRIC GRIDDLE **LEG STAND**

EP518-LS

Electrical requirements:

16.2kW, 400-415Vac, 50/60Hz, 3P+N+E, 25A



£6,845.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH1220

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options page 35.

^{*}Options must be specified at the placement of order.

1200mm ELECTRIC GRIDDLE


REFRIGERATED BASE, 2 x 1/1 GN DRAWERS / 1 x 1/1 GN DOOR



EP518-RB

Electrical requirements:

16.2kW, 400-415Vac, 50/60Hz, 3P+N+E



£10,295.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH1220

OPTIONAL 1200mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PEH1220C* 1200mm x 20mm Heavy-duty griddle plate - chromed £3,330.00 PEH1220R4C* 1200mm x 20mm Heavy-duty griddle plate - ribbed 400RH chromed £3,350.00 PEH1220R12* 1200mm x 20mm Heavy-duty griddle plate - ribbed full £2,895.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

*Options must be specified at the placement of order.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

Model **Dimensions** Gas Price (exc. VAT) Power kW



900mm GAS GRIDDLE **ELECTRIC STATIC OVEN RANGE** - 2/1 GN



GPE506

Electrical requirements:

6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz,

3P+N+E, 10A

£7,595.00

23

23

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920



900mm GAS GRIDDLE

ELECTRIC CONVECTION OVEN RANGE - 2/1 GN






GPE56

Electrical requirements:

6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27.7A standard or 6.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A



£8,330.00

GPE56

GPE506

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH920

OPTIONAL

900mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

PGH920C*	900mm x 20mm Heavy-duty griddle plate – chromed	£2,875.00
PGH920R3*	900mm x 20mm Heavy-duty griddle plate – ribbed 300RH	£2,840.00
PGH920R3C*	900mm x 20mm Heavy-duty griddle plate - ribbed 300RH chromed	£2,945.00
PGH920R5*	900mm x 20mm Heavy-duty griddle plate - ribbed 450RH	£2,990.00
PGH920R9*	900mm x 20mm Heavy-duty griddle plate - ribbed full	£2,960.00
PGH920R5C*	900mm x 20mm Heavy-duty griddle plate – 450RH chromed	£3,030.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

^{*}Options must be specified at the placement of order.


Model **Dimensions** Gas Price (exc. VAT) Power kW

ELECTRIC STATIC OVEN RANGE 1200mm GAS GRIDDLE – 2/1 GN



GPE508

Electrical requirements: 6.5kW, 230-240Vac, 50/60Hz, 1P+N+E, 27A standard or 6.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A



£9,135.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH1220



GPE508

1200mm GAS GRIDDLE


ELECTRIC CONVECTION OVEN RANGE - 2/1 GN

31



GPE58

Electrical requirements: 6.6kW, 230-240Vac, 50/60Hz, 1P+N+E, 27.7A standard or 6.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 10A



£9.905.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PGH1220


OPTIONAL	1200mm GRIDDLE PLATE SURFACES - CHRON	/IED/RIBBED
PGH1220C*	1200mm x 20mm Heavy-duty griddle plate – chromed	£3,710.00
PGH1220R4*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH	£3,550.00
PGH1220R4C*	1200mm x 20mm Heavy-duty griddle plate – ribbed 400RH chromed	£3,550.00
PGH1220R6*	1200mm x 20mm Heavy-duty griddle plate – ribbed 600RH	£4,205.00
PGH1220R12*	1200mm x 20mm Heavy-duty griddle plate – ribbed full	£3,520.00
OPTIONAL E	XTRAS GAS GRIDDLE / GRIDDLE OVENS	

228566	Griddle scraper tool C/W blades	£65.00
228567	Smooth plate scraper blades (pack of 10 blades)	£70.00
228568	Ribbed plate scraper blade (individual blade)	£35.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£235.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

GAS GRIDDLE TOASTER



G55T

^{*}Options must be specified at the placement of order.



EP506


EP56

900mm ELECTRIC GRIDDLE | ELECTRIC STATIC OVEN RANGE - 2/1 GN

EP506

Electrical requirements:

18.5kW, 400-415Vac, 50/60Hz, 3P+N+E, 26A



£7,595.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH920



900mm ELECTRIC GRIDDLE


ELECTRIC CONVECTION OVEN RANGE – 2/1 GN



EP56

Electrical requirements:

18.6kW, 400-415Vac, 50/60Hz, 3P+N+E, 27A



£8,330.00

STANDARD PLATE SUPPLIED

Smooth machined finish mild steel plate PEH920

OPTIONAL

900mm GRIDDLE PLATE SURFACES - CHROMED/RIBBED

OPTIONAL EXTRAS | ELECTRIC GRIDDLE / GRIDDLE OVENS

228566	Griddle scraper tool C/W blades	£65.00
228567	Smooth plate scraper blades (pack of 5 blades)	£70.00
228807	Mobile castor kit (set of 2 lockable)	£130.00

Note: The standard plate is not included when ordering an optional griddle plate surface.

Choice of griddle surfaces: Simply order the optional griddle plate model number and unit is supplied with your nominated surface. View options above.

^{*}Options must be specified at the placement of order.

Model Chargrill Dimensions


Gas Price (exc. VAT)


300mm GAS CHARGRILL BENCH MODEL


G592-B

9.8
£2,245.00










Model	Chargrill	Dimensions	Gas	Price (exc. VAT)
			Power kW	





Price (exc. VAT)



Model

Description

OPTIONAL EXTRAS GAS CHARGRILLS					
228787	Grate Scraper Tool	£210.00			
227002	Drop on griddle plate 300mm	£140.00			
227003	Drop on griddle plate 450mm	£235.00			
228807	Mobile castor kit (set of 4 castors, 2 lockable)	£130.00			
Flex3/4/51	Flexi hose 3/4 (flexible quick coupling hose & tether chain)	£235.00			
230707	Heavy duty 12mm thick steel griddle plate 300mm	£425.00			
230710	Heavy duty 12mm thick steel griddle plate 450mm	£530.00			



Blue Seal has long been recognised for the quality and performance of its Fryers. The Evolution Series takes this a stage further with a sleeker, more streamlined Fryer range - available in 450 or 600mm single or twin pan versions. Gas units feature Blue Seal's unique Vee Ray technology, incorporating patented infrared burners for industry leading frying output and recovery.

All Fryers are available with either mechanical or digital controls. Digital control models offer precise temperature control, three product timers, as well as time and temperature digital display. Twin pan models have independent digital controls for each pan and six product timers.

Blue Seal Evolution Series Gas and Electric Salamanders are versatile. easy to use and well equipped with performance features. They can be used for melting, grilling, gratinating and toasting.

Gas models feature energy efficient high-speed infrared burners for fast results. Electric models feature powerful 3kW twin coil elements for optimum cooking performance.

Both gas and electric options will accept a Gastronorm GN 1/1 tray. An optional branding plate is ideal for cooking fish or steak.

The Blue Seal Evolution Series Pasta Cooker is built for speed. Fully modular, and featuring a unique single pan design, it comes well equipped for the continuous production of perfect pasta.

From variable high boil to standby simmer, our patented infrared burner system maintains constant water temperature and enables faster turnaround of product through outstanding recovery times from Low heat settings.

The standard provision of four baskets allows four different pastas to be cooked at the same time.







Model Dimensions Gas Price (exc. VAT) Power kW




900mm **GAS SALAMANDER**



G91B

Four position racking (flat or inclined) includes wall mounting bracket and branding plate



8.8 £2,485.00

OPTIONAL EXTRAS

GAS SALAMANDER

013048 013418B **BS91** B90S-L

100mm high feet for bench mounting (set of 4) Branding plate - 620 x 320mm Floor stand Bench stand


£100.00 £235.00 £910.00 £1,900.00



ELECTRIC SALAMANDER 900mm

E91B

Four position racking (flat or inclined) Includes wall mounting bracket and branding plate



£2,485.00

Electrical requirements: 6kW,230-240Vac,50/60Hz, 1P+N+E,25A

OPTIONAL EXTRAS

ELECTRIC SALAMANDER

013048 013418B BS91 B90S-L

100mm high feet for bench mounting (set of 4) Branding plate - 620 x 320mm Floor stand Bench stand

£100.00 £235.00 £910.00 £1,900.00



QSET60 RAPID HEAT RISE & FALL GRILL QSE₆₀

QSET60 600mm wide x 450mm deep x 500mm high

QSET60 Plate detector as standard.

QSE₆₀ 600mm wide x 450mm deep x 500mm high

Wall brackets 9003

£3,695.00

£3,430.00 £185.00





SALAMANDER BENCH

To suit QSET60/QSE60 rise and fall salamanders.

B60S-L Leg stand £1,900.00

B60S-CB Cabinet base £2,015.00

Model Dimensions Gas Price (exc. VAT)
Power kW




400mm | SINGLE PAN GAS FRYER 400mm

NEW PRODUCT



GT18

400mm wide single pan fryer Stainless steel exterior 18 litre oil capacity V- tank with cool zone Manual pilot ignition 30mm drain valve 90MJ multi- jet target burner Fully modular



25 £2,750.00

GT18

GT45




450mm | VEE RAY SINGLE PAN GAS FRYERS



GT45

Single pan 20 Litre capacity Mechanical controls Supplied with two standard baskets



£4,185.00

0 A

GT45E


Single pan

20 Litre capacity

Digital display electronic controls Supplied with two standard baskets



230-240Vac, 50/60Hz, 1P+N+E, 0.5A 3 Pin 13A cordset fitted



£4,755.00


25

450mm VEE RAY TWIN PAN GAS FRYERS



GT46

Twin pan
13 Litre capacity each pan
Mechanical controls
Supplied with two
standard baskets



£4,305.00


GT46E

Twin pan

13 Litre capacity each pan
Digital display electronic controls
Supplied with two standard baskets

Electrical requirements:

230-240Vac, 50/60Hz, 1P+N+E, 0.5A 3 Pin 13A cordset fitted



£5,675.00

25

GT46E

GT60E

Model **Dimensions** Gas Price (exc. VAT) Power kW




VEE RAY SINGLE PAN GAS FRYERS 600mm



GT60

Single pan 31 Litre capacity Mechanical controls Supplied with two large baskets



£5,780.00

25


25




GT60E

Single pan 31 Litre capacity Digital display electronic controls

Supplied with two large baskets



230-240Vac, 50/60Hz, 1P+N+E, 0.5A



£6,545.00


3 Pin 13A cordset fitted



CS45E

EVOLUTION CS45 CHIP SKUTTLE WITH ELECTRIC CERAMIC HEATER

CS45E



13amp

£2,120.00

18019

23220



OPTIONAL EXTRAS | GAS FRYERS

018019	· Fryer baskets standard to suit GT45, GT46	£130.00
023220	Fryer baskets large to suit GT60	£160.00
228898	· Fryer splashguards LH (all gas fryers)	£100.00
228899	· Fryer splashguards RH (all gas fryers)	£100.00
228127	· Fish plate GT45	£75.00
228565	· Fish plate GT46	£75.00
228128	· Fish plate GT60	£80.00
228761	· Fryer lift off lid GT45	£75.00
228762	· Fryer lift off lid GT60	£75.00
018176	· Fryer drain stick (all fryers)	£55.00
024705	· Fryer drain adaptor kit (allows use of 24710 drain extension) (all fryers)	£140.00
024710	 Fryer drain extension kit (to use GT45, GT46) 	£200.00
228807	 Mobile castor kit (set of 2 lockable) 	£130.00
Flex3/4/51	Flexihose 3/4 (flexible quick coupling hose & tether chain)	£235.00

Note: Options must be specified at the placement of order.




SINGLE PAN ELECTRIC FRYERS 450mm

E43

Single pan 27 Litre capacity Mechanical controls Supplied with two baskets

Electrical requirements:

17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A




£4,185.00

E43E

Single pan 27 Litre capacity Digital display electronic controls Supplied with two baskets

Electrical requirements:

17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A



£5,175.00

E44E

E43

450mm

TWIN PAN ELECTRIC FRYERS




E44

Twin pan 12 Litre capacity each pan Mechanical controls Supplied with two baskets

Electrical requirements:

17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A




£4.305.00

E44E Twin pan

12 Litre capacity each pan Digital display electronic controls Supplied with two baskets

Electrical requirements:

17kW, 400-415Vac, 50/60Hz, 3P+N+E, 24A



£5,280.00



OPTIONAL EXTRAS | ELECTRIC FRYERS

018019	Fryer baskets standard to suit E43, E44	£130.00
228898	· Fryer splashguards LH (all electric fryers)	£100.00
228899	 Fryer splashguards RH (all electric fryers) 	£100.00
228761	Fryer lift off lid E43, E44 series	£75.00
018176	 Fryer drain stick (all fryers) 	£55.00
228807	 Mobile castor kit (set of 2 lockable) 	£130.00

Note: Options must be specified at the placement of order.



FILTAMAX FRYER FILTERS



EF30 20 Litre

Reusable Filter Bag. Filtamax Filter fits under the following: GT45, GT45E, GT46, GT46E

Electrical requirements:

0.77kW, 220-240Vac, 50Hz, 1P+N+E, 6.4A, 3 PIN, 10A Cordset fitted

EF35 30 Litre

Reusable Filter Bag. Filtamax Filter cannot be stored under fryers. E35 for use with E43, E43E, E44, E44E

Electrical requirements:


0.77kW, 220-240Vac, 50Hz, 1P+N+E, 6.4A, 3 PIN, Cordset fitted

EF40 32 Litre


Reusable Filter Bag. Filtamax Filter fits under fryer model, GT60, GT60E

Electrical requirements:


0.77kW, 220-240Vac, 50Hz, 1P+N+E, 6.4A, 3 PIN, Cordset fitted



£3,175.00



£3,350.00



£3,955.00

OPTIONAL EXTRAS | FILTAMAX FRYER FILTERS

022815	Filter Pad Kit for Filtamax	£220.00
	Pad Consumables Pack of 25	
020417	Flexible Filter Return Hose Arm	£850.00
SA1159	Filter extension arm fixed EF30, EF35 (for electric fryers)	£545.00


SINGLE PAN PASTA COOKERS



- High performance single pan pasta cooker
- Patented infra-red burner system
- Easy clean 316 grade stainless steel open pan
- 40 Litre water capacity
- Integrated water fill and starch skimming water faucet
- Six stainless steel pasta baskets supplied standard
- · Incorporated basket drain stand
- Safety cut out thermostat for empty pan/water boil out
- Stainless steel exterior
- Easy service
- Fully modular

	Model	Dimensions	Gas Power kW	Price (exc. VAT)
	450mm GAS PA	STA COOKER		\$
	G47 Single Tank Pasta Cooker	450	13.5	£4,735.00
G47	Unit comes with six portion ba	askets as standard.		







OPTIONAL EXTRAS | PASTA COOKER BASKETS

229836 Pasta Basket W 165mm x D 165mm x H 180mm £165.00 229837 Pasta Basket W 320mm x D 165mm x H 180mm £215.00

Note: Pasta Cooker Basket Combinations:

• Six Square (standard supply) • Two square / one rectangular • Two large rectangular

238674 L Hand W 165mm x 125mm £140.00 238819 R Hand W 165mm x 125mm £140.00 **IN-FILL TABLES Dimensions** Model Price (exc. VAT) **PROFILED IN-FILL TABLE** 300mm Stainless steel Profiled In - FIII 915mm h x 812mm d x 300mm w £1,070.00 Table complete with stub back suitable for all Blue Seal **BS TABLE B30-C** Evolution Series products. **PROFILED IN-FILL TABLE** 300mm Stainless steel Profiled In - FIII 915mm h x 812mm d x 300mm w £970.00 Table complete with stub back suitable for all Blue Seal **BS TABLE B30-L** Evolution Series products. **PROFILED IN-FILL TABLE** 450mm Stainless steel Profiled In - FIII 915mm h x 812mm d x 450mm w £1,210.00 Table complete with stub back suitable for all Blue Seal **BS TABLE B45-L** Evolution Series products. **PROFILED IN-FILL TABLE** 600mm Stainless steel Profiled In - FIII 915mm h x 812mm d x 600mm w £1,335.00 Table complete with stub back suitable for all Blue Seal **BS TABLE B60-L** Evolution Series products. **PROFILED IN-FILL TABLE** 900mm Stainless steel Profiled In - FIII 915mm h x 812mm d x 900mm w £1.545.00 Table complete with stub back suitable for all Blue Seal **BS TABLE B90-L** Evolution Series products. PROFILED IN-FILL TABLE/REFRIGERATED BASE 900mm Stainless steel Profiled In - FIII 915mm h x 812mm d x 900mm w £3,615.00 Table complete with stub back suitable for all Blue Seal Refrigerated base. **BS TABLE B90-RB** Evolution Series products. 2 draw GN-sized.

Suitable for all Blue Seal Fitted with Salamander grill bracket.

Evolution Series products.

Stainless steel Profiled In - FIII

Table complete with stub back

900mm

Price List June 2023 57

PROFILED IN-FILL TABLE/SALAMANDER GRILL BRACKET

£1,900.00

915mm h x 812mm d x 900mm w



Model	Dimensions	Price (exc. VAT)
600mm	SALAMANDER BENCH	\lambda
To suit QSET60/QSE60	rise and fall salamanders.	

OPTIONAL EXTRAS FOR BLUE SEAL GAS AND ELECTRIC EQUIPMENT

B60S-L Leg stand

B60S-CB Cabinet base

Product	Model	Description	Price (exc. VAT
OPTIONAL EXTRAS	BLUE SEAL GAS AND ELECTRIC EQUIPMENT		
COOKTOP / RANGES	230013	Bench shield, fits LH or RH of open burners	£115.00
CABINET BASES	228791	Gastronorm racking kit / cabinets standard w/o racking / 900mm / 1200mm cabinet bases £240 accommodates 1 or 2 racking kits fits 1/1 GN or 2/1 GN6	£245.00
RANGE OVENS	228106 227896	Oven rack to suit G504, G505, G524 Oven rack to suit G506, G508	£80.00 £85.00
TARGET TOPS	014997	Casting hook	£70.00
GRIDDLES / GRIDDLE OVENS	228566 228567 228568	Griddle scraper tool c/w blades Smooth plate scraper blades (Pack of 10) Ribbed plate scraper blade (individual blade)	£65.00 £70.00 £35.00
CHARGRILLS	228787 227002 227003	Grate scraper tool Chargrill griddle plate 300mm Chargrill griddle plate 450mm	£210.00 £140.00 £235.00
SALAMANDERS	013418 013048	Salamander branding kit / one double-sided ribbed aluminium branding plate / fits both rack system models 100mm high feet for bench mounting (4 per salamander)	£235.00 £100.00
FRYERS	018019 023220 228898 228899 228127 228565 228128 228761 228762 018176 024705	Fryer baskets standard to suit GT45, GT46 gas series, E43, E44 Fryer baskets large to suit GT60, GT60-HPO Fryer splashguards LH (all fryers) Fryer splashguards RH (all fryers) Fish plate GT45 Fish plate GT46 Fish plate GT60, GT60-HPO Fryer lift off lid GT45, E43, E44 Fryer lift off lid GT60, GT60-HPO Fryer drain stick (all fryers) Fryer drain adaptor kit (allows use of 24710 drain extension) (all fryers) Fryer drain extension kit to use GT45, GT46, E43, E44	£130.00 £160.00 £100.00 £100.00 £75.00 £80.00 £75.00 £75.00 £140.00 £200.00
FRYER FILTER	022815 020417 SA1559 SA1556	series with 40 litre filtamax machine Filter pad kit for Filtamax (upgrades Filtamax to carbon pad system) Filter flexible hose return arm Filter extension arm fixed EF30, EF35 Filter extension arm fixed EF40	£220.00 £850.00 £545.00 £545.00

JOINING CAPS **NOT AVAILABLE**

- Cooktops Open Griddle Toaster Cooktops Open – Cooktop Electric
- Cooktops Open Cooktop Electric Griddle
- Cooktop Griddle Cooktop Electric
- Target Top Griddle Toaster
- Fryer Gas Fryer Electric
- Fryer Gas Bratt Pan
- Fryer Electric Fryer Gas
- Fryer Electric Bratt Pan
- Bratt Pan Fryer Gas

- Bratt Pan Fryer Electric
- Bratt Pan Griddle Toaster
- Griddle Toaster Cooktop Open
- Griddle Toaster Target Top
- Griddle Toaster Bratt Pan
- Griddle Toaster Cooktop Electric
- Cooktop Electric Cooktop Open
- Cooktop Electric Cooktop Griddle • Cooktop Electric - Griddle Toaster
- Cooktop Electric Cooktop Open

Note: Options must be specified at the placement of order.

£1,900.00

£2,015.00

JOINING CAPS FOR BLUE SEAL GAS AND ELECTRIC EQUIPMENT

Notes

Price (exc. VAT)

Application / By Products

Part No.

Туре

OINING	CAPS	FOR BLUE SEAL GAS AND E	ELECTRIC EQUIPMENT	
28579	C-C	Cooktops Open – Cooktops Open Cooktops Open – Chargrill Cooktops Open – Cooktop Griddle	Kit – Capping piece + 2 x levelling tabs Required if joined with griddle section	£55.00
28587	GP-CO	Griddles – Cooktops Open		£55.00
28595	TT-C	Target Top – Cooktops Open Target Tops - Chargrill Target Tops - Cooktop Griddles		£55.00
228889	TT 0D	TT-TT Target Tops - Target Tops		£100.00
28890	TT-GP	Target Tops - Griddle		£100.00
228589 228604	BP-BP BP-C	Bratt Pan – Bratt Pan Bratt Pan – Cooktop Open Bratt Pan - Chargrill Bratt Pan – Cooktops Electric Bratt Pan – Cooktop Griddle		£55.00 £60.00
228891	BP-TT	Bratt Pan – Target Top		£100.00
228892	BP-GP	Bratt Pan – Griddle		£100.00
228893	G-G	Chargrill – Chargrill Chargrill – Cooktop Griddle Chargrill – Griddle Chargrill – Griddle Toaster Griddle Toaster – Griddle Toaster Griddle – Griddle Cooktop Griddle – Cooktop Griddle Electric Cooktop Griddle - Electric Cooktop Griddle	Type G-G Caps griddle raised sides of grills	£55.00
228894*	FG-GL	Fryer Gas – Cooktop Griddle Fryer Gas – Chargrill Caps over grill sides Fryer Gas – Griddle Fryer Gas – Griddle Toaster	FITS LH SIDE OF FRYER	£75.00
28895*	FG-GR	Fryer Gas – Cooktop Griddle Fryer Gas – Chargrill Caps over grill sides Fryer Gas – Griddle Fryer Gas – Griddle Toaster	FITS RH SIDE OF FRYER	£75.00
28896*	FE-GL	Fryer Electric – Cooktop Griddle Fryer Electric – Chargrill Fryer Electric – Griddle Fryer Electric – Griddle Toaster	FITS LH SIDE OF FRYER Caps over grill sides	£115.00
28897*	FE-GR	Fryer Electric – Cooktop Griddle Fryer Electric – Chargrill Fryer Electric – Griddle Fryer Electric – Griddle Toaster	FITS RH SIDE OF FRYER Caps over grill sides	£85.00
228600	FG-FG	Fryer Gas – Fryer Gas	Caps across 2 Tanks	£55.00
28601	FE-FE	Fryer Electric – Fryer Electric	Caps across 2 Tanks	£100.00
47924	FE-FE	E44-E44 only	Caps across 2 Tanks	£130.00


NOTE: PRODUCT GROUPS NOTED IN APPLICATION BY PRODUCT (PAIRS) CAN BE LOCATED WITH THE EXCEPTION OF JOINING CAPS MARKED * ARE DEDICATED LEFT OR RIGHT HAND SIDE FIT.




COBRA - MEDIUM DUTY MODULAR COOKING EQUIPMENT

|--|


GAS COOKTOPS



Note: Flame failure standard on open burners.




Note: Flame failure standard on open burners.



Note: Flame failure standard on open burners.


Options kW / BTU

GAS COOKTOPS



Note: Flame failure standard on open burners.

GAS RANGES




Note: Flame failure standard on open burners.

62 www.blue-seal.co.uk Price List June 2023

COBRA - MEDIUM DUTY MODULAR COOKING EQUIPMENT

Options KW/BIU		Model	Hob Options	Dimensions	Gas kW/BTU	Price (exc. VAT)
----------------	--	-------	----------------	------------	---------------	------------------

GAS RANGES




Note: Flame failure standard on open burners.


OPTIONAL EXTRAS – GAS RANGES

233954	Oven rack to suit 600mm oven range	£55.00
230556	Oven rack to suit 900mm oven range	£65.00
UKCSP4	Plate shelf and splashback to suit 600mm oven range	£655.00
UKCSP6	Splashback, overshelf and grill shelf to suit 900mm oven range	£655.00

GAS BARBECUES



СВ6-В



GAS RANGES, BARBECUES, SALAMANDER & GRIDDLE TOASTERS


Dimensions Price (exc. VAT) Model Hob Gas Options kW/BTU

GAS BARBECUES



BENCH MODEL 900mm GAS BARBECUE

СВ9-В 900mm BBQ, bench model



£2,760.00 102,310

СВ9-В



900mm GAS BARBECUE **OPEN CABINET BASE**

CB9 900mm BBQ, mounted on open cabinet base




27 £3,015.00 102,310

GAS SALAMANDER



900mm GAS SALAMANDER

CS9 Four position racking (flat or inclined)



8.8 33,350 £1,985.00

CS9

OPTIONAL EXTRAS – SALAMANDER

013048 100m high feet for bench mounting (set of 4) £100.00 Branding plate - 620 x 320mm 013418B £235.00


GAS GRIDDLE TOASTERS



600mm GAS GRIDDLE TOASTER

CT6 600mm Griddle, toaster compartment





£2.670.00

CT6

www.blue-seal.co.uk **Price List June 2023**

COBRA® - MEDIUM DUTY MODULAR COOKING EQUIPMENT


· · · · · · · · · · · · · · · · · · ·	Model	Hob Options	Dimensions	Gas kW / BTU	Price (exc. VAT)
---------------------------------------	-------	----------------	------------	-----------------	------------------

GAS FRYER



400mm GAS FRYER SINGLE PAN

CF2
18 Litre oil capacity,
mechanical thermostat
25kg / hr production rate
supplied with baskets & lid



CF2

OPTIONAL EXTRAS – GAS FRYER				
237427	Fish plate	£55.00		
237306	Joining cap	£55.00		
237307	Splashguard LH 400FG-XL – general splashguard to fit side of fryer	£100.00		
237308	Splashguard RH 400FG-XR – general splashguard to fit side of fryer	£100.00		
237310	Splashguard LH 400FG-GL – splashguard to join fryer to cooktop griddles / barbecue / griddle toaster	£100.00		
237311	Splashguard RH 400FG-GR – splashguard to join fryer to cooktop griddles / barbecue / griddle toaster	£100.00		

GAS GRIDDLE TOASTERS, FRYER & COOKERS

Model Hob Dimensions Gas Price (exc. VAT)
Options kW / BTU

GAS PASTA COOKER




450mm PASTA COOKER SINGLE PAN

CP4

40 Litre water capacity, mechanical thermostat patented infra-red burner system, 6 stainless steel pasta baskets included





£4,680.00

45,450

12

CP4

OPTIONAL EXTRAS - GAS PASTA COOKER

238674	Pasta basket LH – 165mm x 165mm x 180mm	£140.00
238819	Pasta basket RH – 165mm x 165mm x 180mm	£140.00
240516	Conversion kit for gas noodle kit includes basket support tray and 5 noodle baskets	£330.00

GAS NOODLE COOKER




450mm NOODLE COOKER | SINGLE PAN

CN4

40 Litre water capacity, mechanical thermostat patented infra-red burner system, 5 stainless steel noodle baskets included





£4,680.00

12

45,450

24,000.0

OPTIONAL EXTRAS – GAS NOODLE COOKER

240507 Noodle basket £60.00

66 www.blue-seal.co.uk Price List June 2023

COBRA* - MEDIUM DUTY MODULAR COOKING EQUIPMENT

Dimensions Model Price (exc. VAT)

INFILL BENCHES




300mm INFILL BENCH

LEG STAND

C300 300mm Infill bench with leg stand

C450

450mm Infill bench with leg stand



£760.00


C300



450mm INFILL BENCH

LEG STAND





£880.00

C450


600mm INFILL BENCH

LEG STAND



C600 600mm Infill bench with leg stand





£1,010.00

C600




900mm INFILL BENCH

LEG STAND

C900

900mm Infill bench with leg stand





£1,135.00

C900




900mm INFILL BENCH

LEG STAND WITH SALAMANDER SUPPORT

C900S

900mm Infill bench with salamander support on leg stand





£1,635.00

C900S

68 www.blue-seal.co.uk



















Reduced footprints, better rack spacing and a bi-directional fan system.*

*E22 & E31D4 use single direction fans



TODAY'S INNOVATIVE, EASY TO USE TURBOFAN RANGE HAS BEEN DESIGNED AND MANUFACTURED TO THE HIGHEST SPECIFICATION ANDS CONTINUES TO PROVIDE A CLASS LEADING SOLUTION FOR EVERY KIND OF CATERING LOCATION. THESE EASY TO USE OVENS HAVE BEEN DESIGNED WITH A CLEAR UNDERSTANDING OF OUR CUSTOMERS NEEDS AND THE CHANGING DEMANDS OF THE CATERING INDUSTRY. DELIVERING OUTSTANDING COOKING, BAKING AND ROASTING PERFORMANCE, USING IMPROVED BI-DIRECTIONAL FAN SYSTEMS THAT ACHIEVE BETTER THAN EVER RESULTS

FEATURES...

- SPACE SAVING EFFICIENCY
- · BI-DIRECTIONAL FAN SYSTEM
- · DUAL BI-DIRECTIONAL FAN SYSTEM
- · MORE OVENS, MORE APPLICATIONS
- · PORTABLE COOKING
- · FIELD REVERSIBLE SIDE HINGED DOORS
- · SAFE TOUCH VENTED OVEN DOORS
- · TOUCH SCREE MODULE

- · DIGITAL CONTROL MODELS
- · MARKET LEADING TRAY SPACING
- · HALOGEN OVEN LAMPS
- · MOISTURE INJECTION
- · GRILL MODE
- · SAFE TOUCH VENTED OVEN DOORS
- · VITREOUS ENAMELLED OVEN CHAMBER

WWW.BLUE-SEAL.CO.UK

30DSERIES







The ultimate in commercial convection ovens - ideal for baking, roasting and holding.

PSERIES





HSFRIFS



Our upgraded range of easy to use Provers/ Holding Cabinets, are smart in design and even smarter in engineering, The eight or twelve tray units come with an auto-fill humidity generator and holding cabinet function mode as standard.

INNOVATIVE FEATURES... IN A CLASS OF ITS OWN.

turbofan HIGH SPEED CONVECTION OVENS

Dimensions / Power (w x d x h)

Options

kw

Price (exc. VAT)

20SERIES



E22T tray 460x330mm

£70.00

E22M3 MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3 610mm x 608mm x 552mm Electrical requirements: 230–240V, 50/60Hz, 1 Phase+N+F 2 1kW 9A

1 Phase+N+E, 2.1kW, 9A 10A cordset supplied 3 x 460mm x 330mm half size sheet pan capacity 2.1

3 x 2/3 GN pan capacity 70mm Tray spacing

Compact 610mm width

3 Oven wire racks supplied Single direction low-velocity fan

Double Stacking Kit DSK2223C £935.00



SK23 STAND

£935.00

£1,985.00

Stainless steel stand with castors W 610mm x D 530mm x H 880mm



E22T tray 460x330mm

£70.00

E23M3 MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3 610mm x 642mm x 607mm Electrical requirements: 230-240V, 50/60Hz,

1 Phase+N+E, 3.0kW, 12A 13A cordset fitted 3 x 460mm x 330mm half size sheet pan capacity 3.0

3 x 2/3 GN pan capacity 85mm Tray spacing

Compact 610mm width

3 Oven wire racks supplied Bi-directional reversing fan system

Double Stacking Kit DSK2223C

£935.00

£2,245.00



SK23 STAND

£935.00

Stainless steel stand with castors W 610mm x D 530mm x H 880mm



E22T tray 460x330mm

£70.00

E23D3 DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 3 610mm x 642mm x 607mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 3.0kW, 12A

1 Phase+N+E, 3.0kW, 12 13A cordset fitted $3 \times 460 \text{mm} \times 330 \text{mm}$ half size sheet pan capacity 3.0

3 x 2/3 GN pan capacity 85mm Tray spacing

Compact 610mm width

3 Oven wire racks supplied

Bi-directional reversing fan system

Double Stacking Kit DSK2223C

Steam injection



SK23 STAND

£935.00

£935.00

£2.360.00

Stainless steel stand with castors W 610mm x D 530mm x H 880mm



E27M2

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 2 810mm x 762mm x 607mm Electrical requirements: 230-240V, 50/60Hz,

1 Phase+N+E, 3.0kW, 12A 13A cordset supplied 2 x 460mm x 660mm full size sheet pan capacity 3.0

2 x 600mm x 400mm tray capacity

85mm Tray spacing

Compact 810mm width

2 Oven wire racks supplied

Bi-directional reversing fan system

Double Stacking Kit DSK272831C

£935.00

£2,570.00

E311GAST tray 1/1GN 20mm deep £70.00 E27FT tray 400x600mm £70.00 E32UST tray 460x660mm £70.00



SK2731N STAND £935.00

Stainless steel stand with castors Suits 600mm x 400mm trays and 1/1 GN pans W 810mm x D 650mm x H 880mm



SK2731U STAND £935.00

Stainless steel stand with castors Suits 660mm x 460mm pans W 810mm x D 650mm x H 880mm

Dimensions / Power (w x d x h)

Options

Price (exc. VAT)

£2.725.00



E311GAST tray 1/1GN 20mm deep E27FT tray 400x600mm £70.00 E32UST tray 460x660mm £70.00

E27D2

DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 2 810mm x 762mm x 607mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 3.0kW, 12A 13A cordset supplied

2 x 600mm x 400mm tray capacity 115mm Tray spacing Compact 810mm width 2 Oven wire racks supplied Bi-directional reversing fan system Double Stacking Kit DSK272831C Steam injection

2 x 460mm x 660mm full size sheet pan capacity 3.0

3 x 460mm x 660mm full size sheet pan capacity 4.7

£935.00

SK2731N STAND £935.00

Stainless steel stand with castors Suits 600mm x 400mm trays and 1/1 GN pans W 810mm x D 650mm x H 880mm



SK2731U STAND £935.00

Stainless steel stand with castors Suits 660mm x 460mm pans W 810mm x D 650mm x H 880mm



E27M3

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3 810mm x 762mm x 607mm Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 4.7kW, 19.6A

3 x 600mm x 400mm tray capacity 85mm Tray spacing Compact 810mm width 3 Oven wire racks supplied Bi-directional reversing fan system Double Stacking Kit DSK272831C

£935.00

£2.900.00

E311GAST tray 1/1GN 20mm deep £70.00 E27FT tray 400x600mm £70.00 E32UST tray 460x660mm £70.00



No cordset supplied

SK2731N STAND £935.00

Stainless steel stand with castors Suits 600mm x 400mm trays and 1/1 GN pans W 810mm x D 650mm x H 880mm



SK2731U STAND £935.00

Stainless steel stand with castors Suits 660mm x 460mm pans W 810mm x D 650mm x H 880mm



E311GAST tray 1/1GN 20mm deep £70.00 E27FT tray 400x600mm E32UST tray 460x660mm

E27D3

DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 3 810mm x 762mm x 607mm Electrical requirements:

230-240V, 50/60Hz, 1 Phase+N+E, 4.7kW, 19.6A No cordset supplied

3 x 460mm x 660mm full size sheet pan capacity 4.7

3 x 600mm x 400mm tray capacity

85mm Tray spacing Compact 810mm width

3 Oven wire racks supplied

Bi-directional reversing fan system

Double Stacking Kit DSK272831C

Steam injection

£935.00

£935.00

£3,920.00

£3,045.00



SK2731N STAND

Stainless steel stand with castors Suits 600mm x 400mm trays and 1/1 GN pans W 810mm x D 650mm x H 880mm



SK2731U STAND

Stainless steel stand with castors Suits 660mm x 460mm pans W 810mm x D 650mm x H 880mm



E311GAST tray 1/1GN 20mm deep £70.00 E27FT tray 400x600mm £70.00 E32UST tray 460x660mm £70.00

E28M4

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 4 810mm x 762mm x 662mm Electrical requirements 230-240V, 50/60Hz, 1 Phase+N+E, 5.8kW, 25A No cordset supplied

4 x 460mm x 660mm full size sheet pan capacity 5.8 4 x 600mm x 400mm tray capacity 80mm Tray spacing

Compact 810mm width 4 Oven wire racks supplied

Twin Bi-directional reversing fans Double Stacking Kit DSK272831C

£935.00



SK2731N STAND £935.00

Stainless steel stand with castors Suits 600mm x 400mm trays and 1/1 GN pans W 810mm x D 650mm x H 880mm



SK2731U STAND £935.00

Stainless steel stand with castors Suits 660mm x 460mm pans W 810mm x D 650mm x H 880mm



turbofan CONVECTION OVENS



E311GAST tray 1/1GN 20mm deep £70.00 E27FT tray 400x600mm £70.00 E32UST tray 460x660mm £70.00 **Dimensions / Power** (w x d x h)

Options

kw

Price (exc. VAT)

£4,260.00

E28D4

Rack capacity: 4

810mm x 762mm x 662mm

1 Phase+N+E, 5.8kW, 25A

Electrical requirements:

230-240V. 50/60Hz.

No cordset supplied

DIGITAL ELECTRIC CONVECTION OVEN

4 x 460mm x 660mm full size sheet pan capacity 5.6

4 x 600mm x 400mm tray capacity 80mm Tray spacing

Compact 810mm width

4 Oven wire racks supplied

Twin Bi-directional reversing fans

Double Stacking Kit DSK272831C

£935.00

Steam injection



SK2731N STAND £935.00

Stainless steel stand with castors

Suits 600mm x 400mm trays and 1/1 GN pans W 810mm x D 650mm x H 880mm



SK2731U STAND £935.00

Stainless steel stand with castors Suits 660mm x 460mm pans W 810mm x D 650mm x H 880mm



E931M

ELECTRIC CONVECTION OVEN & 4 ELEMENT COOKTOP

£4,565.00

3.0

675mm x 626mm x 800mm Cooktop Single phase 2 x 2kW front and 2 x 1.5kW rear hot plate elements.

Convection Oven Rack capacity: 4 Electrical requirements: 230-240V, 50/60Hz,

1 Phase+N+E. 3.1kW. 12.9A 13A cordset supplied

4 x 1/1 GN tray capacity 80mm Tray spacing

Digital display time and temperature controls

4 Oven wire racks supplied

Single directional low-velocity fan

* Two separate electrical supplies

30SERIES



E311GAST tray 1/1GN 20mm deep £70.00

E30M3

MANUAL ELECTRIC CONVECTION OVEN

Rack capacity: 3 810mm x 616mm x 625mm Electrical requirements: 230-240V. 50/60Hz.

1 Phase+N+E, 2.3kW, 9.5A 13A cordset supplied

3 x 1/1 GN tray capacity 100mm Tray spacing Analogue time and temperature controls

3 Oven wire racks supplied

Single directional low-velocity fan Double Stacking Kit DSK272831C 2.3

£2,135.00

£935.00



£935.00 SK2731N STAND

Stainless steel stand with castors 1/1 GN pans W 810mm x D 650mm x H 880mm

3.1



E311GAST tray 1/1GN 20mm deep £70.00

E31D4

DIGITAL ELECTRIC CONVECTION OVEN



1 Phase+N+E, 3.1kW, 12.9A 13A cordset supplied

4 x 1/1 GN tray capacity 80mm Tray spacing

Digital display time and temperature controls Grill mode

4 Oven wire racks supplied Single directional low-velocity fan Double Stacking Kit DSK272831C

£935.00

£2,970.00



SK2731N STAND £935.00

Stainless steel stand with castors GN pans W 810mm x D 650mm x H 880mm

73 **Price List June 2023**

E311GAST tray 1/1GN 20mm deep £60.00 Oven rack p/no. 236057 240550 Heat Shield £255.00 **Dimensions / Power** $(w \times d \times h)$

Options

kw

Price (exc. VAT)

E33D5

DIGITAL CONVECTION OVEN

Rack capacity: 5 610mm x 680mm x 730mm

Electrical requirements: 230-240V, 50Hz, 1 Phase+N+E, 6kW, 25.7A No cordset supplied

5 x 1/1 GN Tray capacity 85mm Tray spacing

Digital time and temperature controls

Bi-directional fan 2 speed fan

3 stage cooking function

Oven racks not supplied

5 levels of humidity

Optional core temp probe Double Stacking Kit DSK33C

£935.00

£935.00 SK33 STAND

Stainless steel stand with castors W 610mm x D 650mm x H 880mm



E311GAST tray 1/1GN 20mm deep Oven rack p/no. 236057 240550 Heat Shield

£70.00 £60.00 £255.00

E33T5

Rack capacity: 5

TOUCH SCREEN ELECTRIC CONVECTION OVEN

610mm x 680mm x 730mm

Electrical requirements: 230-240V, 50Hz,

1 Phase+N+E, 6kW, 25.7A No cordset supplied

5 x 1/1 GN Tray capacity 85mm Tray spacing Touch screen controls Bi-directional fan

2 speed fan 3 stage cooking function

5 levels of humidity Optional core temp probe Double Stacking Kit DSK33C Oven racks not supplied

£6.695.00

£285.00

£935.00

£5.260.00

£1,175.00

£6,070.00

£285.00

£285 00

SK33 STAND £935.00 Stainless steel stand with castors

W 610mm x D 650mm x H 880mm



DIGITAL ELECTRIC CONVECTION OVEN

Rack capacity: 4

E32D4

735mm x 810mm x 730mm

Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 6.5kW, 27A No cordset supplied

4 x 460mm x 660mm full size sheet pan capacity 6.5

4 x 600mm x 400mm tray capacity

110mm Tray spacing

Compact 735mm width

4 Oven wire racks supplied

Bi-directional fan motor

3 stage cooking function 5 levels of humidity setting

2 speed bi-directional reversing fan system

Double Stacking Kit DSKE32C


Optional core temp probe

Steam injection

SK32 STAND

£935.00


Stainless steel stand with castors W 735mm x D 825mm x H 880mm



£70.00 £270.00

E32T4

TOUCH SCREEN ELECTRIC CONVECTION OVEN



Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 6.5kW, 27A No cordset supplied

4 x 460mm x 660mm full size sheet pan capacity 6.5

4 x 600mm x 400mm tray capacity

110mm Tray spacing

Compact 735mm width

4 Oven wire racks supplied

Bi-directional fan motor

Steam injection

3 stage cooking function 5 levels of humidity setting

2 speed bi-directional reversing fan system

Double Stacking Kit DSKE32C Optional core temp probe

£1,175.00 £285.00

SK32 STAND £935.00



Stainless steel stand with castors W 735mm x D 825mm x H 880mm



E32UST trav 460x660mm 240466 Heat Shield

£70.00 £270.00



E32UST tray 460x660mm 240549 Heat Shield

£70.00 £285.00 **Dimensions / Power** (w x d x h)

Options

kW

Price (exc. VAT)

DIGITAL GAS CONVECTION OVEN G32D4

Rack capacity: 4 735mm x 810mm x 910mm

Electrical requirements: 230-240V, 50/60Hz, 1 Phase+N+E, 0.5A 10A cordset fitted

Gas requirements: 35 MJ/hr burner rating. Natural, Propane/Butane models Unit supplied complete with gas type conversion kit Gas connection 1/2" NPT male

10kW equivalent gas power

4 x 460mm x 660mm full size sheet pan capacity 1 phase

4 x 600mm x 400mm tray capacity

110mm Tray spacing Compact 735mm width 4 Oven wire racks supplied

Bi-directional fan motor Double Stacking Kit DSKG32C

Steam injection Opional core temp. probe £1.175.00 £285.00

£6.430.00



SK32 STAND

£935.00

Stainless steel stand with castors W 735mm x D 825mm x H 880mm



E35D6

FULL SIZE DIGITAL / ELECTRIC CONVECTION OVEN

12.5

£9.480.00

£285.00

£1,275.00

£1.120.00

W 910mm x D 1022mm x H 871mm including 76mm feet • 6 406mm x 736mm / 16" x 29" tray capacity

- 6 457mm x 762mm / 18" x 30" tray capacity
- 105mm tray spacing
- 12kW heating power
- Electronic controls with Digital Time and Temperature display
- Optional M236060 Core Temperature Probe Kit
- Stand SK35
- Stacking Kit DSK35

E35GBT tray 460x760mm

£70.00

PROVER / HOLDING CABINETS

PSERIES PROVER/HOLDING CABINETS

STANDARD FEATURES

P8M / P10M / P12M

- Dual function prover and holding cabinet
- · Designed for individual use or system installed with Turbofan 32D convection ovens
- · Low velocity circulation fan system
- Humidity level control
- Compact 735mm width
- Full double skin construction
- · Auto water fill system with optional integrated water filter kit

P8M

- 8 Full size sheet pan capacity
- 8 EN 600 x 400 tray capacity

P12M

- 12 Full size sheet pan capacity
- 12 EN 600 x 400 tray capacity

- Continuous door seal Side hinged door
- Off / Prove / Hold mode selection
- Mechanical thermostat 20-85°C
- Dual halogen cabinet interior lamps · Cabinet temperature display thermometer
- 4 dia. 76mm castors with 2 front castors dual
- wheel and swivel lock, 2 rigid rear castors
- · 100% recyclable packaging
- 16 Half size sheet pan capacity
- 76mm Tray spacing
- 24 Half size sheet pan capacity
- 74mm Tray spacing

OPTIONAL EXTRAS

234347 Filter Head Kit

£310.00

This kit supplies the cartridge mounting head assembly plus all associated plumbing/fittings for installation to P12 provers. Also includes double check/pressure reducing valve and 2 metres of tubing for connection to supply.

234562 Filter Cartridge P124BN CUNO £245.00

Filter cartridge itself, for connection to above installation kit.



P8M

AUTO ELECTRIC PROVER & HOLDING CABINET

Rack capacity: 8 735mm x 810mm x 914mm Electrical requirements 230-240V, 50/60Hz,

1 Phase+N+E, 1.5kW, 6.3A 10A cordset fitted

Dual function prover and holding cabinet Designed for individual use or system installed with Turbofan 32D convection ovens 8 Full size sheet pan capacity

16 Half size sheet pan capacity 8 EN 600 x 400 tray capacity P/No. 235445

76mm Tray spacing Compact 735mm width

P/No. 234841 Stacking Kit to E32D4

1.5 £4,930.00

£525.00

£175.00

75 **Price List June 2023**

turbofan PROVER / HOLDING CABINETS



Dimensions / Power (w x d x h)		Options	kw	Price (exc. VAT)
P10M	AUTO EL	ECTRIC PROVER & HOLDING CA	ABINET	M
Rack capacity: 10 610mm x 680mm Electrical requirem 230-240V, 50/60H 1 Phase+N+E, 1.5 10A cordset suppl	x 1015mm nents: z, kW, 6.3A	Dual function prover and holding cabinet Designed for individual use or system installed with Turbofan E33D convection oven 10 1/1 GN pan capacity 74mm Tray spacing Compact 610mm width	1.5	£4,345.00
		P/No. 236617 Stacking Kit to E33D5		£175.00



P12M	AUTO E	LECTRIC PROVER & HOLDING	CABINET	/
Rack capacity: 1 735mm x 810mm Electrical require 230-240V, 50/60 1 Phase+N+E, 1 10A cordset supp	n x 1129mm ments: Hz, .9kW, 8.5A	Dual function prover and holding cabinet Designed for individual use or system installed with Turbofan 32D convection ovens 12 Full size sheet pan capacity 24 Half size sheet pan capacity 12 EN 600 x 400 tray capacity 74mm Tray spacing Compact 735mm width	1.9	£5,420.00
		P/No. 234841 Stacking Kit to E/G32D4		£175.00



P85M8

PROVER/HOLDING CABINET

W 910mm x D 880mm x H 914mm including dia. 76mm castors

• 8 457mm x 762mm / 18" x 30" tray capacity

• 76mm tray spacing

P85M8

• 1.5kW heating power

• Optional M236060 Core Temperature Probe Kit

• Stacking kit 239704 P85M8 with E35D6

1.5 £4,930.00

£285.00 £175.00



P85M12

PROVER/HOLDING CABINET P85M12

W 910mm x D 810mm x H 1129mm including dia. 76mm castors

• 12 457mm x 762mm / 18" x 30" tray capacity

• 74mm tray spacing

• 1.9kW heating power

• Optional M236060 Core Temperature Probe Kit

• Stacking kit 239704 P85M12 with E35D6

£5,420.00

£285.00

£175.00



turbofan HOT HOLDING CABINETS



MODEL	DETAILS	Gas Power kW	Price (exc. VAT)
H8D-UC	HOLDING CABINET		<i>></i>
W 610mm x D 680	mm x H 810mm	1.2	£4.710.00

- 8 x 1/1 GN tray capacity
- 74mm tray spacing
- 1.2kW heating power
- Electronic digital control panel



HOLDING CABINET H8D-FS-UC

W 735mm x D 810mm x H 810mm

- 8 full size 460mm x 660mm / 18" x 26" sheet pan capacity
- 74mm tray spacing
- 1.9kW heating power
- Electronic digital control panel



H₁₀D-FS **HOLDING CABINET**

W 735mm x D 810mm x H 1015mm

- 10 full size 460mm x 660mm / 18" x 26" sheet pan capacity
- 74mm tray spacing
- 1.9kW heating power
- Electronic digital control panel



H₁₀D **HOLDING CABINET**

W 610mm x D 1015mm x H 680mm

- 10 1/1 GN pan capacity
- 74mm tray spacing
- 1.2kW heating power
- Electronic digital control panel



H10T

H10T HOLDING CABINET

W 610mm x D 1015mm x H 680mm

- 10 1/1 GN pan capacity
- 74mm tray spacing
- 1.2kW heating power
- Electronic touch sensitive control panel



TOUCH SCREEN ELECTRIC HUMIDIFIED HOLDING CABINET EHT10-L

W 610mm x D 680mm x H 1015mm

- 10 1/1 GN pan capacity
- 2.3kW heating power
- Electronic touch sensitive control panel

Price List June 2023

1.2

2.3

£5,215.00

£6,385.00

£4,830.00

£5,085.00

£4.855.00

1.9

1.9

1.2

turbofan HOT HOLDING CABINETS

OPTIONAL EXTRAS

SKEHT10	Stainless steel stand with castors (2 with swivel lock) to suit EHT10-L model	£665.00	
	W610mm x D 727mm x H 609mm		
237472	Double stacking kit to suit E33/EHT10-L models	£215.00	
234347	Filter head kit	£310.00	
	This kit supplies the cartridge mounting head assembly plus all associated		
	plumbing/fittings for installation to P8/P12/P10/P85 provers. Also includes		
	double check/pressure reducing valve and 2 metres of tubing for connection		
	to supply		
234562	Filter Cartridge P124BN CUNO	£245.00	
	Filter cartridge itself for connection to above installation kit		

turbofan VENTLESS HOODS

Model	Details	Price (exc. VAT)

VHSERIES



VENTLESS HOOD FOR E32D4/E32T4 OVENS

£6,245.00

W 742mm x D 1015mm x H 340mm · 230-240V, 50/60Hz, 1 Phase+N+E, 0.5A

10A plug cordset fitted

VH32

VH32

VH33 VENTLESS HOOD FOR E33D5/E33T5 OVENS



W 617mm x D 890mm x H 340mm

- · 230-240V, 50/60Hz, 1 Phase+N+E, 0.5A
- 10A plug cordset fitted

£6,080.00



VH35-30

VH35-30 VENTLESS HOOD FOR E35D6-30/E35T6-30 OVENS

W 917mm x D 1145mm x H 340mm • 230-240V, 50/60Hz, 1 Phase+N+E, 1.0A

• 10A plug cordset fitted

£7.175.00

STANDARD FEATURES

- Ventless oven hood no vent connection or canopy required
- · 3-stage filtering with condensing heat exchanger; 1st stage grease filter baffle, 2nd stage mesh particle filter, 3rd stage odour reduction charcoal
- Oven vent condensing heat exchanger reducing heat emissions
- Condensate collection to self-contained collection pan No waste drain connection needed or condensate collection to waste drain. No manual emptying of condensate collection pan required
- Hood control interlock with oven cannot operate without hood opening
- · Low speed fan operation reduced noise
- Automatic high speed fan when oven door is open
- · User replacement charcoal filter
- · Removable grease baffle and mesh filters
- 240V, 10A plug cordset electrical connection
- Hood installation kits are required to install VHSeries hoods on Turbofan

turbofan[®]COMBI

Turbofan Combi Steamers offer the ultimate in convenience, versatility and control, enabling you to deliver a wide range of foods to the highest standards without the need for large appliances.

From bread and pizza, through seafood, meats and vegetables to dessert, Turbofan Combi provides convection, steam or combination convection/steam cooking, with a choice of manual or digital models.

With refined lines and sophisticated design the entirely flat 40 Series lets you make the most of your space, be it behind the scenes or out in front of the crowd. Tuck it away in the bar area or have it pride of place in the open kitchen – either way you'll be happy to see this high performer deliver the goods time and time again.

- Choice of 6 models 3 digital and 3 manual
- 7kW 14kW heating power
- 30 80 covers per load
- 70mm tray spacing
- 5, 7 or 10 tray capacity
- 600mm x 400mm trays
- Range of accessories and options

MANUAL



EC40M5



EC40W17



EC40M10

DIGITAL



turboles

EST PETER STATE OF THE PETER STA

Price List June 2023 79

turbofan COMBINATION STEAMERS

turbolan com	BINATION STEAM	MER2				
	Model	Hob Options	Dimensions	Gas Power kW	Price (exc. VAT)	
0	EC40M5	5 TR	AY MANUAL ELECTRIC CO	OMBI OVEN	/	
turbofan	W 777mm x D 838 5 x 1/1 GN tray of 5 x 600mm x 400 70mm tray spaci 7.25kW heating 30 covers per loa Electromechanic Supplied with wa	capacity Omm tray capa ing power ad cal controls		7	£6,465.00	
EC40M5	Stand SK40A 3.64.0029 Stainle:		Oven Grid 1/1 GN		£935.00 £85.00	
	EC40D5	5 TR	AY DIGITAL ELECTRIC CO	MBI OVEN	M	
turbolar	 Automatic cleani 	capacity 0mm tray capa ing power ad olour display w ing system		7	£8,610.00	
F040D5	 Supplied with was Stand SK40A 				£935.00	
EC40D5	3.64.0029 Stainle:	3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN £85.00				
	EC40M7	7 TR/	AY MANUAL ELECTRIC CO	OMBI OVEN		
tulbofan tulbofan EC40M7	W 777mm x D 838 • 7 x 1/1 GN tray of 7 x 600mm x 400 • 70mm tray spacified 12.5kW heating 12.5kW heating 12.4" LCD-TFT complied with was Stand SK40A 3.64.0029 Stainless	capacity 0mm tray capa ing power ad olour display w ater softener	ncity ith rapid selection scroller	12	£7,990.00 £935.00 £85.00	
	EC40D7	7 TR	AY DIGITAL ELECTRIC CO	MBI OVEN	M	
turbolar	W 777mm x D 835mm x H 942mm • 7 x 1/1 GN tray capacity • 7 x 600mm x 400mm tray capacity • 70mm tray spacing • 12.5kW heating power • 50 covers per load • 2.4" LCD-TFT colour display with rapid selection scroller		£10,295.00			
1	Automatic cleanOptional multipoSupplied with wa	int core tempe	erature probe CP004		£390.00	
EC40D7	Stand SK40A 3.64.0029 Stainle	ss Steel Wire	Oven Grid 1/1 GN		£880.00 £85.00	
12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	EC40M10	10 TF	RAY MANUAL ELECTRIC C	OMBI OVEN	M	
Curlodon	W 777mm x D 838 • 10 x 1/1 GN tray • 10 x 600mm x 40 • 70mm tray spaci • 14.5kW heating • 80 covers per loa • Electromechanic • Supplied with was Stand SK40-10A 3.64.0029 Stainles	capacity 00mm tray cap ing power ad cal controls ater softener	pacity	14	£8,965.00 £935.00 £85.00	
EC40M10						

turbofan COMBINATION STEAMERS

Dimensions / Power (w x d x h)

Standard Features

Optional Extras

Price (exc. VAT)



EC40D10 10 TRAY DIGITAL ELECTRIC COMBI OVEN

14

£11,285.00

W 777mm x D 835mm x H 1152mm

- 10 x 1/1 GN tray capacity
- 10 x 600mm x 400mm tray capacity
- 70mm tray spacing
- 14.5kW heating power
- 80 covers per load
- 2.4" LCD-TFT colour display with rapid selection scroller
- Automatic cleaning system
- Optional multipoint core temperature probe CP004
- Supplied with water softener

Stand SK40-10A 3.64.0029 Stainless Steel Wire Oven Grid 1/1 GN £390.00

£935.00 £85.00

Model nos

Opposite hinge door (factory fit only)

£180.00

CDL05 Detergent cartridge 5ltr for auto wash units

£125.00

Price List June 2023

Dimensions / Power (w x d x h)

Options

kw

Price (exc. VAT)



430/DS-M **ELECTRIC PIZZA OVEN**

Dimensions: mm (w x d x h) External 950 x 950 x 400 Internal 630 x 630 x 150 Net weight: 94kg Single Phase

430/DS-M electric pizza oven Pizza capacity: 4 x 12 inch pizzas per deck. 4.4

£2,400.00

BSPZ01

£935.00

Steel stand with adjustable feet W 950mm x D 950mm x H 900mm



ELECTRIC PIZZA OVEN 830/DS-M



Dimensions: mm (w x d x h) External 950 x 950 x 730 Internal 630 x 630 x 150 (per deck) Net weight: 158kg Single Phase 2 x 4.4kW electrical supplies 830/DS-M electric pizza oven Pizza capacity: 4 x 12 inch pizzas per deck. 88

£3.795.00

BSPZ01

Steel stand with adjustable feet W 950mm x D 950mm x H 900mm



PLANETARY MIXER BM10



Dimensions: mm (w x d x h) 400 x 450 x 630 (stand foot print) Capacity 10 litres Net weight: 62kg

10 litre mixer

£2,305.00



HEAVY DUTY MIXER BM20



Dimensions: mm (w x d x h) 515 (incl. handle) x 518 x 879 Capacity 20 litres Net weight: 98kg

20 litre mixer

£3.210.00

WARE WASHING EQUIPMENT



Price List June 2023

Class 'A' air gap breaktank model

WARE WASHING EQUIPMENT



Dimensions / Power (w x d x h)

Options

kw

Price (exc. VAT)

HIGH VOLUME HOOD WASHER SH55E BT

Dimensions: mm (w x d x h) External 710 x d735 x h1450 Lowered 1860 raised.

Features: Twin wash cycle and integal break tank. Rack output: 30 per hour

SH55E high volume hood washer single phase 6.75 SH55E high volume hood washer 3 phase 55068 Stainless steel wings

£5,635.00 £5.635.00 £415.00 (each)

* Model Includes rinse aid detergent and drain pumps.



SH120E BT HIGH VOLUME HOOD WASHER

Dimensions: mm (w x d x h) External 710 x 740 x 1450 lowered 1860 raised.

SH120E high volume hood washer (three phase only)

10.1

£7,035.00

Features: Class "A" Air Gap,

55068 Stainless steel wings

£415.00 (each)

integral break tank and has three wash programmes. Basket size: 500mm.

Washing capacity: up to 1200 plates per hour

* Model Includes rinse aid detergent and drain pumps.



WATER SOFTENERS

Brita Aquaquell Purity 600 Complete System With MCU Display

£1,660.00

Manual water softeners

WS08 8 £265.00 WS12 12 £295.00 WS16 £380.00 16

DEFINITIONS

- 1.1 "The Company" -means Blue Seal Limited, a subsidiary of Moffat Group Pty Limited
- 1.2 "Confidential Information" all information in respect of the business of the Company including know-how and other matters connected with the Goods, information concerning the Company's relationships with actual or potential clients, customers or suppliers and the needs and requirements of the Company and of such persons and any other information which, if disclosed, will be liable to cause harm to the Company
- 1.3 "The Contract" means any contract for the sale of Goods by the Company to the Customer on the terms and conditions set out in this document
- 1.4 "The Customer" means the customer of the Company
- 1.5 "The Goods" means any Unit Items and/or Spares forming the subject of this Contract including parts and components of or materials incorporated in them as set out in Customer's order
- 1.6 "Force Majeure Event" means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors
- 1.6 "The Prices" means the prices set out in the Company's quotation for the relevant Goods
- 1.7 "Spares" means replacement components which are integral to the running performance of Unit Items
- 1.8 "Unit Items" means large, capital pieces of equipment, such as convection ovens which are detailed from time to time in the Company's catalogues

QUOTATION

Quotations by the Company unless otherwise stated in them shall be valid for a period of 30 days only from the date of the quotation, provided the Company has not previously withdrawn it.

EXISTENCE OF CONTRACT

- 3.1 Each order or acceptance of a quotation for Goods will be deemed to be an offer by the Customer to purchase Goods upon these terms and conditions. The Contract is formed when the Customer's order (however given) is accepted by the Company by the earliest of (a) the Company's written acceptance (b) delivery of the Goods or (c) the Company's invoice.
- 3.2 The Contract will be upon these terms and conditions to the exclusion of all other terms and conditions, including any terms or conditions which the Customer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract.
- 3.3 No variations or amendments of this Contract shall be binding on the Company unless confirmed by it in writing.

PRICES

- 4.1 Prices for:
 - 4.1.1 Spares are ex-works and include insurance, but exclude value added tax and any other similar or equivalent taxes, duties, fees and levies imposed from time to time by any government or other authority) which will be payable in addition to that sum in the manner and at the rate prescribed by law from time to time. For the avoidance of doubt, the Customer will be responsible for the costs relating to carriage and delivery in addition to the Prices, and details of the applicable delivery charges will be set out in the relevant order, and shall be dependent on the particular delivery service required by the Customer. The Company reserves the right to vary the costs of delivery (including, without limitation, the delivery services offered to a Customer) at any time prior to acceptance of an order pursuant to clause 3.1 above.
 - 4.1.2 Unit Items are inclusive of the Company's standard delivery charges (as may be varied from time to time) and insurance, but exclude value added tax and any other similar or equivalent taxes, duties, fees and levies imposed from time to time by any government or other authority, which will be payable in addition to that sum in the manner and at the rate prescribed by law from time to time. The Customer may request that Unit Items are delivered via an expedited service, and the Company reserves the right to charge an expedited delivery charge in such instances. Details of any such charge shall be notified to the Customer in advance.
 - 4.1.3 In the event that the Customer orders a combination of both Spares and Unit Items, the Spares will be delivered as part of the Unit Items order at no additional cost, save where otherwise agreed with the Customer.

PAYMENT

- 5.1 All invoices for the Prices for the Goods and any carriage and delivery costs payable by the Customer in addition to the Prices are payable by the Customer without discount of any kind in pounds sterling on or before the date stated on the Company's invoice at the Company's premises stated on the invoice and in no circumstances shall the Customer be entitled to make any deduction or withhold payment for any reason at all.
- 5.2 Time for payment shall be of the essence of the Contract. Without prejudice to any other rights of the Company, if the Customer fails to pay the invoice price by the due date, the Customer shall pay interest on any overdue amount from the date on which payment was due to that on which it is made (whether before or after judgment) at the rate prescribed in the Late Payment of Commercial Debts (Interest) Act 1998 and reimburse to the Company

- all the costs and expenses (including legal costs) incurred in the collection of any overdue amount
- 5.3 All payments will be made in cleared funds by the Customer in accordance with the provisions of clause 5.1 above. Payment may be made by cheque, BACS, credit and/ or debit card or by cash.
- 5.4 Without prejudice tom condition 5.2, if the Customer fails to make any payment due to the Company under the Contract on or before the due date the Company will be entitled to withhold further supply of Goods until payment of all overdue sums has been made and to cancel any or all orders accepted under condition 3.1 which have not yet been delivered.
- 5.5 Following termination of the Contract:
 - 5.5.1 the Company will be entitled to invoice all Prices and any carriage and delivery costs incurred which have not yet been invoiced; and
 - 5.5.2 all invoices (including any invoices issued under condition 5.5.1) will become immediately due and payable by the Customer.

TITLE

- 6.1 Notwithstanding the earlier passing of risk in accordance with condition 7, title in the Goods shall remain with the Company and shall not pass to the Customer until the amount due under the invoice for such Goods has been paid in full cleared funds.
- 6.2 Until the title of the Goods passes to the Customer, the Customer shall:
 - 6.2.1 hold the Goods as bailee for the Company;
 - 6.2.2 shall store (at no cost to the Company) or mark them so they can at all times be identified as the Goods of the Company;
 - 6.2.3 maintain the Goods in a satisfactory condition;
 - 6.2.4 keep the Goods insured for their full price against all risks to the reasonable satisfaction of the Company and whenever requested by the Company produce a copy of the policy of insurance to the Company.
- 6.3 The Company shall, by giving the Customer written notice, be entitled at any time before title passes to repossess and use or sell all or any of the Goods and so terminate (without any liability to the Customer) the Customer's right to use, sell or otherwise deal in them and for that purpose, or determining what if any Goods are held by the Customer and inspecting them, to enter any premises of the Customer.
- 6.4 Until title passes, the Customer may use and resell the Goods in the ordinary course of its business before ownership has passed to it, provided that the Customer will be permitted to make sales solely on the following conditions:
 - 6.4.1 any sale will be effected at full market value;
 - 6.4.2 any sale will be a sale of the Customer's property on the Customer's own behalf and the Customer will deal as principal when making such a sale;
 - 6.4.3 the Customer will hold such part of the proceeds of sale as represents the amount owed by the Customer to the Company in trust for the Company and will account to the Company accordingly; and
 - 6.4.4 the Customer will include a retention of title clause in its sale contract with its customer.

RISK, DELIVERY AND PERFORMANCE

- 7.1 Risk of damage to or loss of the Goods passes when they are delivered to the Customer
- 7.2 Goods are delivered to the Customer by the Company when the Company makes them available to the Customer or any agent of the Customer or any carrier (who shall be the Customers agent whoever pays his charges) at the Customer's premises or other delivery point agreed by the Company.
- 7.3 The Company may at it's discretion deliver the Goods by instalments in any sequence
- 7.4 Where the Goods are delivered by instalments, each instalment shall be deemed to be the subject of a separate Contract and no default or failure by the Company in respect of any one or more instalments shall vitiate the Contract in respect of the Goods previously delivered or undelivered Goods.
- 7.5 The Company may deliver to the Customer and the Customer shall accept in satisfaction of the Contract a lesser number than the number of Goods ordered. In such circumstances, the Customer will only pay the Prices for those Goods which have been delivered.
- 7.6 The Company will use reasonable endeavours to deliver the Goods within the time agreed with the Customer and notified to the Customer within the Company's acceptance of the Customer's order, and, if no time is agreed, then within a reasonable time, but the time of delivery in all circumstances will not be of the essence. If, despite those endeavours, the Company is unable for any reason to fulfiil any delivery on the specified date or within a reasonable time, the Company will be deemed not to be in breach of this Contract. Any delay in delivery will not entitle the Customer to cancel the order unless and until the Customer has given 30 days' written notice to the Company requiring the delivery to be made and the Company has not fulfilled the delivery within that period. If the Customer cancels the order in accordance with this condition 7.6 then the Company will refund to the Customer any sums which the Customer has paid to the Company in respect of that order or part of the order which has been cancelled. Subject to condition 10, this condition contains the full extent of the Company's liability for a failure to comply with this condition.
- 7.7 If the Customer fails to take delivery of the Goods or any part of them on the due date and fails to provides any instructions, documents, licenses, consents or authorisations required to enable the Goods to be delivered, the Goods will be deemed to have been delivered on the due date and (without prejudice to its other rights) the Company shall be entitled upon giving written notice to the Customer to:
 - 7.7.1 store or arrange for the storage of the Goods, until actual delivery or sale in accordance with condition 7.7.2 and charge the Customer for all related costs and expenses including storage and insurance;
 - 7.7.2 sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Customer for any shortfall below the price under the Contract or account to the Customer for any excess achieved over the price under the Contract, in both cases having taken into account any charges related to the sale

F*©ce List June 2023 85

CONDITIONS OF SALE (continued)

over the price under the Contract, in both cases having taken into account any charges related to the sale.

- 7.8 Notwithstanding the fact that no right to cancel is provided to a Customer other than as expressly provided for in condition 7.6 above, where the Customer does cancel an Order, other than in accordance with the provisions of clause
- 7.6 the Company reserves the right to charge the Customer a fee (including without limitation a re-stocking fee) to reflect the actual losses suffered by the Company in connection with such cancellation.

CLAIMS NOTIFICATION

- 8.1 Any claim for non-delivery of any Goods shall be notified in writing by the Customer to the Company within 7 days of the date of the Company's invoice
- 8.2 Any claim that Goods have been delivered damaged are not of the correct quantity or do not comply with their description shall be notified by the Customer tot the Company within 3 days of their delivery.
- 8.3 Any alleged defect shall be notified by the Customer to the Company within 3 days of the delivery of the Goods or in the case of any defect which is not reasonably apparent on inspection within 7 days of the defect coming to the Customers attention and in any event within 1 month from the date of delivery
- 8.4 Any claim under this condition must be in writing and must contain full details of the claim including part numbers of any allegedly defective Goods
- 8.5 The Company shall be afforded reasonable opportunity and facilities to investigate any claims made under this condition and the Customer shall if so requested in writing by the Company promptly return any Goods the subject of any claim and any packing securely packed and carriage paid to the Company for examination.
- 8.6 The Company shall have no liability with regard to any claim in respect of which the Customer has not complied with the provisions of this condition.

SCOPE OF CONTRACT

- 9.1 The Company will, free of charge, within a period of 12 months from the date of delivery of Goods which are proved to the reasonable satisfaction of the Company to be defective due to defects in material or workmanship, at its option, repair or replace such Goods or allow the Customer to return the Goods and give them credit for their invoice value of such Goods. This obligation will not apply and under no circumstances shall the Company have any liability of whatever kind:
 - 9.1.1 for any defects resulting from wear and tear accident improper use by the Customer or use by the Customer otherwise than in accordance with the instructions or advice of the Company or neglect or from any instructions or materials provided by the Customer;
 - 9.1.2 for any Goods which have been adjusted modified or repaired otherwise than by the Company save by way of necessary warranty work carried out by the Customer on the authority of the Company
 - 9.1.3 for the suitability of any Goods for any particular purpose or use under specific conditions, whether or not the purpose or conditions were known or communicated to the Company:
 - 9.1.4 for any descriptions, illustration, specifications, figures as to performance, drawings and particulars of weights and dimensions submitted by the Company contained in the Company's catalogues, price lists or elsewhere since they are merely intended to represent a general idea of the Goods and not to form part of the Contract or be treated as representations:
 - 9.1.5 for any technical information recommendations statements or advice furnished by the Company its servants or agents not given in writing in response to a specific written request from the Customer before the Contract is made;
 - 9.7.6 for any variations in the quantities or dimensions of any Goods or changes of their specifications or substitution of any materials or components, if the variation or substitution does not materially affect the characteristics of the Goods, and the substituted materials or components are of a quality equal or superior to those originally specified:
 - 9.1.7 for any damage caused as a result of the Goods being improperly installed or connected;
 - 9.1.8 for any storage of the Goods have not been complied with in all respects;
 - 9.1.9 in the event that the Customer fails to comply with the claims notification process set out in condition 8.
- 9.2 Any Goods which have been returned (as a credit is to be given) or replaced in accordance with condition 9.1 will belong to the Company. Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in condition 9.1 for the unexpired portion of the 12 month period from the original date of delivery of the replaced Goods.
- 9.3 The delivery of any returned, repaired or replacement Goods in accordance with condition 9.1shall be at the Customers premises or other delivery point specified for the original Goods.
- 9.4 Subject to this condition 9, all warranties, conditions and other terms implied by law (whether by statute, common law or otherwise) are excluded from the Contract.

EXTENT OF LIABILITY

- 10.1 Nothing in this Contract shall limit or exclude the Company's liability for:
 - 10.1.1 death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);
 - 10.1.2 fraud or fraudulent misrepresentation;
 - 10.1.3 breach of the terms implied by section 12 of the Sale of Goods Act 1979;
 - 10.1.4 any matter in respect of which it would be unlawful for the Company to exclude or restrict liability.
- 10.2 Subject to condition 10.1, the Company shall have no liability to the Customer whether in contract, tort (including negligence), breach of statutory duty, or otherwise for any injury, death, or indirect or consequential loss (all two of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss)

- howsoever caused in connection with the performance or purported performance of or failure to perform the Contract.
- 10.3 Where the Company is liable in accordance with condition 9 in respect of only some or part of the Goods the Contract shall remain in full force and respect of the other or other parts of the Goods and no set off or other claim shall be made by the customer against or in respect of such other or other parts of the Goods.
- 10.4 The Customer shall have no claim against the Company for any defect arising from any design or specification provided or made by the Customer or if any adjustments alterations or other work has been done to the Goods by any person other than the Company.
- 10.5 Subject to condition 10.1, in no circumstances shall the total liability of the Company to the Customer under this Contract whether in contract, tort (including negligence), breach of statutory duty, or otherwise exceed the invoice value of the Goods.

GENERAL

- 11.1 The Contract is between the Company and the Customer as principals and shall not be assignable to the Customer without the express written consent of the Company.
- 11.2 The Company shall have a lien on all the Customer's property in the Company's possession for all sums due at any time from the Customer and shall be entitled to use sell or dispose of that property as agent for and at the expense of the Customer and apply the proceeds in and towards the payment of such sums on 28 days' notice in writing to the Customer. Upon accounting to the Customer for any balance remaining alter payment of any sums due to the Company and the costs of sale or disposal the company shall be discharged of any liability in respect of the Customer's property.
- 11.3 The Company may at it's absolute discretion suspend or terminate the supply of any Goods if the Customer fails to make any payment when and as due or otherwise defaults in any of its obligations under the Contract or any other agreement with the Company or becomes insolvent, has a receiver appointed of its business or is compulsorily or voluntarily wound up or the Company bona fide believes that any of those events may occur and in case of termination shall be entitled to forfeit any deposit paid by the Customer.
- 11.4 The Company reserves the right to carry out changes in manufacture of the Goods at any time without notice to distributors or other purchasers of its products.
- 11.5 The Company may at any time assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract. The Customer may not assign, transfer, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract without the prior written consent of the Company
- 11.6 The parties do not intend that any term of the Contract will be enforceable under the Contracts (Rights of Third Parties) Act 1999 by any person.
- 11.7 If any term of the Contract is found by any court or body or authority of competent jurisdiction to be illegal, unlawful, void or unenforceable, such term will be deemed to be severed from the Contract and this will not affect the remainder of the Contract which will continue in full force and effect.
- 11.8 A delay in exercising or failure to exercise a right or remedy under or in connection with the Contract will not constitute a waiver of, or prevent or restrict future exercise of, that or any other right or remedy, nor will the single or partial exercise of a right or remedy prevent or restrict the further exercise of that or any other right or remedy. A waiver of any right, remedy, breach or default will only be valid if it is in writing and signed by the party giving it and only in the circumstances and for the purpose for which it was given and will not constitute a waiver of any other right, remedy, breach or default.
- 11.9 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract
- 11.10 The Customer will keep confidential any Confidential Information that is receives from the Company and will not use such Confidential Information for any purpose other than to perform its obligations under the Contract.

CANCELLATION

12. Orders for Goods may be cancelled by the Customer by written notice to the Company at any time prior to the order for such Goods being accepted by the Company in accordance with condition 3.1 but if a cancellation notice is received after the order for such Goods has been accepted by the Company in accordance with condition 3.1 then the order can only be cancelled at the Company's discretion and a packing and handling charge will be payable by the Customer.

FORCE MAJEURE

13. If a party obliged to perform the Contract or any obligation under it is prevented or restricted from doing so by reason of a Force Majeure Event the party so affected upon giving prompt notice to the other party shall be excused from performance to the extent of the prevention restriction or interference but the party so affected shall use its best efforts to avoid or remove such causes of non-performance and shall continue performance under the Contract with the utmost dispatch whenever such causes are removed or diminished.

LAW AND CONSTRUCTION

- 14.1 The Contract shall be governed by English Law and the Customer consents to the exclusive jurisdiction of the English Courts in all matters regarding the Contract except to the extent that the Company invokes the jurisdiction of the Courts of any other country
- 14.2 The headings of conditions are for convenience of reference only and shall not affect their interpretation.

NOTICES

15. Any Notice to be given under the Contract shall be in writing and telexed sent by facsimile transmission or forwarded by first class prepaid letter post to the receiving party at its business address as last notified in writing to the other party and shall be deemed to have been given on the date of the telex or facsimile transmission or on the day following that on which the notice was posted.

BLUE 5EA



POWER • PERFORMANCE • RELIABILITY





PRODUCT PRICE LIST JUNE 2023

Blue Seal Limited, Unit 67, Gravelly Business Park, Gravelly, Birmingham B24 8TQ

T: 0121-327-5575 | F: 0121-327-9711 | sales@blue-seal.co.uk | www.blue-seal.co.uk